

**This version of GitHub Enterprise was discontinued on 2023-03-15.** No patch releases will be made, even for critical security issues. For better performance, improved security, and new features, [upgrade to the latest version of GitHub Enterprise](#). For help with the upgrade, [contact GitHub Enterprise support](#).

# Configuring a hostname

We recommend setting a hostname for your appliance instead of using a hard-coded IP address.

If you configure a hostname instead of a hard-coded IP address, you will be able to change the physical hardware that your GitHub Enterprise Server instance runs on without affecting users or client software.



The hostname setting in the Management Console should be set to an appropriate fully qualified domain name (FQDN) which is resolvable on the internet or within your internal network. For example, your hostname setting could be `github.companyname.com`. Web and API requests will automatically redirect to the hostname configured in the Management Console. Note that `localhost` is not a valid hostname setting.

Hostnames must be less than 63 characters in length per [Section 2.3.4 of the Domain Names Specification RFC](#).

After you configure a hostname, you can enable subdomain isolation to further increase the security of your GitHub Enterprise Server instance. For more information, see "[Enabling subdomain isolation](#)."

For more information on the supported hostname types, see [Section 2.1 of the HTTP RFC](#).

**Warning:** Do not change the hostname for GitHub Enterprise Server after initial setup. Changing the hostname will cause unexpected behavior, up to and including instance outages. If you have changed the hostname for your instance and are experiencing problems, contact GitHub Enterprise Support or GitHub Premium Support.

- 1 From an administrative account on GitHub Enterprise Server, in the upper-right corner of any page, click .
- 2 If you're not already on the "Site admin" page, in the upper-left corner, click **Site admin**.
- 3 In the " Site admin" sidebar, click **Management Console**.
- 4 In the "Settings" sidebar, click **Hostname**.
- 5 Under "Hostname", type the hostname you'd like to set for your GitHub Enterprise Server instance.
- 6 To test the DNS and SSL settings for the new hostname, click **Test domain settings**.
- 7 If you don't receive a green checkmark next to all entries, review your configuration for the setting that failed. For more information, see "[Configuring DNS](#)".

[nameservers.](#)"

- 8 Under the "Settings" sidebar, click **Save settings**.

**Note:** Saving settings in the Management Console restarts system services, which could result in user-visible downtime.

- 9 Wait for the configuration run to complete.

To help mitigate various cross-site scripting vulnerabilities, we recommend that you enable subdomain isolation for your GitHub Enterprise Server instance after you configure a hostname. For more information, see "[Enabling subdomain isolation](#)."

## Legal

© 2023 GitHub, Inc. [Terms](#) [Privacy](#) [Status](#) [Pricing](#) [Expert services](#) [Blog](#)