REST API / Billing / Billing

Q



The REST API is now versioned. For more information, see "About API versioning."

# **Billing**

Use the REST API to get billing information for an enterprise.

## About billing @

You can get billing information for an enterprise. For more information, see "GitHub Enterprise administration."

## Get GitHub Actions billing for an organization &

Gets the summary of the free and paid GitHub Actions minutes used.

Paid minutes only apply to workflows in private repositories that use GitHub-hosted runners. Minutes used is listed for each GitHub-hosted runner operating system. Any job re-runs are also included in the usage. The usage returned includes any minute multipliers for macOS and Windows runners, and is rounded up to the nearest whole minute. For more information, see "Managing billing for GitHub Actions".

OK

Access tokens must have the repo or admin:org scope.

## Parameters for "Get GitHub Actions billing for an organization"

#### Headers

accept string

Setting to application/vnd.github+json is recommended.

#### Path parameters

org string Required

The organization name. The name is not case sensitive.

## HTTP response status codes for "Get GitHub Actions billing for an organization"

Status code Description

200

## Code samples for "Get GitHub Actions billing for an organization"

GET /orgs/{org}/settings/billing/actions

cURL JavaScript GitHub CLI

```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28" \ https://api.github.com/orgs/ORG/settings/billing/actions
```

#### Response

```
Example response Response schema

Status: 200

{ "total_minutes_used": 305, "total_paid_minutes_used": 0, "included_minutes": 3000, "minutes_used_breakdown": { "UBUNTU": 205, "MACOS": 10, "WINDOWS": 90 } }
```

## Get GitHub Advanced Security active committers for an organization &

Works with GitHub Apps

Gets the GitHub Advanced Security active committers for an organization per repository.

Each distinct user login across all repositories is counted as a single Advanced Security seat, so the total\_advanced\_security\_committers is not the sum of advanced\_security\_committers for each repository.

If this organization defers to an enterprise for billing, the total\_advanced\_security\_committers returned from the organization API may include some users that are in more than one organization, so they will only consume a single Advanced Security seat at the enterprise level.

The total number of repositories with committer information is tracked by the total\_count field.

## Parameters for "Get GitHub Advanced Security active committers for an organization"

#### **Headers**

accept string

Setting to application/vnd.github+json is recommended.

## Path parameters

org string Required

The organization name. The name is not case sensitive.

## **Query parameters**

per\_page integer

The number of results per page (max 100).

Default: 30

page integerPage number of the results to fetch.Default: 1

## HTTP response status codes for "Get GitHub Advanced Security active committers for an organization"

Status code	Description
200	Success
403	Response if GitHub Advanced Security is not enabled for this repository

## Code samples for "Get GitHub Advanced Security active committers for an organization"



#### Success

```
Example response Response schema

Status: 200

{ "total_advanced_security_committers": 2, "total_count": 2, "repositories": [ { "name": "octocat-org/Hello-World", "advanced_security_committers": 2, "advanced_security_committers_breakdown": [ { "user_login": "octocat", "last_pushed_date": "2021-11-03" }, { "user_login": "octokitten", "last_pushed_date": "2021-10-25" } ] }, { "name": "octocat-org/server", "advanced_security_committers": 1, "advanced_security_committers_breakdown": [ { "user_login": "octokitten", "last_pushed_date": "2021-10-26" } ] } ] }

"2021-10-26" } ] } ]
```

# Get GitHub Packages billing for an organization @

Gets the free and paid storage used for GitHub Packages in gigabytes.

Paid minutes only apply to packages stored for private repositories. For more information, see "Managing billing for GitHub Packages."

Access tokens must have the repo or admin:org scope.

### Parameters for "Get GitHub Packages billing for an organization"

#### **Headers**

accept string

org string Required

The organization name. The name is not case sensitive.

### HTTP response status codes for "Get GitHub Packages billing for an organization"

Status code Description

200 OK

#### Code samples for "Get GitHub Packages billing for an organization"



### Response

Example response Response schema

Status: 200

{ "total\_gigabytes\_bandwidth\_used": 50, "total\_paid\_gigabytes\_bandwidth\_used": 40, "included\_gigabytes\_bandwidth": 10 }

# Get shared storage billing for an organization $\mathscr E$

Gets the estimated paid and estimated total storage used for GitHub Actions and GitHub Packages.

Paid minutes only apply to packages stored for private repositories. For more information, see "Managing billing for GitHub Packages."

Access tokens must have the repo or admin:org scope.

## Parameters for "Get shared storage billing for an organization"

#### Headers

accept string

org string Required


The organization name. The name is not case sensitive.

## HTTP response status codes for "Get shared storage billing for an organization"

Status code Description

200 OK

#### Code samples for "Get shared storage billing for an organization"



#### Response

Example response Response schema

Status: 200

{ "days\_left\_in\_billing\_cycle": 20, "estimated\_paid\_storage\_for\_month": 15, "estimated\_storage\_for\_month": 40 }

## Get GitHub Actions billing for a user &

Gets the summary of the free and paid GitHub Actions minutes used.

Paid minutes only apply to workflows in private repositories that use GitHub-hosted runners. Minutes used is listed for each GitHub-hosted runner operating system. Any job re-runs are also included in the usage. The usage returned includes any minute multipliers for macOS and Windows runners, and is rounded up to the nearest whole minute. For more information, see "Managing billing for GitHub Actions".

Access tokens must have the user scope.

## Parameters for "Get GitHub Actions billing for a user"

#### Headers

accept string

username string Required

The handle for the GitHub user account.

## HTTP response status codes for "Get GitHub Actions billing for a user"

Status code	Description
200	ОК

#### Code samples for "Get GitHub Actions billing for a user"



#### Response

```
Example response Response schema

Status: 200

{ "total_minutes_used": 305, "total_paid_minutes_used": 0, "included_minutes": 3000, "minutes_used_breakdown": { "UBUNTU": 205, "MACOS": 10, "WINDOWS": 90 } }
```

## Get GitHub Packages billing for a user &

Gets the free and paid storage used for GitHub Packages in gigabytes.

Paid minutes only apply to packages stored for private repositories. For more information, see "Managing billing for GitHub Packages."

Access tokens must have the user scope.

## Parameters for "Get GitHub Packages billing for a user"

#### Headers

accept string

username string Required

The handle for the GitHub user account.

## HTTP response status codes for "Get GitHub Packages billing for a user"

Status code Description

200 OK

### Code samples for "Get GitHub Packages billing for a user"



#### Response

Example response Response schema

Status: 200

{ "total\_gigabytes\_bandwidth\_used": 50, "total\_paid\_gigabytes\_bandwidth\_used": 40, "included\_gigabytes\_bandwidth": 10 }

# Get shared storage billing for a user &

Gets the estimated paid and estimated total storage used for GitHub Actions and GitHub Packages.

Paid minutes only apply to packages stored for private repositories. For more information, see "Managing billing for GitHub Packages."

Access tokens must have the user scope.

### Parameters for "Get shared storage billing for a user"

#### **Headers**

accept string

username string Required


The handle for the GitHub user account.

## HTTP response status codes for "Get shared storage billing for a user"

Status code Description

200 OK

## Code samples for "Get shared storage billing for a user"



#### Response

Example response Response schema

Status: 200

{ "days\_left\_in\_billing\_cycle": 20, "estimated\_paid\_storage\_for\_month": 15, "estimated\_storage\_for\_month": 40 }

### Legal

© 2023 GitHub, Inc. <u>Terms</u> <u>Privacy</u> <u>Status</u> <u>Pricing</u> <u>Expert services</u> <u>Blog</u>