



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



METRICS

[Expand view](#)

▲ First Contentful Paint

15.4 s

▲ Total Blocking Time

3,280 ms

▲ Speed Index

32.6 s

[View Treemap](#)



DIAGNOSTICS

▲ Eliminate render-blocking resources — Potential savings of 14,530 ms



Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	373.0 KiB	23,310 ms
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br)	1.0 KiB	1,610 ms
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	2,070 ms
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br)	2.3 KiB	1,610 ms
...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br)	2.6 KiB	1,610 ms
...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey....css (ifce.edu.br)	3.2 KiB	680 ms
...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br)	1.6 KiB	680 ms
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	1,140 ms
...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br)	4.4 KiB	680 ms
...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br)	1.4 KiB	680 ms
...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br)	3.6 KiB	680 ms
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br)	3.9 KiB	680 ms
...css/style.css (ifce.edu.br)	3.2 KiB	680 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB	3,010 ms
...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br)	8.7 KiB	680 ms
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.6 KiB	1,140 ms
...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br)	8.3 KiB	680 ms
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	79.3 KiB	2,070 ms
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	36.5 KiB	1,610 ms
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	1.7 KiB	680 ms
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.9 KiB	680 ms

▲ Properly size images — Potential savings of 85 KiB ^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br [1st Party]	377.8 KiB	85.3 KiB
		
chamada classificáv eis 	...@@@images/8d385f1b-2b76-4cef-8e66- d26208bcd639.png (ifce.edu.br)	199.1 KiB 49.1 KiB
		
processo seletivo compleme ntar 2024.1 	...@@@images/22fbc4a2-15a8-4277-8cfe- 7a21d5d7dbbf.png (ifce.edu.br)	75.6 KiB 18.6 KiB
		
!!! RETIFICA ÇÃO - CRONO GRAMA - SISU 2024 !! 	...@@@images/9d60aacf-b395-47f6-84b3- 9d04349ab290.jpeg (ifce.edu.br)	51.2 KiB 12.6 KiB
		
orgaos 	/imagens/orgaosparceiros.jpg (ifce.edu.br)	51.9 KiB 5.0 KiB

▲ Minify CSS — Potential savings of 3 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) [FCP](#) [LCP](#)

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	22.9 KiB	2.6 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	2.6 KiB

▲ Reduce unused CSS — Potential savings of 80 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) [FCP](#) [LCP](#)

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
YouTube Video	47.1 KiB	45.6 KiB
...a1d7d0f8/www-player.css (www.youtube.com)	47.1 KiB	45.6 KiB
ifce.edu.br 1st Party	38.9 KiB	34.2 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	19.0 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	15.2 KiB

▲ Reduce unused JavaScript — Potential savings of 2,545 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) [LCP](#)

Show 3rd-party resources (17)


URL	Transfer Size	Potential Savings
YouTube Video	2,597.5 KiB	1,752.2 KiB
...en_US/base.js (www.youtube.com)	771.0 KiB	533.4 KiB
...en_US/base.js (www.youtube.com)	771.0 KiB	533.4 KiB
...en_US/base.js (www.youtube.com)	771.0 KiB	533.4 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	94.8 KiB	51.6 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	94.8 KiB	51.6 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	94.8 KiB	48.8 KiB

URL		Transfer Size	Potential Savings
Twitter Social		494.8 KiB	359.6 KiB
...chunks/3.6238497....js (platform.twitter.com)		160.2 KiB	112.5 KiB
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)		102.8 KiB	99.3 KiB
...chunks/modules.20f98d7....js (platform.twitter.com)		93.5 KiB	55.6 KiB
...chunks/0.9098e7e....js (platform.twitter.com)		76.0 KiB	49.2 KiB
...chunks/4.1579d56....js (platform.twitter.com)		62.2 KiB	43.1 KiB
ifce.edu.br 1st Party		276.6 KiB	196.9 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)		138.3 KiB	87.8 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)		78.6 KiB	61.6 KiB
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)		35.8 KiB	25.2 KiB
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)		24.0 KiB	22.3 KiB
Facebook Social		249.0 KiB	175.3 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		107.3 KiB	72.0 KiB
/pt_BR/all.js?hash=8a4783d... (connect.facebook.net)		84.4 KiB	55.7 KiB
...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		30.5 KiB	26.9 KiB
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		26.8 KiB	20.8 KiB
Google Tag Manager Tag-Manager		148.2 KiB	60.7 KiB
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)		68.2 KiB	31.0 KiB
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)		80.1 KiB	29.7 KiB

▲ Serve images in next-gen formats — Potential savings of 812 KiB

^

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#)

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	1,000.6 KiB	812.4 KiB
 sara ...@@@images/56cb380f-7522-4c1e-94e3- mestrado 61ccaad54d15.png (ifce.edu.br) <img src="https ://ifce.ed	229.1 KiB	210.3 KiB

URL	Resource Size	Potential Savings
<pre>u.br/crateus/home/@@nitf/cfeb e566482b4d4781c77e096b74cc6a/ @..." width="350" height="400" class="left" alt="sara mestrado"></pre>  <p>chamada classificá veis </p>	...@@@images/8d385f1b-2b76-4cef-8e66-d26208bcd639.png (ifce.edu.br)	199.1 KiB 176.3 KiB
<pre>egressos projeto imagem </pre> 	...@@@images/e667ec90-bf4b-476d-8c8e-8677bd6aefb5.png (ifce.edu.br)	195.8 KiB 167.2 KiB
<pre>PRÉ- MATRÍC ULA DOS APROVA DOS - REMANESCENTES 2024.1 </pre> 	...@@@images/6b983fa0-2425-43ca-adc3-96ff0f15d5e1.png (ifce.edu.br)	101.3 KiB 83.1 KiB
<pre>processo seletivo complem entar 2024.1 <img src="https://ifce.edu.br/crat eus/imagens/banner- rotativo/processo-seletivo-</pre> 	...@@@images/22fbc4a2-15a8-4277-8cfe-7a21d5d7dbbf.png (ifce.edu.br)	75.6 KiB 56.1 KiB

	URL	Resource Size	Potential Savings
<pre>comp..." alt="processo seletivo complementar 2024.1"></pre>			
<pre>/imagens/orgaosparceiros.jpg" data-mce-</pre>	<pre>orgaos <img src="htt ps://ifc e.edu.br</pre>	/imagens/orgaosparceiros.jpg (ifce.edu.br)	51.9 KiB 45.1 KiB
<pre>src=".../imagens/orgaosparceir os.jpg" height="79" width="686" usemap="#Map" alt="orgaos" border="0"></pre>			
<pre></pre>		<pre>div.cycle- player > div.cycle- slide > a > img</pre>	...@@@images/e4884738-a324-43ac-970f- d3686bc9b2d1.jpeg (ifce.edu.br) 48.4 KiB 22.6 KiB
<pre>SISU 2024 !! </pre>		<pre>!!! RETIFIC AÇÃO - CRONO GRAMA -</pre>	...@@@images/9d60aacf-b395-47f6-84b3- 9d04349ab290.jpeg (ifce.edu.br) 51.2 KiB 22.5 KiB
<pre></pre>		<pre>div.cycle- player > div.cycle- slide > a > img</pre>	...@@@images/8cce459-6cec-43fa-857a- 75ea00e44457.jpeg (ifce.edu.br) 31.5 KiB 16.4 KiB

URL	Resource Size	Potential Savings
<pre>mapa.png </pre>	16.8 KiB	13.0 KiB

⚠ Avoid an excessive DOM size — 875 elements ^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

Statistic	Element	Value
Total DOM Elements		875
Maximum DOM Depth	 <div style="margin-top: 10px;"> <pre>div.cycle-carousel-wrap > div.thumb-itens > div.table-align > img </pre> </div>	18
Maximum Child Elements	Institucional ...	24

⚠ Reduce JavaScript execution time — 13.6 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

Show 3rd-party resources (20)

URL	Total CPU Time	Script Evaluation	Script Parse
YouTube Video	12,076 ms	10,119 ms	651 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	6,582 ms	5,790 ms	91 ms
...en_US/base.js (www.youtube.com)	4,783 ms	4,042 ms	508 ms
/embed/Zp2uDE7WAfU (www.youtube.com)	253 ms	127 ms	18 ms
/embed/uomnmfUmBDc (www.youtube.com)	182 ms	81 ms	17 ms
/embed/CV6CMfKnZvE (www.youtube.com)	177 ms	79 ms	17 ms
...a1d7d0f8/www-player.css (www.youtube.com)	98 ms	0 ms	0 ms
Twitter Social	1,427 ms	1,062 ms	152 ms

URL	Total CPU Time	Script Evaluation	Script Parse
...chunks/3.6238497....js (platform.twitter.com)	623 ms	576 ms	41 ms
/widgets.js (platform.twitter.com)	298 ms	235 ms	17 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	188 ms	27 ms	65 ms
...chunks/modules.20f98d7....js (platform.twitter.com)	115 ms	83 ms	19 ms
...screen-name/%5BscreenName%5D-c33f0b0....js (platform.twitter.com)	75 ms	72 ms	1 ms
...chunks/33.72d4e8a....js (platform.twitter.com)	70 ms	63 ms	2 ms
...screen-name/IFCE_?dnt=... (syndication.twitter.com)	58 ms	6 ms	5 ms
ifce.edu.br 1st Party	1,330 ms	481 ms	37 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	698 ms	462 ms	29 ms
/crateus (ifce.edu.br)	632 ms	19 ms	8 ms
Unattributable	855 ms	91 ms	0 ms
Unattributable	855 ms	91 ms	0 ms
Facebook Social	574 ms	397 ms	63 ms
/plugins/like_box.php?app_id=... (www.facebook.com)	314 ms	202 ms	13 ms
/pt_BR/all.js?hash=8a4783d... (connect.facebook.net)	188 ms	153 ms	22 ms
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	72 ms	42 ms	28 ms
Google Tag Manager Tag-Manager	372 ms	336 ms	25 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	210 ms	190 ms	12 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	162 ms	146 ms	14 ms
Google Analytics Analytics	99 ms	85 ms	6 ms
/analytics.js (www.google-analytics.com)	99 ms	85 ms	6 ms
Other Google APIs/SDKs Utility	80 ms	68 ms	10 ms
...th/wAFWjcG1j....js (www.google.com)	80 ms	68 ms	10 ms

▲ Minimize main-thread work — **17.2 s** ^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	12,778 ms
Other	1,419 ms
Script Parsing & Compilation	1,061 ms
Garbage Collection	803 ms
Style & Layout	640 ms
Parse HTML & CSS	310 ms
Rendering	146 ms

▲ Reduce the impact of third-party code — **Third-party code blocked the main thread for 9,520 ms** ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact.](#) TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
YouTube Video	2,918 KiB	8,763 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	287 KiB	4,956 ms
...en_US/base.js (www.youtube.com)	2,315 KiB	3,735 ms
/embed/Zp2uDE7WAfU (www.youtube.com)	40 KiB	49 ms
/embed/uomnmfUmBDc (www.youtube.com)	40 KiB	12 ms
/embed/CV6CMfKnZvE (www.youtube.com)	40 KiB	10 ms
...a1d7d0f8/www-player.css (www.youtube.com)	141 KiB	0 ms
...en_US/embed.js (www.youtube.com)	51 KiB	0 ms
...v1/log_event?alt=json&key=AlzaSyAO_... (www.youtube.com)	2 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
/generate_204?uLR5Rg (www.youtube.com)	0 KiB	0 ms
/generate_204?JcK96g (www.youtube.com)	0 KiB	0 ms
/generate_204?ORFJfg (www.youtube.com)	0 KiB	0 ms
Twitter Social	613 KiB	551 ms
...chunks/3.6238497....js (platform.twitter.com)	161 KiB	519 ms
...screen-name/%5BscreenName%5D-c33f0b0....js (platform.twitter.com)	2 KiB	19 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	104 KiB	11 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...chunks/33.72d4e8a....js (platform.twitter.com)	13 KiB	1 ms
...chunks/modules.20f98d7....js (platform.twitter.com)	94 KiB	0 ms
...chunks/0.9098e7e....js (platform.twitter.com)	77 KiB	0 ms
...chunks/4.1579d56....js (platform.twitter.com)	63 KiB	0 ms
...chunks/1.2a1457a....js (platform.twitter.com)	49 KiB	0 ms
/widgets.js (platform.twitter.com)	28 KiB	0 ms
...chunks/2.691622e....js (platform.twitter.com)	8 KiB	0 ms
/js/timeline.e108540....js (platform.twitter.com)	4 KiB	0 ms
...chunks/runtime-a697c5a....js (platform.twitter.com)	3 KiB	0 ms
...screen-name/IFCE_?dnt=... (syndication.twitter.com)	2 KiB	0 ms
...chunks/6.902e7a2....js (platform.twitter.com)	2 KiB	0 ms
...pages/_app-88bf420....js (platform.twitter.com)	1 KiB	0 ms
...pc7SXdl2p.../_buildManifest.js (platform.twitter.com)	1 KiB	0 ms
/settings?session_id=819b873... (syndication.twitter.com)	1 KiB	0 ms
...chunks/main-fd9ef5e....js (platform.twitter.com)	1 KiB	0 ms
...pc7SXdl2p.../_ssgManifest.js (platform.twitter.com)	1 KiB	0 ms
/i/jot?I=... (syndication.twitter.com)	0 KiB	0 ms
Google Tag Manager Tag-Manager	150 KiB	109 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	81 KiB	84 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	69 KiB	24 ms
Facebook Social	312 KiB	72 ms
/plugins/like_box.php?app_id=... (www.facebook.com)	16 KiB	72 ms
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	109 KiB	0 ms
/pt_BR/all.js?hash=8a4783d... (connect.facebook.net)	86 KiB	0 ms
...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	32 KiB	0 ms
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	28 KiB	0 ms
...t39.30808-6/280....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	21 KiB	0 ms
...0,cross/1r0WOAs0gZ6.css?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	6 KiB	0 ms
...r/8ZrPme2EwKH.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	4 KiB	0 ms
/pt_BR/all.js (connect.facebook.net)	4 KiB	0 ms
...t39.30808-1/230....png?stp=... (scontent-lax3-1.xx.fbcdn.net)	3 KiB	0 ms
...r/UXtr_j2Fwe-.png (static.xx.fbcdn.net)	2 KiB	0 ms
...r/p55HfXW__mM.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	1 KiB	0 ms
Google Analytics Analytics	21 KiB	26 ms
/analytics.js (www.google-analytics.com)	21 KiB	26 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
/j/collect?v=... (www.google-analytics.com)	0 KiB	0 ms
/g/collect?v=... (analytics.google.com)	0 KiB	0 ms
Other Google APIs/SDKs Utility	184 KiB	0 ms
...google.internal.waa.v1.Waa/Create (jnn-pa.googleapis.com)	121 KiB	0 ms
...th/wAFWjcG1j....js (www.google.com)	60 KiB	0 ms
...google.internal.waa.v1.Waa/GenerateIT (jnn-pa.googleapis.com)	3 KiB	0 ms
/ads/ga-audiences?t=... (www.google.com)	1 KiB	0 ms
brasil.gov.br	126 KiB	0 ms
/imagens/vlibras.gif (barra.brasil.gov.br)	108 KiB	0 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	18 KiB	0 ms
Google Fonts Cdn	68 KiB	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	34 KiB	0 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	34 KiB	0 ms
JSDelivr CDN Cdn	21 KiB	0 ms
...assets/access_popup.jpg (cdn.jsdelivr.net)	10 KiB	0 ms
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7 KiB	0 ms
...assets/access_icon.svg (cdn.jsdelivr.net)	3 KiB	0 ms
Google/Doubleclick Ads Ad	8 KiB	0 ms
/pagead/id?slf_rd=1 (googleads.g.doubleclick.net)	3 KiB	0 ms
/pagead/id (googleads.g.doubleclick.net)	2 KiB	0 ms
/instream/ad_status.js (static.doubleclick.net)	2 KiB	0 ms
/j/collect?t=... (stats.g.doubleclick.net)	1 KiB	0 ms
/g/collect?v=... (stats.g.doubleclick.net)	0 KiB	0 ms
vlibras.gov.br	2 KiB	0 ms
...assets/access_popup.jpg (vlibras.gov.br)	1 KiB	0 ms
/app/vlibras-plugin.js (vlibras.gov.br)	1 KiB	0 ms
...assets/access_icon.svg (vlibras.gov.br)	1 KiB	0 ms

⚠ Some third-party resources can be lazy loaded with a facade — **1 facade alternative available** ⚡

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

Product	Transfer Size	Main-Thread Blocking Time
YouTube Video	2,918 KiB	8,763 ms

Product	Transfer Size	Main-Thread Blocking Time
YouTube Embedded Player (Video)	2,918 KiB	8,763 ms
...en_US/base.js (www.youtube.com)	2,315 KiB	3,735 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	287 KiB	4,956 ms
...a1d7d0f8/www-player.css (www.youtube.com)	141 KiB	0 ms
...en_US/embed.js (www.youtube.com)	51 KiB	0 ms
/embed/Zp2uDE7WAfU (www.youtube.com)	40 KiB	49 ms
Other resources	83 KiB	23 ms

⚠ Largest Contentful Paint element — 35,610 ms

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) LCP

Element



chamada classificáveis

Phase

% of LCP

Timing

TTFB

2%

810 ms

Load Delay

71%

25,440 ms

Load Time

22%

7,740 ms

Render Delay

5%


1,620 ms

⚠ Avoid large layout shifts — 13 elements found

These DOM elements were most affected by layout shifts. Some layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

Element







Layout shift impact





CONSUP IFCE aprova criação de 16 novos cursos Conselho Superior deu sinal ver...

<div class="row">

0.361

Element	Layout shift impact
	0.106
	0.050
	0.021
	0.012
	0.010
	0.010
	0.010
	0.006
	0.000

Element		Layout shift impact
	2 <code></code>	0.000
	3 <code></code>	0.000
	4 <code></code>	0.000

■ Defer offscreen images — Potential savings of 186 KiB

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images](#).

	URL	Resource Size	Potential Savings
ifce.edu.br 1st Party		185.5 KiB	185.5 KiB
	orgaos <img src="http s://ifce. edu.br/im agens/orgaosparceiros.jpg"	/imagens/orgaosparceiros.jpg (ifce.edu.br)	51.9 KiB
	data-mce- src="..../imagens/orgaosparceiros .jpg" height="79" width="686" usemap="#Map" alt="orgaos" border="0">		51.9 KiB
	div.cycle- player > div.cycle- slide > a > img	...@@@images/e4884738-a324-43ac-970f- d3686bc9b2d1.jpeg (ifce.edu.br)	48.4 KiB
			48.4 KiB

URL	Resource Size	Potential Savings
 <pre> div.cycle- player > div.cycle- slide > a > img mapa.png </pre> <p>GUARAMIRANGAlinklateral.png</p> <pre> </pre> <p>dd.portletItem > p > a.external-link ></p> <p>img.image-inline</p> <pre> </pre> <p>dd.portletItem > p > a.internal-link ></p> <p>img.image-inline</p> <pre> </pre>	...@@@images/8cce459-6cec-43fa-857a-75ea00e44457.jpeg (ifce.edu.br)	31.5 KiB
 <pre> div.cyc le- carros sel > div.thu mb-itens > div.table-align > img </pre>	...@@@images/baae7fdd-72b7-43d4-bad9-a5eda87a15cc.jpeg (ifce.edu.br)	4.4 KiB
tr > th > a.internal-link > img.image-	...imagens_m.../Aluno1_.png (ifce.edu.br)	4.2 KiB
inline		4.2 KiB

URL	Resource Size	Potential Savings
<pre></pre>  <div>cyc le- carous el- wrap > ...@@@images/212da0b6-94fa-4fb4-9943-616dc69c9d84.jpeg (ifce.edu.br)</div> <div>div.thumb-itens > div.table-align > img</div>	4.0 KiB	4.0 KiB
<pre></pre> <p>servidor.jpg</p> <pre></pre>	2.4 KiB	2.4 KiB

Minify JavaScript — Potential savings of 15 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify](#)

[JavaScript](#) [FCP](#) [LCP](#)

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	86.7 KiB	15.4 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	12.8 KiB
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	8.1 KiB	2.5 KiB

Efficiently encode images — Potential savings of 37 KiB

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images](#).

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	51.9 KiB	37.0 KiB

URL	Resource Size	Potential Savings
 <pre> orgaos </pre>	/imagens/orgaosparceiros.jpg (ifce.edu.br) 51.9 KiB	37.0 KiB

■ Enable text compression — Potential savings of 30 KiB ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	46.8 KiB	29.9 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	40.4 KiB	25.1 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.4 KiB	4.8 KiB

■ Use video formats for animated content — Potential savings of 49 KiB ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) LCP

URL	Resource Size	Potential Savings
brasil.gov.br	107.2 KiB	49.3 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.2 KiB	49.3 KiB

■ Avoid serving legacy JavaScript to modern browsers — Potential savings of 33 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) TBT

Show 3rd-party resources (4)

URL	Potential Savings
ifce.edu.br [1st Party]	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js:4:935 (ifce.edu.br)	@babel/plugin-transform-classes
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)	0.0 KiB
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js:48:958 (ifce.edu.br)	@babel/plugin-transform-classes

⚠️ Avoid enormous network payloads — Total size was 6,004 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) [LCP]

Show 3rd-party resources (6)

URL	Transfer Size
YouTube [Video]	2,315.3 KiB
...en_US/base.js (www.youtube.com)	771.8 KiB
...en_US/base.js (www.youtube.com)	771.8 KiB
...en_US/base.js (www.youtube.com)	771.8 KiB
ifce.edu.br [1st Party]	766.6 KiB
...@@images/56cb380f-7522-4c1e-94e3-61ccaaad54d15.png (ifce.edu.br)	229.7 KiB
...@@images/8d385f1b-2b76-4cef-8e66-d26208bcd639.png (ifce.edu.br)	199.6 KiB
...@@images/e667ec90-bf4b-476d-8c8e-8677bd6aefb5.png (ifce.edu.br)	196.4 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB
Twitter [Social]	160.9 KiB
...chunks/3.6238497....js (platform.twitter.com)	160.9 KiB
Facebook [Social]	108.6 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	108.6 KiB
brasil.gov.br	107.6 KiB
/imagens/vlibras.gif (barra.brasil.gov.br)	107.6 KiB

■ Serve static assets with an efficient cache policy — **33 resources found**

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

 Show 3rd-party resources (11)

URL	Cache TTL	Transfer Size
ifce.edu.br 1st Party		224 KiB
/imagens/orgaosparceiros.jpg (ifce.edu.br)	1d	52 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	1d	41 KiB
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1d	23 KiB
...imagens_menu_rapido/mapa.png (ifce.edu.br)	1d	17 KiB
/guaramirangalinklateral.png (ifce.edu.br)	1d	10 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	1d	7 KiB
...imagens_m.../Aluno1_.png (ifce.edu.br)	1d	5 KiB
...css/style.css (ifce.edu.br)	1d	3 KiB
...img/bg-menu-mobile.png (ifce.edu.br)	1d	3 KiB
/spinner.gif (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/icons-setas-min.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/icon-camera-download.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/footer-arrow.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br)	1d	1 KiB
...img/search-button-30px.png (ifce.edu.br)	1d	1 KiB
...img/bullet-banner-rotativo.gif (ifce.edu.br)	1d	1 KiB
...img/seta_verde.png (ifce.edu.br)	1d	1 KiB
...img/seta_azul-claro.png (ifce.edu.br)	1d	1 KiB
...img/seta_laranja.png (ifce.edu.br)	1d	1 KiB
...img/voltar-topo.png (ifce.edu.br)	1d	1 KiB
brasil.gov.br		108 KiB
/imagens/vlibras.gif (barra.brasil.gov.br)	7d	108 KiB

URL		Cache TTL	Transfer Size
Twitter [Social]			28 KiB
/widgets.js (platform.twitter.com)		30m	28 KiB
Facebook [Social]			24 KiB
...t39.30808-6/280....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)		14d	21 KiB
...t39.30808-1/230....png?stp=... (scontent-lax3-1.xx.fbcdn.net)		14d	3 KiB
Google Analytics [Analytics]			21 KiB
/analytics.js (www.google-analytics.com)		2h	21 KiB
JSDelivr CDN [Cdn]			21 KiB
...assets/access_popup.jpg (cdn.jsdelivr.net)		7d	10 KiB
...app/vlibras-plugin.js (cdn.jsdelivr.net)		7d	7 KiB
...assets/access_icon.svg (cdn.jsdelivr.net)		7d	3 KiB
Google/Doubleclick Ads [Ad]			2 KiB
/instream/ad_status.js (static.doubleclick.net)		15m	1 KiB
/instream/ad_status.js (static.doubleclick.net)		15m	1 KiB
/instream/ad_status.js (static.doubleclick.net)		15m	1 KiB

■ Ensure text remains visible during webfont load

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more about `font-display`.](#) [FCP] [LCP]

Show 3rd-party resources (7)

URL	Potential Savings
ifce.edu.br [1st Party]	3,740 ms
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1,250 ms
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1,250 ms
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1,250 ms
Google Fonts [Cdn]	60 ms
...v18/KFOICnqEu...woff2 (fonts.gstatic.com)	10 ms
...v18/KFOICnqEu...woff2 (fonts.gstatic.com)	0 ms

URL	Potential Savings
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	10 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	20 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	10 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	10 ms
brasil.gov.br	1,100 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	1,100 ms

Does not use passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Source

YouTube Video

...en_US/base.js:8667:199 (www.youtube.com)

...en_US/base.js:6002:111 (www.youtube.com)

Image elements do not have explicit width and height ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

Show 3rd-party resources (1)

URL
ifce.edu.br 1st Party

!!! RETIFICAÇÃO - CRONOGRAMA - SISU 2024 !!
div.cycle-player > div.cycle-slide > a > img

URL



```
div.cycle-player > div.cycle-slide >
a > img

```



```
div.cycle-player > div.cycle-slide >
a > img

```



chamada classificáveis

```

```



processo seletivo complementar
2024.1

```


```



PRÉ-MATRÍCULA DOS
APROVADOS -
REMANESCENTES 2024.1


```

```



```
div.cycle-carousel >
div.thumb-itens > div.table-
align > img

```



```
div.cycle-carousel-wrap >
div.thumb-itens > div.table-
align > img

```

URL


```
crateus/imagens/galeria_fotos/ifce-
crateus/2017_11-pri..." alt="">
```



```
div.cycle-carousel-wrap >
div.thumb-itens > div.table-
align > img

```

brasil.gov.br



```
div#wrapper-barra-brasil >
span#brasil-vlibras >
span.link-vlibras > img

```

Initial server response time was short — Root document took 420 ms ^

Keep the server response time for the main document short because all other requests depend on it.

[Learn more about the Time to First Byte metric.](#) FCP LCP

URL	Time Spent
ifce.edu.br 1st Party	420 ms
/crateus (ifce.edu.br)	420 ms

Avoid chaining critical requests — 32 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#) FCP LCP

Maximum critical path latency: **8,462.906 ms**

Initial Navigation



...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br)	- 1,692.737 ms, 3.56 KiB
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	- 1,901.679 ms, 24.64 KiB
...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br)	- 1,690.425 ms, 8.68 KiB
...brasil_gov_facetada/resourceProducts.Doormat.stylesheetsdoormat-cac....css (ifce.edu.br)	- 1,055.533 ms, 1.48 KiB
...brasil_gov_facetada/resourcecollective.z3cform.datagridfie....css (ifce.edu.br)	- 1,719.586 ms, 1.34 KiB
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br)	- 1,696.123 ms, 3.91 KiB
/static/opensans-bold.woff (barra.brasil.gov.br)	- 1,100.317 ms, 18.43 KiB
++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	- 1,690.965 ms, 6.86 KiB
...brasil_gov_facetada/jquery.autocomplete-cachekey-2f45277....css (ifce.edu.br)	- 1,697.022 ms, 1.28 KiB
...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br)	- 1,690.729 ms, 1.58 KiB
...css/style.css (ifce.edu.br)	- 1,685.952 ms, 3.18 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	
...fonts/opensans-800-webfont.woff (ifce.edu.br)	- 1,248.964 ms, 24.47 KiB
...fonts/opensans-700-webfont.woff (ifce.edu.br)	- 1,245.525 ms, 24.22 KiB
...fonts/opensans-400-webfont.woff (ifce.edu.br)	- 1,245.601 ms, 23.43 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	- 2,324.082 ms, 140.94 KiB
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br)	- 1,696.252 ms, 2.34 KiB
/app/vlibras-plugin.js (vlibras.gov.br)	
...app/vlibras-plugin.js (cdn.jsdelivr.net)	- 13.878 ms, 6.99 KiB
...brasil_gov_facetada/resourcecollective.pollscsscollective.....css (ifce.edu.br)	- 1,689.859 ms, 1.09 KiB
...brasil_gov_facetada/resourcejquery-cachekey-8829350....css (ifce.edu.br)	- 1,693.155 ms, 1.36 KiB
...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br)	- 1,693.907 ms, 2.65 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	- 1,689.657 ms, 1.68 KiB
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br)	- 1,699.809 ms, 1.02 KiB
...brasil_gov_facetada/resourceplone.formwidget.autocompletej....css (ifce.edu.br)	- 3,002.593 ms, 1.48 KiB
...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br)	- 3,011.656 ms, 8.29 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	- 1,908.581 ms, 16.02 KiB

>User Timing marks and measures — 37 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Name	Type	Start Time	Duration
Next.js-before-hydration	Measure	8,808.51 ms	188.36 ms
Next.js-hydration	Measure	8,996.87 ms	12.12 ms
mark_pe	Mark	5,416.12 ms	
mark_pe	Mark	5,496.57 ms	
mark_pe	Mark	5,566.94 ms	
mark_pot_isc	Mark	5,654.72 ms	

Name	Type	Start Time	Duration
mark_pot_ist	Mark	5,660.24 ms	
mark_pot_csms	Mark	5,666.10 ms	
mark_pot_csmf	Mark	5,668.22 ms	
mark_fs	Mark	5,690.56 ms	
mark_goes	Mark	5,704.16 ms	
mark_ep_init_pr	Mark	5,795.87 ms	
mark_pot_isc	Mark	5,829.47 ms	
mark_pot_ist	Mark	5,833.94 ms	
mark_pot_csms	Mark	5,838.90 ms	
mark_pot_csmf	Mark	5,840.49 ms	
mark_fs	Mark	5,859.93 ms	
mark_goes	Mark	5,869.92 ms	
mark_ep_init_pr	Mark	5,961.23 ms	
mark_pot_isc	Mark	5,992.90 ms	
mark_pot_ist	Mark	5,996.94 ms	
mark_pot_csms	Mark	6,001.26 ms	
mark_pot_csmf	Mark	6,002.66 ms	
mark_fs	Mark	6,019.76 ms	
mark_goes	Mark	6,028.83 ms	
mark_ep_init_pr	Mark	6,099.92 ms	
mark_pot_if	Mark	7,243.45 ms	
mark_pot_cms	Mark	7,243.76 ms	
mark_pot_cmf	Mark	7,250.88 ms	
mark_pot_if	Mark	7,254.28 ms	
mark_pot_cms	Mark	7,254.70 ms	
mark_pot_cmf	Mark	7,262.20 ms	
mark_pot_if	Mark	7,281.78 ms	
mark_pot_cms	Mark	7,282.09 ms	
mark_pot_cmf	Mark	7,290.70 ms	

Name	Type	Start Time	Duration
beforeRender	Mark	8,996.87 ms	
afterHydrate	Mark	9,008.99 ms	

○ Avoid long main-thread tasks — 20 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

Show 3rd-party resources (18)

URL	Start Time	Duration
YouTube <small>Video</small>		5,834 ms
...en_US/base.js (www.youtube.com)	48,033 ms	802 ms
...en_US/base.js (www.youtube.com)	47,360 ms	673 ms
...en_US/base.js (www.youtube.com)	49,488 ms	628 ms
...en_US/base.js (www.youtube.com)	46,136 ms	617 ms
...en_US/base.js (www.youtube.com)	46,753 ms	607 ms
...en_US/base.js (www.youtube.com)	48,835 ms	566 ms
...en_US/base.js (www.youtube.com)	43,026 ms	347 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	43,972 ms	334 ms
...en_US/base.js (www.youtube.com)	43,373 ms	321 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	44,306 ms	304 ms
...en_US/base.js (www.youtube.com)	43,694 ms	278 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	44,610 ms	254 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	34,374 ms	103 ms
Twitter <small>Social</small>		444 ms
...chunks/3.6238497....js (platform.twitter.com)	18,718 ms	312 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	7,833 ms	132 ms
Google Tag Manager <small>Tag-Manager</small>		383 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	50,994 ms	233 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	8,752 ms	150 ms
ifce.edu.br <small>1st Party</small>		230 ms

URL	Start Time	Duration
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	19,366 ms	140 ms
/crateus (ifce.edu.br)	2,374 ms	90 ms
Facebook Social		160 ms
...r/8ZrPme2EwKH.js?_nc_x=lj3Wp8Ig5Kz (static.xx.fbcdn.net)	12,920 ms	160 ms

○ Avoid non-composited animations — 1 animated element found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

Element	Name
	Conteúdo acessível em Libras usando o VLiberas
	Widget com opções dos Avatares Íc...
	<div vw-access-button="" class="active">
	Unsupported CSS Property: border-top-left-radius
	Unsupported CSS Property: border-top-right-radius
	Unsupported CSS Property: border-bottom-left-radius
	Unsupported CSS Property: border-bottom-right-radius
	Unsupported CSS Property: font-size

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (8) Hide

● Preconnect to required origins ^

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins](#). FCP LCP

● Avoid multiple page redirects ^

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](#). FCP LCP

○ Preload key requests ^

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn how to preload key requests.](#) FCP LCP

● Remove duplicate modules in JavaScript bundles ^

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

● Preload Largest Contentful Paint image ^

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

● Largest Contentful Paint image was not lazily loaded ^

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) LCP

Element



chamada classificáveis
``

● Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).

● Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) TBT



Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

- ⚠ Background and foreground colors do not have a sufficient contrast ratio.


Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements



EXTENSÃO

`<h2 class="outstanding-title">`



Twitter

`<li class="last-item">`


These are opportunities to improve the legibility of your content.

NAMES AND LABELS

- ⚠ `<frame>` or `<iframe>` elements do not have a title


Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

Failing Elements




`div.cell > div#c252cab64dad49e09d8f67a13327adbb > div.tile-content > iframe
<iframe width="225" src="https://www.youtube.com/embed/Zp2uDE7WAFU"
frameborder="0" allow="accelerometer; autoplay; clipboard-write;
encrypted-media; gyroscope; pict..." allowfullscreen="">`

Failing Elements



```
div.cell > div#f9aff849-f716-430c-acbf-f172585d6f06 > div.tile-content > iframe
<iframe width="225" src="https://www.youtube.com/embed/CV6CMfKnZvE" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; pict..." allowfullscreen="">
```




```
div.cell > div#a0bd0a6d-6b94-42ef-9a32-d0ec02f71f17 > div.tile-content > iframe
<iframe width="225" src="https://www.youtube.com/embed/uomnmfUmBDc" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; pict..." allowfullscreen="">
```

⚠ Links do not have a discernible name


^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)


Failing Elements



```
nav > ul#lista-barra-brasil > li > a#menu-icon
<a href="#" id="menu-icon">
```



```
div#barra-brasil > div#wrapper-barra-brasil > span#brasil-vlibras > a.logo-vlibras
<a class="logo-vlibras" href="#">
```



```
div.player > div.cycle-player > div.cycle-slide > a
<a href="https://ifce.edu.br/crateus/imagens/galeria_fotos/ifce-crateus">
```

⚠ Image elements have [alt] attributes that are redundant text.

^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#)

Failing Elements



chamada classificáveis


Failing Elements



processo seletivo complementar 2024.1



!!! RETIFICAÇÃO - CRONOGRAMA - SISU 2024 !!



PRÉ-MATRÍCULA DOS APROVADOS - REMANESCENTES 2024.1

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

 Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#)

 Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

 The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#)

 Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

 User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

- The user's focus is directed to new content added to the page ^
 - If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)
- HTML5 landmark elements are used to improve navigation ^
 - Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)
- Offscreen content is hidden from assistive technology ^
 - Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#)
- Custom controls have associated labels ^
 - Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#)
- Custom controls have ARIA roles ^
 - Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

PASSED AUDITS (17)

Hide

- [aria-hidden="true"] is not present on the document <body> ^
 - Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)
- [role]s have all required [aria-*] attributes ^
 - Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)
- Image elements have [alt] attributes ^
 - Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

- Input buttons have discernible text.

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons](#).

- `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag](#).

- `[accesskey]` values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys](#).

- `[role]` values are valid

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles](#).

- Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

- `[id]` attributes on active, focusable elements are unique

All focusable elements must have a unique id to ensure that they're visible to assistive technologies. [Learn how to fix duplicate ids](#).

- `<html>` element has a `[lang]` attribute

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute](#).

- <html> element has a valid value for its [lang] attribute

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

- Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

- Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

- Lists contain only elements and script supporting elements (<script> and <template>).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

- List items () are contained within , or <menu> parent elements

Screen readers require list items () to be contained within a parent , or <menu> to be announced properly. [Learn more about proper list structure.](#)

- Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

- Values assigned to role="" are valid ARIA roles.

ARIA roles enable assistive technologies to know the role of each element on the web page. If the role values are misspelled, not existing ARIA role values, or abstract roles, then the purpose of the element will not be communicated to users of assistive technologies. [Learn more about ARIA roles.](#)

- [aria-*] attributes match their roles

Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. [Learn how to match ARIA attributes to their roles.](#)

- button, link, and menuitem elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

- Elements with role="dialog" or role="alertdialog" have accessible names.

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

- [aria-hidden="true"] elements do not contain focusable descendants

Focusable descendants within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

- ARIA input fields have accessible names

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

- ARIA meter elements have accessible names

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

- ARIA progressbar elements have accessible names

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#)

- Elements with an ARIA [role] that require children to contain a specific [role] have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

- [role]s are contained by their required parent element

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element](#).

○ Elements with the `role=text` attribute do not have focusable descendants. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. [Learn more about the `role=text` attribute](#).

○ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields](#).

○ ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements](#).

○ ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements](#).

○ `[aria-*]` attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes](#).

○ `[aria-*]` attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes](#).

○ Buttons have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible](#).

○ The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks](#).

○ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

○ Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

○ ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

○ No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

○ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

○ `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

○ The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

○ `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

○ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

○ Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

- No element has a `[tabindex]` value greater than 0

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the `tabindex` attribute.](#)

- Tables have different content in the summary attribute and `<caption>`.

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#)

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the `headers` attribute.](#)

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

- `[lang]` attributes have a valid value

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the `lang` attribute.](#)

- `<video>` elements contain a `<track>` element with `[kind="captions"]`

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#)

- All heading elements contain content.

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#)

- Document has a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

- Elements with visible text labels have matching accessible names.

Visible text labels that do not match the accessible name can result in a confusing experience for screen reader users. [Learn more about accessible names.](#)

- Tables use `<caption>` instead of cells with the `[colspan]` attribute to indicate a caption. ^

Screen readers have features to make navigating tables easier. Ensuring that tables use the actual caption element instead of cells with the `[colspan]` attribute may improve the experience for screen reader users. [Learn more about captions.](#)

- `<td>` elements in a large `<table>` have one or more table headers. ^

Screen readers have features to make navigating tables easier. Ensuring that `<td>` elements in a large table (3 or more cells in width and height) have an associated table header may improve the experience for screen reader users. [Learn more about table headers.](#)



Best Practices

GENERAL

- ▲ Uses deprecated APIs — 1 warning found ^

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Deprecation / Warning	Source
Facebook [Social]	
UnloadHandler	...r/nDOMhvCeUjd.js?_nc_x=lj3Wp8lg5Kz:328:820 (static.xx.fbcdn.net)

- ▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
ifce.edu.br [1st Party]	

Source	Description
...resolveuid/4f52c45...:1:0 (ifce.edu.br)	Failed to load resource: the server responded with a status of 404 (Not Found)
...resolveuid/dfd185e...:1:0 (ifce.edu.br)	Failed to load resource: the server responded with a status of 404 (Not Found)
/++resource++collective.lazysizes/lazysizes-43c36fc.js:1:0 (ifce.edu.br)	Failed to load resource: the server responded with a status of 404 (Not Found)

⚠️ Issues were logged in the [Issues](#) panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type

Cookie

- /embed/Zp2uDE7WAfU (www.youtube.com)
- /embed/uomnmfUmBDc (www.youtube.com)
- /embed/CV6CMfKnZvE (www.youtube.com)

○ Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

Name	Version
Bootstrap	>= 2.0.0 & <= 2.3.2
FlotCharts	0.7
jQuery	1.8.3
jQuery UI	1.10.2
Modernizr	2.0.4
jQuery Tools	@VERSION

USER EXPERIENCE

⚠️ Displays images with incorrect aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

URL	Aspect Ratio (Displayed)	Aspect Ratio (Actual)
ifce.edu.br 1st Party		

PRÉ-MATRÍCULA DOS APROVADOS - REMANESCENTES 2024.1

PRÉ-MATRÍCULA DOS APROVADOS - REMANESCENTES 2024.1

2024.1 ...@@@images/6b983fa0-2425-43ca-adc3-96ff0f15d5e1.png (ifce.edu.br) 372 x 240 (1.55) 500 x 378 (1.32)

```

```

⚠ Serves images with low resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

URL	Displayed size	Actual size	Expected size
brasil.gov.br			

brasil.gov.br

div#wrapper-barra-brasil > span#brasil-vlbras > span.link-vlbras > img

/imagens/vlbras.gif (barra.brasil.gov.br) 132 x 116 132 x 116 198 x 174

```
div#wrapper-barra-brasil > span#brasil-vlbras > span.link-vlbras > img
```

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

PASSED AUDITS (9) Hide

- **Uses HTTPS** ^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).
- **Avoids third-party cookies** ^

Support for third-party cookies will be removed in a future version of Chrome. [Learn more about phasing out third-party cookies](#).
- **Allows users to paste into input fields** ^

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields](#).
- **Avoids requesting the geolocation permission on page load** ^

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission](#).
- **Avoids requesting the notification permission on page load** ^

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications](#).
- **Page has the HTML doctype** ^

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration](#).
- **Properly defines charset** ^

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding](#).

● **Avoids `unload` event listeners** ^

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. [Learn more about `unload` event listeners](#)

● **Page has valid source maps** ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#).

Show 3rd-party resources (3)

URL	Map URL
ifce.edu.br 1st Party	
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	...brasil_gov_facetada/nitf.js.map (ifce.edu.br)
Error: Timed out fetching resource	
Other Google APIs/SDKs Utility	
...th/wAFWjcG1j....js (www.google.com)	
...th/wAFWjcG1j....js (www.google.com)	
...th/wAFWjcG1j....js (www.google.com)	

NOT APPLICABLE (1)

Hide

○ **Fonts with `font-display: optional` are preloaded** ^

Preload optional fonts so first-time visitors may use them. [Learn more about preloading fonts](#)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on

[Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

⚠ Document does not have a meta description ^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

Format your HTML in a way that enables crawlers to better understand your app's content.

CRAWLING AND INDEXING

⚠ Links are not crawlable ^

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

Uncrawlable Link

Revalidação de diploma

```
<a href="/" class="state-published" target="_blank">
```

⚠ robots.txt is not valid — 1 error found ^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).










Line #	Content	Error
1	Sitemap: /sitemap.xml.gz	Invalid sitemap URL






To appear in search results, crawlers need access to your app.





MOBILE FRIENDLY

■ Tap targets are not sized appropriately — 74% appropriately sized tap targets ^

Interactive elements like buttons and links should be large enough (48x48px), or have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more about tap targets.](#)

Tap Target	Size	Overlapping Target
	1 	 processo seletivo complementar 2024.1
	3 	 processo seletivo complementar 2024.1
	4 	 processo seletivo complementar 2024.1
	Contatos 	 Central de Atendimento
	Ouvíndia 	 Acesso à informação
	Ouvíndia 	 Central de Atendimento <a href="https://uap.ifce.edu.br"

Tap Target	Size	Overlapping Target
 Central de Atendimento 	83x16	/centralservicos/chamado_externo_abrir/" target="_blank">
 Sobre o IFCE Acesso à informação Contatos Central de Atendimento Licitações	91x16	Licitações Licitações
 banner-rotativo/revista-ifce/view" class="button-nav" style="top: 105px;"/>	21x20	Comunicação Social Comunicação Social
 banner-rotativo/chamada-classificaveis..." class="button-nav" style="top: 105px;"/>	22x20	3 Processo Seletivo
 banner-rotativo/processo-seletivo-comp..." class="button-nav" style="top: 105px;"/>	22x20	2 Processo Seletivo
 Instituto Federal de Educação, Ciência e Tecnologia do Ceará IFCE MINISTÉRIO DA...	379x42	3 ALTO CONTRASTE
 Instituto Federal de Educação, Ciência e Tecnologia do Ceará	379x42	div#portal-searchbox > form#nolivesearchGadget.get_form > fieldset.LSBox >

Tap Target	Size	Overlapping Target
 DA... https://ifce.edu.br		input#nolivesearchGad get <input name="SearchableText" type="text" size="18" placeholder="Buscar no portal" class="searchField" id="nolivesearchGadget">
 Comunicação Social https://ifce.edu.br/se	133x16	 Acesso à informação https://ifce.edu.br/aces
 Sobre o IFCE /acesso-a-informacao-1/instituciona	91x16	div#portal-searchbox > form#nolivesearchGad get_form > fieldset.LSBox > input#nolivesearchGad get <input name="SearchableText" type="text" size="18" placeholder="Buscar no portal" class="searchField" id="nolivesearchGadget">
 Acesso à informação https://ifce.edu.br/acesso-a-informacao-acesso-a-informacao-1/	138x16	 Acesso à informação https://ifce.edu.br/acesso-a-informacao-acesso-a-informacao-1/
 Contatos /servicos/contatos	71x16	div#portal-searchbox > form#nolivesearchGad get_form > fieldset.LSBox > input#nolivesearchGad get <input name="SearchableText" type="text" size="18" placeholder="Buscar no portal" class="searchField" id="nolivesearchGadget">

Make sure your pages are mobile friendly so users don't have to pinch or zoom in order to read the content pages. [Learn how to make pages mobile-friendly.](#)

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- Structured data is valid



Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data](#).

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)

Hide

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#). TBT

- Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

- Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes](#).

- Links have descriptive text

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible](#).

- Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

- Image elements have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

- Document has a valid `hreflang`

`hreflang` links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang](#).

● Document has a valid `rel=canonical`

Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

● Document uses legible font sizes — 90.73% legible text

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. [Learn more about legible font sizes.](#)

Show 3rd-party resources (1)

Source	Selector	% of Page Text	Font Size
ifce.edu.br [1st Party]			
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:993:59 (ifce.edu.br)	#tile_banner_rotativo.chamada_sem_f oto li .banner .title	3.61%	9.984px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:2946:48 (ifce.edu.br)	#content .outstanding-header .outstanding-link	1.88%	11.232px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:1223:29 (ifce.edu.br)	.album-tile .open-album, .album- tile .download-album	0.74%	9.984px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:2482:22 (ifce.edu.br)	.tile .tile-subtitle	0.74%	11.232px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:4151:21 (ifce.edu.br)	#portal-siteactions	0.71%	10.8px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:1766:19 (ifce.edu.br)	#portal-searchbox	0.57%	9.6px
...css/style.css:76:9 (ifce.edu.br)	.anchor	0.32%	0px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:1260:21 (ifce.edu.br)	.album-tile .footer	0.30%	9.984px

Source	Selector	% of Page Text	Font Size
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:2881:39 (ifce.edu.br)	.cover-collection-tile .tile-footer a	0.18%	11.232px
Facebook Social			
...0,cross/1r0WOAs0gZ6.css? _nc_x=lj3Wp8lg5Kz:15:225 (static.xx.f bcdn.net)	.plugin, .plugin button, .plugin input, .plugin label, .plugin select, .plugin td, .plugin textarea	0.23%	11px
Unattributable			
Legible text		90.73%	≥ 12px

● Document avoids plugins ^

Search engines can't index plugin content, and many devices restrict plugins or don't support them.
[Learn more about avoiding plugins.](#)

Alongside [Chrome's updated Installability Criteria](#), Lighthouse will be deprecating the PWA category in a future release. Please refer to the [updated PWA documentation](#) for future PWA testing.



PWA

These checks validate the aspects of a Progressive Web App. [Learn what makes a good Progressive Web App.](#)



▲ Web app manifest or service worker do not meet the installability requirements — 1 reason ^

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more about manifest installability requirements.](#)

Failure reason

No manifest was fetched



PWA OPTIMIZED

- ▲ Is not configured for a custom splash screen **Failures: No manifest was fetched.**

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more about splash screens.](#)

- ▲ Does not set a theme color for the address bar.

Failures: No manifest was fetched, No `<meta name="theme-color">` tag found.

The browser address bar can be themed to match your site. [Learn more about theming the address bar.](#)

- Content is sized correctly for the viewport

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn how to size content for the viewport.](#)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) TBT

- ▲ Manifest doesn't have a maskable icon **No manifest was fetched**

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn about maskable manifest icons.](#)

ADDITIONAL ITEMS TO MANUALLY CHECK (3)

Hide

- Site works cross-browser

To reach the most number of users, sites should work across every major browser. [Learn about cross-browser compatibility.](#)

- Page transitions don't feel like they block on the network

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more about page transitions.](#)

Each page has a URL

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more about providing deep links.](#)

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

Captured at Feb 3, 2024, 2:26 PM

GMT-3

Initial page load

Emulated Desktop with Lighthouse

11.4.0

Unknown

Single page session

Using HeadlessChromium

121.0.6167.85 with Ir

Generated by **Lighthouse** 11.4.0 | [File an issue](#)