



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100



[Expand view](#)

METRICS

▲ First Contentful Paint

15.4 s


▲ Total Blocking Time

1,980 ms

▲ Speed Index

25.6 s

[View Treemap](#)



DIAGNOSTICS

▲ Eliminate render-blocking resources — Potential savings of 14,570 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	373.0 KiB	23,310 ms
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br)	1.0 KiB	1,610 ms
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	2,070 ms
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br)	2.3 KiB	1,610 ms
...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br)	2.6 KiB	1,610 ms
...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey....css (ifce.edu.br)	3.2 KiB	680 ms
...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br)	1.6 KiB	680 ms
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	1,140 ms
...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br)	4.4 KiB	680 ms
...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br)	1.4 KiB	680 ms
...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br)	3.6 KiB	680 ms
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br)	3.9 KiB	680 ms
...css/style.css (ifce.edu.br)	3.2 KiB	680 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB	3,010 ms
...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br)	8.7 KiB	680 ms
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.6 KiB	1,140 ms
...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br)	8.3 KiB	680 ms
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	79.3 KiB	2,070 ms
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	36.5 KiB	1,610 ms
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	1.7 KiB	680 ms
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.9 KiB	680 ms

▲ Reduce unused CSS — Potential savings of 337 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
Unattributable	257.5 KiB	257.0 KiB
@font-face{font-family:Inter;font-style:normal;font-weight:100;font-display:swap;src:url(data:font/...	222.5 KiB	222.5 KiB
.sc-button-block,.sc-button-buy,.sc-button-camera,.sc-button-copylink,.sc-button-delete,.sc-button-...	21.6 KiB	21.2 KiB
.sc-social-logo,.sc-social-logo-interactive.sc-social-logo:after,.sc-social-logo-interactive .sc-so...	13.4 KiB	13.4 KiB
YouTube Video	47.1 KiB	45.6 KiB
...a1d7d0f8/www-player.css (www.youtube.com)	47.1 KiB	45.6 KiB
ifce.edu.br 1st Party	38.9 KiB	34.6 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	19.4 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	15.2 KiB

▲ Reduce unused JavaScript — Potential savings of 1,599 KiB

^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP

Show 3rd-party resources (15)

URL	Transfer Size	Potential Savings
YouTube Video	865.8 KiB	584.7 KiB
...en_US/base.js (www.youtube.com)	771.0 KiB	533.5 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	94.8 KiB	51.2 KiB
Twitter Social	494.8 KiB	359.6 KiB
...chunks/3.6238497....js (platform.twitter.com)	160.2 KiB	112.5 KiB
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	102.8 KiB	99.2 KiB
...chunks/modules.20f98d7....js (platform.twitter.com)	93.5 KiB	55.6 KiB
...chunks/0.9098e7e....js (platform.twitter.com)	76.0 KiB	49.2 KiB
...chunks/4.1579d56....js (platform.twitter.com)	62.2 KiB	43.1 KiB
SoundCloud Content	1,159.1 KiB	220.5 KiB
/widget-9-f483...a6.js (widget.sndcdn.com)	1,103.4 KiB	193.1 KiB
/widget-0-b8c06181fc57.js (widget.sndcdn.com)	55.7 KiB	27.4 KiB

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	276.6 KiB	197.0 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	138.3 KiB	87.9 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	61.6 KiB
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)	35.8 KiB	25.2 KiB
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.0 KiB	22.3 KiB
Facebook Social	250.5 KiB	176.6 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	107.3 KiB	72.0 KiB
/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)	85.9 KiB	57.0 KiB
...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	30.5 KiB	26.9 KiB
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	26.8 KiB	20.8 KiB
Google Tag Manager Tag-Manager	148.3 KiB	60.7 KiB
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	68.2 KiB	31.0 KiB
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	80.1 KiB	29.8 KiB

▲ Serve images in next-gen formats — Potential savings of 775 KiB ^

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#)

Show 3rd-party resources (2)

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	962.8 KiB	706.7 KiB
 Banner PS Cursos Técnicos 2024.1 - Limoeiro <pre></pre>	301.5 KiB	265.1 KiB
 PS Mestrado Tecnologia <pre>...@@@images/1b3f5e14-71fb-42b4-976f-6456b0386a3a.png (ifce.edu.br)</pre>	213.7 KiB	191.2 KiB

	URL	Resource Size	Potential Savings
	em Alimentos 2024 		
	Banner rotativo chamada publica PNAE 	...@@@images/700114f4-eebc-4b18-ba70-734d3f7cfa61.png (ifce.edu.br)	78.6 KiB 59.3 KiB
	foto matéria Sisu 2024.png 	...@@@images/5832d6fa-8ad9-4d67-8efa-5c34473f702d.png (ifce.edu.br)	68.1 KiB 58.1 KiB
	div.cycle-player > div.cycle-slide > a > img 	...@@@images/c948126c-cfba-4029-b861-d3402b6cf7e7.jpeg (ifce.edu.br)	82.4 KiB 32.2 KiB
	div.cycle-player > div.cycle-slide > a > img 	...@@@images/96311af5-5855-464c-bd4b-e1c64a84b7b2.jpeg (ifce.edu.br)	70.5 KiB 30.5 KiB

	URL	Resource Size	Potential Savings
<code>irodonorte/imagens/galeria_fotos/campus-de-limoei..." alt=""></code>	 <code>div.cycle-player ></code> <code>div.cycle-slide > a ></code> <code>img</code> <code>src="https://ifce.edu.br/limoeirodonorte/imagens/galeria_fotos/10-anos-2018/201..." alt=""></code>	...@@@images/93013b9f-1c5a-4caf-a074-b3abc53362c5.jpeg (ifce.edu.br)	66.2 KiB 27.0 KiB
<code>Banner PS Esp Energias Renováveis</code>	 <code><img</code> <code>src="https://ifce.edu.br/limoeirodonorte/imagens/banner-rotativo/banner-ps-esp..."</code> <code>alt="Banner PS Esp Energias Renováveis"></code>	...@@@images/e182a61a-3fd5-43d8-907d-255c0ca79257.jpeg (ifce.edu.br)	39.5 KiB 17.8 KiB
<code>mapa.png</code>	<code><img</code> <code>src="https://ifce.edu.br/images/imagens_menu_rapido/mapa.png"</code> <code>alt="mapa.png"></code>	... imagens_menu_rapido/mapa.png (ifce.edu.br)	16.8 KiB 13.0 KiB
<code>Foto_matéria_PS mestrado-tecnologia_alimentos</code>	 <code>.jpg</code> <code><img</code> <code>src="https://ifce.edu.br/limoeirodonorte/home/@@nitf/cfebe566482b4d4781c77e096b..."</code> <code>width="400" height="231"</code> <code>class="left"</code> <code>alt="Foto_matéria_PS mestrado-tecnologia_alimentos.jpg"></code>	...@@@images/13fdaca0-a612-455b-9c1aff366d343e6b.jpeg (ifce.edu.br)	25.6 KiB 12.5 KiB
Facebook Social		65.0 KiB	56.4 KiB
	<code>...t39.30808-6/310....png?stp=...</code> (scontent-lax3-1.xx.fbcdn.net)	65.0 KiB	56.4 KiB
SoundCloud Content		20.8 KiB	12.4 KiB

URL	Resource Size	Potential Savings
/avatars-000...-vqozob-t500x500.jpg (i1.sndcdn.com)	20.8 KiB	12.4 KiB

⚠ Avoid an excessive DOM size — 925 elements ^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

Statistic	Element	Value
Total DOM Elements		925
Maximum DOM Depth		18 div.cycle-carousel-wrap > div.thumb-itens > div.table-align > img
Maximum Child Elements	O campus ... <ul class="navTree navTreeLevel0">	24

⚠ Reduce JavaScript execution time — 7.8 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

Show 3rd-party resources (17)

URL	Total CPU Time	Script Evaluation	Script Parse
YouTube Video	4,171 ms	3,382 ms	235 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	2,083 ms	1,952 ms	31 ms
...en_US/base.js (www.youtube.com)	1,817 ms	1,293 ms	186 ms
/embed/-EJ1j-2SJ0 (www.youtube.com)	271 ms	137 ms	18 ms
SoundCloud Content	2,191 ms	1,706 ms	143 ms
/widget-9-f483...a6.js (widget.sndcdn.com)	1,077 ms	790 ms	128 ms
/widget-0-b8c06181fc57.js (widget.sndcdn.com)	1,026 ms	910 ms	10 ms
/player/?url=... (w.soundcloud.com)	88 ms	6 ms	5 ms
ifce.edu.br 1st Party	1,265 ms	475 ms	63 ms

URL	Total CPU Time	Script Evaluation	Script Parse
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	626 ms	432 ms	29 ms
/limoeirodonorte (ifce.edu.br)	583 ms	14 ms	7 ms
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	57 ms	30 ms	27 ms
Twitter Social	1,156 ms	872 ms	134 ms
...chunks/3.6238497....js (platform.twitter.com)	512 ms	472 ms	36 ms
/widgets.js (platform.twitter.com)	274 ms	224 ms	16 ms
...chunks/modules.20f98d7....js (platform.twitter.com)	175 ms	151 ms	19 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	143 ms	21 ms	58 ms
...screen-name/IFCE_?dnt=... (syndication.twitter.com)	52 ms	4 ms	5 ms
Unattributable	777 ms	76 ms	0 ms
Unattributable	777 ms	76 ms	0 ms
Facebook Social	484 ms	331 ms	57 ms
/plugins/like_box.php?app_id=... (www.facebook.com)	238 ms	148 ms	11 ms
/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)	185 ms	147 ms	24 ms
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	60 ms	36 ms	22 ms
Google Tag Manager Tag-Manager	277 ms	241 ms	29 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	138 ms	118 ms	16 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	138 ms	124 ms	14 ms
Google Analytics Analytics	99 ms	88 ms	4 ms
/analytics.js (www.google-analytics.com)	99 ms	88 ms	4 ms

⚠ Minimize main-thread work — 10.8 s ^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) [TBT]

Category	Time Spent
Script Evaluation	7,337 ms
Other	1,208 ms

Category	Time Spent
Script Parsing & Compilation	756 ms
Style & Layout	639 ms
Garbage Collection	508 ms
Parse HTML & CSS	202 ms
Rendering	146 ms

▲ Reduce the impact of third-party code — **Third-party code blocked the main thread for 4,810 ms** ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact.](#) TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
YouTube Video	971 KiB	3,017 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	1,603 ms
...en_US/base.js (www.youtube.com)	772 KiB	1,371 ms
/embed/--EJ1j-2SJ0 (www.youtube.com)	39 KiB	42 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...v1/log_event?alt=json&key=AlzaSyAO_... (www.youtube.com)	0 KiB	0 ms
/generate_204?YY1sDA (www.youtube.com)	0 KiB	0 ms
SoundCloud Content	1,350 KiB	1,218 ms
/widget-0-b8c06181fc57.js (widget.sndcdn.com)	56 KiB	660 ms
/widget-9-f483...a6.js (widget.sndcdn.com)	1,105 KiB	559 ms
/avatars-000...-vqozob-t500x500.jpg (i1.sndcdn.com)	85 KiB	0 ms
...79410/6yfjaElGfypH.128.mp3?Policy=eyJTdGF0Z... (cf-hls-media.sndcdn.com)	47 KiB	0 ms
...31762/6yfjaElGfypH.128.mp3?Policy=eyJTdGF0Z... (cf-hls-media.sndcdn.com)	32 KiB	0 ms
...images/logo-200x120-3190df52.png (widget.sndcdn.com)	4 KiB	0 ms
/widget-7-0f68f768293f.js (widget.sndcdn.com)	3 KiB	0 ms
/resolve?url=... (api-widget.soundcloud.com)	3 KiB	0 ms
...6yfjaElGfypH.128.mp3/playlist.m3u8?Policy=eyJTdGF0Z... (cf-hls-media.sndcdn.com)	3 KiB	0 ms
/6yfjaElGfypH_m.json (wave.sndcdn.com)	3 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
/widget-8-bf4170e9561f.js (widget.sndcdn.com)	2 KiB	0 ms
...332.../comments?filter_replies=... (api-widget.soundcloud.com)	2 KiB	0 ms
...stream/hls?client_id=ly5e1Ri4G... (api-widget.soundcloud.com)	2 KiB	0 ms
...images/share-b41e1876.svg (widget.sndcdn.com)	1 KiB	0 ms
/player/?url=... (w.soundcloud.com)	1 KiB	0 ms
/assignments/924291-41...?layers=... (api-widget.soundcloud.com)	1 KiB	0 ms
/avatars-000...-oqw8vs-t20x20.jpg (i1.sndcdn.com)	1 KiB	0 ms
Twitter Social	613 KiB	438 ms
...chunks/3.6238497...js (platform.twitter.com)	161 KiB	416 ms
...chunks/modules.20f98d7...js (platform.twitter.com)	94 KiB	19 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	104 KiB	4 ms
...chunks/0.9098e7e....js (platform.twitter.com)	77 KiB	0 ms
...chunks/4.1579d56....js (platform.twitter.com)	63 KiB	0 ms
...chunks/1.2a1457a....js (platform.twitter.com)	49 KiB	0 ms
/widgets.js (platform.twitter.com)	28 KiB	0 ms
...chunks/33.72d4e8a....js (platform.twitter.com)	13 KiB	0 ms
...chunks/2.691622e....js (platform.twitter.com)	8 KiB	0 ms
/js/timeline.e108540....js (platform.twitter.com)	4 KiB	0 ms
...chunks/runtime-a697c5a....js (platform.twitter.com)	3 KiB	0 ms
...screen-name/IFCE_?dnt=... (syndication.twitter.com)	2 KiB	0 ms
...screen-name/%5BscreenName%5D-c33f0b0....js (platform.twitter.com)	2 KiB	0 ms
...chunks/6.902e7a2....js (platform.twitter.com)	2 KiB	0 ms
...pages/_app-88bf420....js (platform.twitter.com)	1 KiB	0 ms
...pc7SXdl2p.../_buildManifest.js (platform.twitter.com)	1 KiB	0 ms
/settings?session_id=d7e9277... (syndication.twitter.com)	1 KiB	0 ms
...chunks/main-fd9ef5e...js (platform.twitter.com)	1 KiB	0 ms
...pc7SXdl2p.../_ssgManifest.js (platform.twitter.com)	1 KiB	0 ms
/i/jot?I=... (syndication.twitter.com)	0 KiB	0 ms
Google Tag Manager Tag-Manager	150 KiB	75 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	81 KiB	66 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	69 KiB	9 ms
Facebook Social	357 KiB	33 ms
/plugins/like_box.php?app_id=... (www.facebook.com)	16 KiB	30 ms
/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)	88 KiB	3 ms
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	109 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...t39.30808-6/310....png?stp=... (scontent-lax3-1.xx.fbcdn.net)	66 KiB	0 ms
...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	32 KiB	0 ms
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	28 KiB	0 ms
...0,cross/1r0WOAs0gZ6.css?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	6 KiB	0 ms
...r/8ZrPme2EwKH.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	4 KiB	0 ms
/pt_BR/all.js (connect.facebook.net)	4 KiB	0 ms
...t39.30808-1/310....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	2 KiB	0 ms
...r/UXtr_j2Fwe-.png (static.xx.fbcdn.net)	2 KiB	0 ms
...r/p55HfXW__mM.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	1 KiB	0 ms
Google Analytics Analytics	21 KiB	27 ms
/analytics.js (www.google-analytics.com)	21 KiB	27 ms
/j/collect?v=... (www.google-analytics.com)	0 KiB	0 ms
/g/collect?v=... (analytics.google.com)	0 KiB	0 ms
brasil.gov.br	126 KiB	0 ms
/imagens/vlbras.gif (barra.brasil.gov.br)	108 KiB	0 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	18 KiB	0 ms
Other Google APIs/SDKs Utility	62 KiB	0 ms
...google.internal.waa.v1.Waa/Create (jnn-pa.googleapis.com)	41 KiB	0 ms
...th/wAFWjcG1j....js (www.google.com)	20 KiB	0 ms
...google.internal.waa.v1.Waa/GenerateIT (jnn-pa.googleapis.com)	1 KiB	0 ms
/ads/ga-audiences?t=... (www.google.com)	1 KiB	0 ms
Google Fonts Cdn	23 KiB	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
...v18/KFOOmCnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
JSDelivr CDN Cdn	21 KiB	0 ms
...assets/access_popup.jpg (cdn.jsdelivr.net)	10 KiB	0 ms
...app/vlbras-plugin.js (cdn.jsdelivr.net)	7 KiB	0 ms
...assets/access_icon.svg (cdn.jsdelivr.net)	3 KiB	0 ms
Google/Doubleclick Ads Ad	3 KiB	0 ms
/pagead/id?slf_rd=1 (googleads.g.doubleclick.net)	1 KiB	0 ms
/pagead/id (googleads.g.doubleclick.net)	1 KiB	0 ms
/instream/ad_status.js (static.doubleclick.net)	1 KiB	0 ms
/j/collect?t=... (stats.g.doubleclick.net)	1 KiB	0 ms
/g/collect?v=... (stats.g.doubleclick.net)	0 KiB	0 ms
vlbras.gov.br	2 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...assets/access_popup.jpg (vlibras.gov.br)	1 KiB	0 ms
...assets/access_icon.svg (vlibras.gov.br)	1 KiB	0 ms
/app/vlibras-plugin.js (vlibras.gov.br)	1 KiB	0 ms

⚠ Some third-party resources can be lazy loaded with a facade — **1 facade alternative available** ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) [TBT]

Product	Transfer Size	Main-Thread Blocking Time
YouTube [Video]	971 KiB	3,017 ms
YouTube Embedded Player (Video)	971 KiB	3,017 ms
...en_US/base.js (www.youtube.com)	772 KiB	1,371 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	1,603 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
/embed/--EJ1j-2SJ0 (www.youtube.com)	39 KiB	42 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms

⚠ Largest Contentful Paint element — **30,020 ms** ^




This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) [LCP]

Element
 foto matéria Sisu 2024.png

Phase	% of LCP	Timing
TTFB	3%	810 ms
Load Delay	71%	21,430 ms
Load Time	25%	7,570 ms
Render Delay	1%	210 ms



⚠ Avoid large layout shifts — 7 elements found

These DOM elements were most affected by layout shifts. Some layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

Element	Layout shift impact	
	SISU 2024 Divulgado resultado da chamada regular do Sisu 2024 Lista de espera... <pre><div class="cell width-5 position-0" data-panel=""></pre>	0.119
	INSCRIÇÕES VÃO ATÉ O DIA 23 Seleção de Professores Tutores do Programas Mulheres Mil <pre><div class="cell width-16 position-0" data-panel=""></pre>	0.102
	INSCRIÇÕES VÃO ATÉ O DIA 23 Seleção de Professores Tutores do Programas Mulheres Mil <pre><div class="row"></pre>	0.098
	Banner rotativo chamada publica PNAE <pre></pre>	0.006
	IFCE <pre><div id="portal-title" class="corto"></pre>	0.001
	2 <pre></pre>	0.000
	3 <pre></pre>	0.000

🟠 Properly size images — Potential savings of 154 KiB

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br [1st Party]	633.3 KiB	154.3 KiB
 Banner PS Cursos Técnicos 2024.1 - Limoeiro <pre></pre>	301.5 KiB	73.5 KiB
 PS Mestrado Tecnologi a em Alimentos 2024 <pre></pre>	213.7 KiB	52.1 KiB
 Banner rotativo chamada publica PNAE <pre></pre>	78.6 KiB	19.1 KiB
 Banner PS Esp Energias Renováve is <pre><img src="https://ifce.edu.br/limoeirodonorte/imagens/banner-rotativo/banner-rotativ..."</pre>	39.5 KiB	9.6 KiB


URL	Resource Size	Potential Savings
rotativo/banner-ps-esp-..." alt="Banner PS Esp Energias Renováveis">		

Defer offscreen images — Potential savings of 309 KiB

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images](#).

URL	Resource Size	Potential Savings
ifce.edu.br [1st Party]	309.2 KiB	309.2 KiB
 div.cycle-player > div.cycle-slide > a > img ...@@@images/c948126c-cfba-4029-b861-d3402b6cf7e7.jpeg (ifce.edu.br)	82.4 KiB	82.4 KiB
 div.cycle-player > div.cycle-slide > a > img ...@@@images/96311af5-5855-464c-bd4b-e1c64a84b7b2.jpeg (ifce.edu.br)	70.5 KiB	70.5 KiB
 div.cycle-player > div.cycle-slide > a > img ...@@@images/93013b9f-1c5a-4caf-a074-b3abc53362c5.jpeg (ifce.edu.br)	66.2 KiB	66.2 KiB
mapa.png 	16.8 KiB	16.8 KiB

	URL	Resource Size	Potential Savings
GUARAMIRANGAlinklateral.png			
	/guaramirangalinklateral.png (ifce.edu.br)	9.8 KiB	9.8 KiB
	banner de acesso ao CNPQ		
	...@@@images/b543227e-4a6c-482b-8dde-8137bac3040f.png (ifce.edu.br)	9.1 KiB	9.1 KiB
	Banner de acesso ao CNPq		
	...@@@images/01ac57fb-0eca-42d5-8eb4-dd60c182bbc0.png (ifce.edu.br)	7.9 KiB	7.9 KiB
	Banner de acesso ao portal do mec		
	...@@@images/3b264b56-287a-49ae-852a-5dffbb06c7b4.png (ifce.edu.br)	6.6 KiB	6.6 KiB
dd.portletItem > p > a.internal-link > img.image-inline	...resolveuid/dfd185e... (ifce.edu.br)	6.2 KiB	6.2 KiB
	...@@@images/3b264b56-287a-49ae-852a-5dffbb06c7b4.png (ifce.edu.br)	6.6 KiB	6.6 KiB

	URL	Resource Size	Potential Savings
rodonorte/home/resolveuid/dfd185e00cc644dcb7a86...">			
dd.portletItem > p > a.external-link > img.image-inline	...resolveuid/4f52c45... (ifce.edu.br)	6.2 KiB	6.2 KiB
	Banner de acesso ao site do Conif		
	...@@@images/7d8a1c07-c825-443a-b917-1199e49617ab.png (ifce.edu.br)	6.0 KiB	6.0 KiB
	div.cycle-carousel-wrap > div.thumb-itens > div.table-align > img		
	...@@@images/4d7b7d76-a43b-401f-b149-f7e27f59160e.jpeg (ifce.edu.br)	5.6 KiB	5.6 KiB
	div.cycle-carousel-wrap > div.thumb-itens > div.table-align > img		
	...@@@images/40f982bc-76b2-46db-8891-2e10751dc41b.jpeg (ifce.edu.br)	5.0 KiB	5.0 KiB
	div.cycle-carousel-wrap > div.thumb-itens > div.table-align > img		
	...@@@images/b0015391-05d6-4530-9d09-4feb918f9916.jpeg (ifce.edu.br)	4.5 KiB	4.5 KiB

URL	Resource Size	Potential Savings
<pre></pre> <pre>tr > th > a.internal-link > img.image- inline </pre> servidor.jpg <pre></pre>	4.2 KiB	4.2 KiB
...@@@images/6b535e1a-dc1b-4b16-b719- 703cd2f23969.jpeg (ifce.edu.br)	2.4 KiB	2.4 KiB

Minify CSS — Potential savings of 3 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	22.9 KiB	2.6 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	2.6 KiB

Minify JavaScript — Potential savings of 15 KiB ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify](#).

[JavaScript](#). FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	86.6 KiB	15.4 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	12.8 KiB
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu...js (ifce.edu.br)	8.1 KiB	2.5 KiB

■ Enable text compression — Potential savings of 30 KiB

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression](#) [FCP] [LCP]

URL	Transfer Size	Potential Savings
ifce.edu.br [1st Party]	46.8 KiB	29.9 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	40.4 KiB	25.1 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.4 KiB	4.8 KiB

■ Use video formats for animated content — Potential savings of 49 KiB

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) [LCP]

URL	Resource Size	Potential Savings
brasil.gov.br	107.2 KiB	49.3 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.2 KiB	49.3 KiB

■ Avoid serving legacy JavaScript to modern browsers — Potential savings of 53 KiB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) [TBT]

Show 3rd-party resources (5)

URL	Potential Savings
ifce.edu.br [1st Party]	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js:4:935 (ifce.edu.br)	@babel/plugin-transform-classes
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)	0.0 KiB

URL	Potential Savings
...brasil_gov_facetada/resources/_scriptssocial_like-cachekey-....js:48:958 (ifce.edu.br)	@babel/plugin-transform-classes

Avoid enormous network payloads — Total size was 5,313 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) [LCP]

Show 3rd-party resources (7)

URL	Transfer Size
SoundCloud Content	1,104.6 KiB
/widget-9-f483...a6.js (widget.sndcdn.com)	1,104.6 KiB
YouTube Video	867.4 KiB
...en_US/base.js (www.youtube.com)	771.8 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	95.6 KiB
ifce.edu.br 1st Party	657.1 KiB
...@@@images/773b0bbb-6192-4ff7-8044-a9470710da4a.png (ifce.edu.br)	302.0 KiB
...@@@images/1b3f5e14-71fb-42b4-976f-6456b0386a3a.png (ifce.edu.br)	214.2 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB
Twitter Social	264.5 KiB
...chunks/3.6238497....js (platform.twitter.com)	160.9 KiB
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	103.6 KiB
Facebook Social	108.6 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	108.6 KiB
brasil.gov.br	107.6 KiB
/imagens/vlibras.gif (barra.brasil.gov.br)	107.6 KiB

Serve static assets with an efficient cache policy — 30 resources found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

Show 3rd-party resources (9)

URL		Cache TTL	Transfer Size
ifce.edu.br [1st Party]			172 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)		1d	41 KiB
...fonts/opensans-800-webfont.woff (ifce.edu.br)		1d	24 KiB
...fonts/opensans-700-webfont.woff (ifce.edu.br)		1d	24 KiB
...fonts/opensans-400-webfont.woff (ifce.edu.br)		1d	23 KiB
...imagens_menu_rapido/mapa.png (ifce.edu.br)		1d	17 KiB
/guaramirangalinklateral.png (ifce.edu.br)		1d	10 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)		1d	7 KiB
...imagens_m.../Aluno1_.png (ifce.edu.br)		1d	5 KiB
...css/style.css (ifce.edu.br)		1d	3 KiB
...img/bg-menu-mobile.png (ifce.edu.br)		1d	3 KiB
/spinner.gif (ifce.edu.br)		1d	2 KiB
...++resource++brasil.gov.tiles/icons-setas-min.png (ifce.edu.br)		1d	2 KiB
...++resource++brasil.gov.tiles/icon-camera-download.png (ifce.edu.br)		1d	2 KiB
...++resource++brasil.gov.tiles/footer-arrow.png (ifce.edu.br)		1d	2 KiB
...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br)		1d	1 KiB
...img/search-button-30px.png (ifce.edu.br)		1d	1 KiB
...img/bullet-banner-rotativo.gif (ifce.edu.br)		1d	1 KiB
...img/seta_verde.png (ifce.edu.br)		1d	1 KiB
...img/seta_azulclaro.png (ifce.edu.br)		1d	1 KiB
...img/seta_laranja.png (ifce.edu.br)		1d	1 KiB
...img/voltar-topo.png (ifce.edu.br)		1d	1 KiB
brasil.gov.br			108 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)		7d	108 KiB
Facebook [Social]			68 KiB
...t39.30808-6/310....png?stp=... (scontent-lax3-1.xx.fbcdn.net)		14d	66 KiB
...t39.30808-1/310....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)		14d	2 KiB
Twitter [Social]			28 KiB

URL	Cache TTL	Transfer Size
/widgets.js (platform.twitter.com)	30m	28 KiB
Google Analytics Analytics		21 KiB
/analytics.js (www.google-analytics.com)	2h	21 KiB
JSDelivr CDN Cdn		21 KiB
...assets/access_popup.jpg (cdn.jsdelivr.net)	7d	10 KiB
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7d	7 KiB
...assets/access_icon.svg (cdn.jsdelivr.net)	7d	3 KiB
Google/Doubleclick Ads Ad		1 KiB
/instream/ad_status.js (static.doubleclick.net)	15m	1 KiB

■ Ensure text remains visible during webfont load

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more about font-display.](#) FCP LCP

Show 3rd-party resources (3)

URL	Potential Savings
ifce.edu.br 1st Party	3,560 ms
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1,890 ms
...fonts/opensans-800-webfont.woff (ifce.edu.br)	840 ms
...fonts/opensans-700-webfont.woff (ifce.edu.br)	840 ms
Google Fonts Cdn	10 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	0 ms
brasil.gov.br	1,090 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	1,090 ms

■ Does not use passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Source

YouTube Video

...en_US/base.js:8667:199 (www.youtube.com)

...en_US/base.js:6002:111 (www.youtube.com)

SoundCloud Content

/widget-9-f483...a6.js:25:37660 (widget.sndcdn.com)

■ Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

 Show 3rd-party resources (1)

URL

ifce.edu.br 1st Party

```
div.cycle-player > div.cycle-slide >
a > img

```

...@@@images/96311af5-5855-464c-bd4be1c64a84b7b2.jpeg (ifce.edu.br)



```
div.cycle-player > div.cycle-slide >
a > img

```

...@@@images/93013b9f-1c5a-4caf-a074-b3abc53362c5.jpeg (ifce.edu.br)



```
div.cycle-player > div.cycle-slide >
a > img

```


...@@@images/93013b9f-1c5a-4caf-a074-b3abc53362c5.jpeg (ifce.edu.br)



```
div.cycle-player > div.cycle-slide >
a > img

```

...@@@images/c948126c-cfba-4029-b861-d3402b6cf7e7.jpeg (ifce.edu.br)




Banner rotativo chamada publica
PNAE

...@@@images/700114f4-eebc-4b18-ba70-734d3f7cfa61.png (ifce.edu.br)

URL


 INSCRIÇÕES VÃO ATÉ O DIA 23
Seleção de Professores
 oeirodonorte/imagens/banner-rotativo/banner-rotativo..." alt="Banner rotativo chamada publica PNAE">>


 INSCRIÇÕES VÃO ATÉ O DIA 23
Seleção de Professores
 rotativo/banner-ps-curs..." alt="Banner PS Cursos Técnicos 2024.1 - Limoeiro">>



 INSCRIÇÕES VÃO ATÉ O DIA 23
Seleção de Professores
 rotativo/banner-ps-esp..." alt="Banner PS Esp Energias Renováveis">>


 INSCRIÇÕES VÃO ATÉ O DIA 23
Seleção de Professores
 rotativo/ps-mestrado-te..." alt="PS Mestrado Tecnologia em Alimentos 2024">>


 /limoeirodonorte/imagens/galeria_fotos/10-anos-2018/201..." alt="" style="visibility: hidden;">>


 /limoeirodonorte/imagens/galeria_fotos/10-anos-2018/201..." alt="">>

brasil.gov.br


 O CONTRÁRIO É MAPA DO SITE
 Ciência e Tecnologia do Ceará
 br/imagens/vlibras.gif">

...@@@images/773b0bbb-6192-4ff7-8044-a9470710da4a.png (ifce.edu.br)

...@@@images/e182a61a-3fd5-43d8-907d-255c0ca79257.jpeg (ifce.edu.br)

...@@@images/1b3f5e14-71fb-42b4-976f-6456b0386a3a.png (ifce.edu.br)

...@@@images/b0015391-05d6-4530-9d09-4feb918f9916.jpeg (ifce.edu.br)

...@@@images/b0015391-05d6-4530-9d09-4feb918f9916.jpeg (ifce.edu.br)

/imagens/vlibras.gif (barra.brasil.gov.br)

URL

Initial server response time was short — Root document took 420 ms ^

Keep the server response time for the main document short because all other requests depend on it.

[Learn more about the Time to First Byte metric.](#) [FCP](#) [LCP](#)

URL	Time Spent
ifce.edu.br 1st Party	420 ms
/limoeirodonorte (ifce.edu.br)	420 ms

Avoid chaining critical requests — 32 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#) [FCP](#) [LCP](#)

Maximum critical path latency: **7,005.659 ms**

Initial Navigation

/limoeirodonorte (ifce.edu.br)	
...css/style.css (ifce.edu.br)	- 1,730.593 ms, 3.18 KiB
...brasil_gov_facetada/resourcecollective.z3cform.datagridfield....css	(ifce.edu.br) - 1,699.947 ms, 1.34 KiB
...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey....css	(ifce.edu.br) - 1,701.578 ms, 3.16 KiB
...brasil_gov_facetada/resourcecollective.nitfnitf-cachekey-7....css	(ifce.edu.br) - 1,710.576 ms, 2.92 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3...	(ifce.edu.br) - 1,704.892 ms, 6.86 KiB
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css	(ifce.edu.br) - 1,688.784 ms, 2.35 KiB
...brasil_gov_facetada/resourcecalendar_stylescalendar-cachekey....css	(ifce.edu.br) - 1,715.969 ms, 1.00 KiB
...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css	(ifce.edu.br) - 1,688.423 ms, 4.41 KiB
...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css	(ifce.edu.br) - 1,705.783 ms, 3.56 KiB
/app/vlibras-plugin.js (vlibras.gov.br)	
...app/vlibras-plugin.js (cdn.jsdelivr.net)	- 9.993 ms, 6.99 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js	(ifce.edu.br) - 2,128.48 ms, 79.27 KiB
/static/opensans-bold.woff (barra.brasil.gov.br)	- 1,085.758 ms, 18.43 KiB
...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootstrap....js	(ifce.edu.br) - 1,721.838 ms, 8.29 KiB
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js	(ifce.edu.br) - 1,921.956 ms, 36.48 KiB
...brasil_gov_facetada/embedder-cachekey-1392d12....css	(ifce.edu.br) - 1,699.175 ms, 1.58 KiB
...brasil_gov_facetada/jquery.autocomplete-cachekey-2f45277....css	(ifce.edu.br) - 1,687.234 ms, 1.29 KiB
...brasil_gov_facetada/resourcecollective.polcsscollective.....css	(ifce.edu.br) - 1,710.358 ms, 1.09 KiB
...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js	(ifce.edu.br) - 1,691.64 ms, 8.68 KiB
...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css	(ifce.edu.br) - 1,708.772 ms, 2.65 KiB
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css	(ifce.edu.br) - 1,690.707 ms, 3.91 KiB
...brasil_gov_facetada/resourceplone.formwidget.autocompletej....css	(ifce.edu.br) - 1,696.864 ms, 1.48 KiB

```

...brasil_go.../resourceProducts.Doormat.stylesheetsdoormat-cac....css (ifce.edu.br) - 1,707.378 ms, 1.48 KiB
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br) - 1,914.331 ms, 24.64 KiB
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br) - 1,712.529 ms, 1.02 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br) - 1,703.762 ms, 1.68 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)
  ...fonts/opensans-800-webfont.woff (ifce.edu.br) - 839.843 ms, 24.47 KiB
  ...fonts/opensans-400-webfont.woff (ifce.edu.br) - 1,885.383 ms, 23.43 KiB
  ...fonts/opensans-700-webfont.woff (ifce.edu.br) - 839.258 ms, 24.22 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br) - 1,906.919 ms, 16.02 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br) - 2,335.838 ms, 140.94 KiB
...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br) - 1,700.095 ms, 1.42 KiB
...brasil_gov_facetada/resourcejquery-cachekey-8829350....css (ifce.edu.br) - 1,688.953 ms, 1.36 KiB

```

>User Timing marks and measures — 15 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Name	Type	Start Time	Duration
Next.js-before-hydration	Measure	6,423.44 ms	214.64 ms
Next.js-hydration	Measure	6,638.08 ms	13.43 ms
mark_pe	Mark	4,724.42 ms	
mark_pot_isc	Mark	4,783.63 ms	
mark_pot_jst	Mark	4,788.07 ms	
mark_pot_csms	Mark	4,792.94 ms	
mark_pot_csmf	Mark	4,798.37 ms	
mark_fs	Mark	4,823.72 ms	
mark_goes	Mark	4,836.13 ms	
mark_ep_init_pr	Mark	4,952.43 ms	
mark_pot_if	Mark	5,298.16 ms	
mark_pot_cms	Mark	5,298.48 ms	
mark_pot_cmf	Mark	5,305.21 ms	
beforeRender	Mark	6,638.08 ms	
afterHydrate	Mark	6,651.50 ms	

Avoid long main-thread tasks — 20 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) [TBT]

Show 3rd-party resources (17)

URL	Start Time	Duration
YouTube Video		2,160 ms
...en_US/base.js (www.youtube.com)	29,287 ms	716 ms
...en_US/base.js (www.youtube.com)	28,438 ms	547 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	27,145 ms	393 ms
...en_US/base.js (www.youtube.com)	26,825 ms	320 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	11,313 ms	96 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	11,225 ms	88 ms
SoundCloud Content		1,218 ms
/widget-9-f483...a6.js (widget.sndcdn.com)	32,868 ms	509 ms
/widget-9-f483...a6.js (widget.sndcdn.com)	28,986 ms	301 ms
/widget-9-f483...a6.js (widget.sndcdn.com)	31,784 ms	199 ms
/widget-9-f483...a6.js (widget.sndcdn.com)	32,145 ms	127 ms
/widget-0-b8c06181fc57.js (widget.sndcdn.com)	31,702 ms	82 ms
ifce.edu.br 1st Party		473 ms
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	54,748 ms	235 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	20,764 ms	122 ms
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	27,538 ms	116 ms
Twitter Social		424 ms
...chunks/3.6238497....js (platform.twitter.com)	22,271 ms	256 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	8,260 ms	93 ms
...chunks/modules.20f98d7....js (platform.twitter.com)	13,138 ms	75 ms
Google Tag Manager Tag-Manager		134 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	9,323 ms	134 ms
Facebook Social		108 ms
...r/8ZrPme2EwKH.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	14,688 ms	108 ms
Google Analytics Analytics		86 ms

URL	Start Time	Duration
/analytics.js (www.google-analytics.com)	7,524 ms	86 ms

○ Avoid non-composited animations — 1 animated element found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

Element	Name
	Conteúdo acessível em Libras usando o VLibras Widget com opções dos Avatares Íc... <code><div vw-access-button="" class="active"></code>
Unsupported CSS Property: border-top-left-radius	border-top-left-radius
Unsupported CSS Property: border-top-right-radius	border-top-right-radius
Unsupported CSS Property: border-bottom-left-radius	border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius	border-bottom-right-radius
Unsupported CSS Property: font-size	font-size

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (9) Hide

● Efficiently encode images ^

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images](#).

● Preconnect to required origins ^

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins](#). FCP LCP

● Avoid multiple page redirects ^

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](#). FCP LCP

○ Preload key requests ^

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn how to preload key requests.](#) FCP LCP

● Remove duplicate modules in JavaScript bundles ^

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

● Preload Largest Contentful Paint image ^

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

● Largest Contentful Paint image was not lazily loaded ^

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) LCP

Element



foto matéria Sisu 2024.png
``

● Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).

● Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) TBT



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

⚠️ Image elements do not have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

Failing Elements




```
div#bd35d8af-f8f2-4dd5-86dc-314c30b13865 > div.banner-tile > a > img.left  

```

⚠️ `<frame>` or `<iframe>` elements do not have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles](#).

Failing Elements



```
div.cell > div#c252cab64dad49e09d8f67a13327adbb > div.tile-content > iframe  
<iframe width="100%" height="240" src="https://www.youtube.com/embed/-  
EJ1j-2SJ0" frameborder="0" allow="accelerometer; autoplay; encrypted-  
media; gyroscope; picture-in-picture" allowfullscreen="">
```



```
div.cell > div#dd62a541-89ff-4d2e-9f15-1715ebe96faf > div.tile-content > iframe  
<iframe width="100%" height="240" scrolling="no" frameborder="no"  
src="https://w.soundcloud.com/player/?  
url=https%3A//api.soundcloud.com/tracks/3...">
```

⚠️ Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable

improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)


Failing Elements



nav > ul#lista-barra-brasil > li > a#menu-icon



div#barra-brasil > div#wrapper-barra-brasil > span#brasil-vlibras > a.logo-vlibras



div.cell > div#bd35d8af-f8f2-4dd5-86dc-314c30b13865 > div.banner-tile > a



div.player > div.cycle-player > div.cycle-slide > a

⚠️ Image elements have [alt] attributes that are redundant text.

^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#)

Failing Elements



Banner rotativo chamada publica PNAE



Banner PS Cursos Técnicos 2024.1 - Limoeiro



Banner PS Esp Energias Renováveis

Failing Elements



PS Mestrado Tecnologia em Alimentos 2024

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](#).

Failing Elements



EXTENSÃO
<h2 class="outstanding-title">

Twitter
<li class="last-item">

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

- Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable](#).
- Interactive elements indicate their purpose and state

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints](#).
- The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen.

[Learn more about logical tab ordering.](#)

Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)

HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#)

Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#)

Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

PASSED AUDITS (16)

Hide

 [aria-hidden="true"] is not present on the document <body> ^

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on

the document <body>. [Learn how aria-hidden affects the document body.](#)

- [role]s have all required [aria-*] attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers.

[Learn more about roles and required attributes.](#)

- Input buttons have discernible text. ^

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

- [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

- [accesskey] values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#)

- [role] values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

- Document has a <title> element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

- [id] attributes on active, focusable elements are unique ^

All focusable elements must have a unique id to ensure that they're visible to assistive technologies.

[Learn how to fix duplicate ids.](#)

- <html> element has a [lang] attribute

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

- <html> element has a valid value for its [lang] attribute

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

- Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

- Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

- Lists contain only elements and script supporting elements (<script> and <template>).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

- List items () are contained within , or <menu> parent elements

Screen readers require list items () to be contained within a parent , or <menu> to be announced properly. [Learn more about proper list structure.](#)

- Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

- Values assigned to role="" are valid ARIA roles.

ARIA roles enable assistive technologies to know the role of each element on the web page. If the role values are misspelled, not existing ARIA role values, or abstract roles, then the purpose of the element will not be communicated to users of assistive technologies. [Learn more about ARIA roles](#).

NOT APPLICABLE (38)

Hide

[aria-*] attributes match their roles ^

Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. [Learn how to match ARIA attributes to their roles](#).

button, link, and menuitem elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible](#).

Elements with role="dialog" or role="alertdialog" have accessible names. ^

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible](#).

[aria-hidden="true"] elements do not contain focusable descendants ^

Focusable descendants within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements](#).

ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels](#).

ARIA meter elements have accessible names ^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements](#).

ARIA progressbar elements have accessible names ^

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements](#).

- Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements](#).

- `[role]`s are contained by their required parent element

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element](#).

- Elements with the `role=text` attribute do not have focusable descendants.

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. [Learn more about the `role=text` attribute](#).

- ARIA toggle fields have accessible names

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields](#).

- ARIA `tooltip` elements have accessible names

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements](#).

- ARIA `treeitem` elements have accessible names

When a treeitem element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements](#).

- `[aria-*]` attributes have valid values

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes](#).

- `[aria-*]` attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes](#).

- Buttons have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible](#).

- The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

- `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

- Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

- ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

- No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

- `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

- `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

- The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

- `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

- Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

○ Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

○ No element has a [tabindex] value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#)

○ Tables have different content in the summary attribute and <caption>. ^

The summary attribute should describe the table structure, while <caption> should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#)

○ Cells in a <table> element that use the [headers] attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring <td> cells using the [headers] attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#)

○ <th> elements and elements with [role="columnheader"/"rowheader"] have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

○ [lang] attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#)

○ <video> elements contain a <track> element with [kind="captions"] ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#)

○ All heading elements contain content. ^

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#)

○ Document has a main landmark. ^

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

- Elements with visible text labels have matching accessible names. ^

Visible text labels that do not match the accessible name can result in a confusing experience for screen reader users. [Learn more about accessible names.](#)

- Tables use `<caption>` instead of cells with the `[colspan]` attribute to indicate a caption. ^

Screen readers have features to make navigating tables easier. Ensuring that tables use the actual caption element instead of cells with the `[colspan]` attribute may improve the experience for screen reader users. [Learn more about captions.](#)

- `<td>` elements in a large `<table>` have one or more table headers. ^

Screen readers have features to make navigating tables easier. Ensuring that `<td>` elements in a large table (3 or more cells in width and height) have an associated table header may improve the experience for screen reader users. [Learn more about table headers.](#)



Best Practices

GENERAL

- ▲ Uses deprecated APIs — 1 warning found ^

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Deprecation / Warning	Source
SoundCloud Content	
UnloadHandler	/widget-9-f483...a6.js:25:37660 (widget.sndcdn.com)

- ▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
ifce.edu.br 1st Party	
...resolveuid/4f52c45...:1:0 (ifce.edu.br)	Failed to load resource: the server responded with a status of 404 (Not Found)
...resolveuid/dfd185e...:1:0 (ifce.edu.br)	Failed to load resource: the server responded with a status of 404 (Not Found)
/++resource++collective.lazysizes/lazysizes-43c36fc.js:1:0 (ifce.edu.br)	Failed to load resource: the server responded with a status of 404 (Not Found)

⚠ Issues were logged in the [Issues](#) panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type

Cookie

/embed/--EJ1j-2SJ0 (www.youtube.com)
/player/?url=... (w.soundcloud.com)

○ Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit](#).


Name	Version
Bootstrap	>= 2.0.0 & <= 2.3.2
FlotCharts	0.7
jQuery	1.8.3
jQuery UI	1.10.2
Modernizr	2.0.4
jQuery Tools	@VERSION

USER EXPERIENCE

▲ Serves images with low resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images](#).

Show 3rd-party resources (1)

URL	Displayed size	Actual size	Expected size
ifce.edu.br [1st Party]			
	foto mat éria Sisu 202		
4.png		...@@@images/5832d6fa-8ad9-4d67-8efa-5c34473f702d.png (ifce.edu.br)	372 x 215 400 x 231 558 x 323
brasil.gov.br			
			
div#wrapper-barra-brasil > span#brasil-vlibras > span.link-vlibras > img	/imagens/vlibras.gif (barra.brasil.gov.br)	132 x 116 132 x 116	198 x 174

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

PASSED AUDITS (10) Hide

- **Uses HTTPS** ^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).
- **Avoids third-party cookies** ^

Support for third-party cookies will be removed in a future version of Chrome. [Learn more about phasing out third-party cookies](#).
- **Allows users to paste into input fields** ^

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields](#).
- **Avoids requesting the geolocation permission on page load** ^

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission](#).
- **Avoids requesting the notification permission on page load** ^

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications](#).
- **Displays images with correct aspect ratio** ^

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](#).
- **Page has the HTML doctype** ^

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

● Properly defines charset ^

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

● Avoids `unload` event listeners ^

The unload event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. [Learn more about `unload` event listeners](#)

● Page has valid source maps ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#)

Show 3rd-party resources (5)

URL	Map URL
SoundCloud Content	
/widget-9-f483...a6.js (widget.sndcdn.com)	/web-sourcemaps/widget-9-f483...a6.js.map (ent)
TypeError: Failed to fetch	
/widget-8-bf4170e9561f.js (widget.sndcdn.com)	/web-sourcemaps/widget-8-bf4170e9561f.js.map (ent)
TypeError: Failed to fetch	
/widget-7-0f68f768293f.js (widget.sndcdn.com)	/web-sourcemaps/widget-7-0f68f768293f.js.map (ent)
TypeError: Failed to fetch	
/widget-0-b8c06181fc57.js (widget.sndcdn.com)	/web-sourcemaps/widget-0-b8c06181fc57.js.map (ent)
TypeError: Failed to fetch	
ifce.edu.br 1st Party	
...brasil_gov_facetada/resources/_scriptssocial_like-cachekey-....js (ifce.edu.br)	...brasil_gov_facetada/nitf.js.map (ifce.edu.br)
SyntaxError: Unexpected token '<', "<!DOCTYPE ".... is not valid JSON	

URL

Map URL

Other Google APIs/SDKs [Utility](#)

...th/wAFWjcG1j...js (www.google.com)

NOT APPLICABLE (1)

Hide

- Fonts with `font-display: optional` are preloaded

Preload optional fonts so first-time visitors may use them. [Learn more about preloading fonts](#)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on

[Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

- ▲ Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

- ▲ Image elements do not have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

Failing Elements



```
div#bd35d8af-f8f2-4dd5-86dc-314c30b13865 > div.banner-tile > a > img.left  
`

Format your HTML in a way that enables crawlers to better understand your app's content.

## CRAWLING AND INDEXING

## ⚠ Links are not crawlable

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

## Uncrawlable Link

## Revalidação de diploma

```

```

## ⚠ robots.txt is not valid — 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).


Line #	Content	Error
1	Sitemap: /sitemap.xml.gz	Invalid sitemap URL















To appear in search results, crawlers need access to your app.









## MOBILE FRIENDLY




## ⚠ Tap targets are not sized appropriately — 73% appropriately sized tap targets

Interactive elements like buttons and links should be large enough (48x48px), or have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more about tap targets](#).

Tap Target	Size	Overlapping Target	
	1 <code>&lt;a href="https://ifce.edu.br/limeirodonorte/"</code>		Banner PS Cursos Técnicos 2024.1 - Limeiro <code>&lt;a href="https://ifce.edu.br/limeirodonorte/imagens/banner-</code>

Tap Target	Size	Overlapping Target
 <pre>imagens/banner-rotativo/banner-rotativo... class="button-nav" style="top: 100px;"/&gt;</pre>		<pre>rotativo/banner-ps-curs..." rel="internal" class="banner"&gt;</pre> 
 <pre>3 &lt;a href="https:// ifce.edu.br/li moeirodonorte/ imagens/banner-rotativo/banner-ps-esp-... class="button-nav" style="top: 100px;"/&gt;</pre>	22x20	<pre>Banner PS Cursos Técnicos 2024.1 - Limoeiro &lt;a href="https://ifce .edu.br/lmoeirodonorte/imagens/banner- rotativo/banner-ps-curs..." rel="internal" class="banner"&gt;</pre> 
 <pre>4 &lt;a href="https:// ifce.edu.br/li moeirodonorte/ imagens/banner-rotativo/ps-mestrado-te... class="button-nav" style="top: 100px;"/&gt;</pre>	21x20	<pre>Banner PS Cursos Técnicos 2024.1 - Limoeiro &lt;a href="https://ifce .edu.br/lmoeirodonorte/imagens/banner- rotativo/banner-ps-curs..." rel="internal" class="banner"&gt;</pre> 
 <pre>Contatos &lt;a href="/servico s/contatos"&gt;</pre>	71x16	<pre>Central de Atendimento &lt;a href="https://s uap.ifce.edu.br /centralservicos/chamado_externo_abrir/" target="_blank"&gt;</pre> 
 <pre>Ouvidoria &lt;a href="/ouvidor ia"&gt;</pre>	75x16	<pre>Acesso à informação &lt;a href="https://i fce.edu.br/aces so-a-informacao/acesso-a-informacao-1/"&gt;</pre> 
 <pre>Ouvidoria &lt;a href="/ouvidor ia"&gt;</pre>	75x16	<pre>Central de Atendimento &lt;a href="https://s uap.ifce.edu.br /centralservicos/chamado_externo_abrir/" target="_blank"&gt;</pre> 
 <pre>Central de Atendimento &lt;a href="https://s uap.ifce.edu. br/centralservicos/chamado_externo_abrir /" target="_blank"&gt;</pre>	83x16	<pre>Licitações &lt;a href="/ifce/pro ap/licitacoes- e-compras"&gt;</pre> 
 <pre>Sobre o IFCE</pre>	91x16	<pre>Comunicação Social &lt;a href="https://ifce .edu.br/sobre-ifce/&gt;</pre> 

Tap Target	Size	Overlapping Target
 <a href="#"><u>Sobre o IFCE</u></a>   <a href="#"><u>Acess</u></a> <a href="#"><u>temas</u></a>   <a href="#"><u>Comunicação S</u></a> <a href="#"><u>1/Institucional</u></a> ">		 <a href="#"><u>s</u></a>   <a href="#"><u>Comunicação Social</u></a>   <a href="#"><u>O</u></a> <a href="#"><u>Ater</u></a> <a href="#"><u>icos/area-de-impressa</u></a> ">
 <a href="#"><u>imagens/banner-rotativo/ps-mestrado-te...</u></a> <a href="#"><u>class="button-nav" style="top: 100px; &gt;</u></a>	4 21x20	 <a href="#"><u>3</u></a> <a href="#"><u>&lt;a href="https://ifce.edu.br/limo</u></a> <a href="#"><u>eirodonorte/ima</u></a> <a href="#"><u>gens/banner-rotativo/banner-ps-esp..."</u></a> <a href="#"><u>class="button-nav" style="top: 100px; &gt;</u></a>
 <a href="#"><u>1</u></a> <a href="#"><u>&lt;a href="https://ifce.edu.br/li</u></a> <a href="#"><u>moeirodonorte/</u></a> <a href="#"><u>imagens/banner-rotativo/banner-rotativ..."</u></a> <a href="#"><u>class="button-nav" style="top: 100px; &gt;</u></a>	1 22x20	 <a href="#"><u>2</u></a> <a href="#"><u>&lt;a href="https://ifce.edu.br/limo</u></a> <a href="#"><u>eirodonorte/ima</u></a> <a href="#"><u>gens/banner-rotativo/banner-ps-curs..."</u></a> <a href="#"><u>class="button-nav" style="top: 100px; &gt;</u></a>
 <a href="#"><u>2</u></a> <a href="#"><u>&lt;a href="https://ifce.edu.br/li</u></a> <a href="#"><u>moeirodonorte/</u></a> <a href="#"><u>imagens/banner-rotativo/banner-ps-curs..."</u></a> <a href="#"><u>class="button-nav" style="top: 100px; &gt;</u></a>	2 22x20	 <a href="#"><u>3</u></a> <a href="#"><u>&lt;a href="https://ifce.edu.br/limo</u></a> <a href="#"><u>eirodonorte/ima</u></a> <a href="#"><u>gens/banner-rotativo/banner-ps-esp..."</u></a> <a href="#"><u>class="button-nav" style="top: 100px; &gt;</u></a>
 <a href="#"><u>Instituto Federal de</u></a> <a href="#"><u>Educação, Ciência e</u></a> <a href="#"><u>Tecnologia do Ceará</u></a> <a href="#"><u>IFCE MINISTÉRIO</u></a> <a href="#"><u>DA...</u></a> <a href="#"><u>&lt;a id="portal-logo"</u></a> <a href="#"><u>href="https://ifce.edu.br"&gt;</u></a>	379x42	 <a href="#"><u>ALTO</u></a> <a href="#"><u>CONTRASTE</u></a> <a href="#"><u>&lt;a href="#"</u></a> <a href="#"><u>accesskey="6"&gt;</u></a>
 <a href="#"><u>Instituto Federal de</u></a> <a href="#"><u>Educação, Ciência e</u></a> <a href="#"><u>Tecnologia do Ceará</u></a> <a href="#"><u>IFCE MINISTÉRIO</u></a> <a href="#"><u>DA...</u></a> <a href="#"><u>&lt;a id="portal-logo"</u></a> <a href="#"><u>href="https://ifce.edu.br"&gt;</u></a>	379x42	 <div data-bbox="1167 1516 1421 1718"><pre>div#portal-searchbox &gt; form#nolivesearchGad get_form &gt; fieldset.LSBox &gt; input#nolivesearchGad get &lt;input name="SearchableText" type="text" size="18" placeholder="Buscar no portal" class="searchField" id="nolivesearchGadget"&gt;</pre></div>
 <a href="#"><u>Comunicação</u></a> <a href="#"><u>Social</u></a> <a href="#"><u>&lt;a href="https://ifce.edu.br/se</u></a> <a href="#"><u>rvidos/area-de-impressa</u></a> ">	133x16	 <a href="#"><u>Acesso à</u></a> <a href="#"><u>informação</u></a> <a href="#"><u>&lt;a href="https://ifce.edu.br/aces</u></a> <a href="#"><u>so-a-informacao/acesso-a-informacao-1/"&gt;</u></a>

Tap Target	Size	Overlapping Target
	Sobre o IFCE <a href="/acesso-a-informacao/Institucional/1"/>	91x16  div#portal-searchbox > form#nolivesearchGad get_form > fieldset.LSBox > input#nolivesearchGad
	Acesso à informação <a href="https://ifce.edu.br/acesso-a-informacao/acesso-a-informacao-1/">	138x16  div#portal-searchbox > form#nolivesearchGad get_form > fieldset.LSBox > input#nolivesearchGad
	Contatos <a href="/servicos/contatos">	71x16  div#portal-searchbox > form#nolivesearchGad get_form > fieldset.LSBox > input#nolivesearchGad

Make sure your pages are mobile friendly so users don't have to pinch or zoom in order to read the content pages. [Learn how to make pages mobile-friendly.](#)

#### ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- Structured data is valid

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data.](#)

Run these additional validators on your site to check additional SEO best practices.

#### PASSED AUDITS (9)

Hide

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#). TBT

● Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

● Page has successful HTTP status code ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes](#).

● Links have descriptive text ^

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible](#).

● Page isn't blocked from indexing ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

● Document has a valid `hreflang` ^

`hreflang` links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang](#).

● Document has a valid `rel=canonical` ^

Canonical links suggest which URL to show in search results. [Learn more about canonical links](#).

● Document uses legible font sizes — **85.97% legible text** ^

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. [Learn more about legible font sizes](#).

Show 3rd-party resources (1)

Source	Selector	% of Page Text	Font Size
ifce.edu.br	1st Party		

Source	Selector	% of Page Text	Font Size
...			
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:993:59 (ifce.edu.br)	#tile_banner_rotativo.chamada_sem_foto li .banner .title	3.16%	9.984px
...			
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:2482:22 (ifce.edu.br)	.tile .tile-subtitle	2.59%	11.232px
...			
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:2946:48 (ifce.edu.br)	#content .outstanding-header .outstanding-link	2.57%	11.232px
...			
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:1223:29 (ifce.edu.br)	.album-tile .open-album, .album-tile .download-album	1.16%	9.984px
...			
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:4151:21 (ifce.edu.br)	#portal-siteactions	0.83%	10.8px
...			
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:1766:19 (ifce.edu.br)	#portal-searchbox	0.66%	9.6px
...			
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:1260:21 (ifce.edu.br)	.album-tile .footer	0.46%	9.984px
...css/style.css:76:9 (ifce.edu.br)	.anchor	0.37%	0px
<b>Unattributable</b>			
dynamic	.privacyPolicy	1.85%	10px
dynamic	.sc-button-small	0.10%	11px
Legible text		85.97%	≥ 12px
<b>Facebook Social</b>			
...0,cross/1r0WOAs0gZ6.css?_nc_x=lj3Wp8lg5Kz:15:225 (static.xx.fbcdn.net)	.plugin, .plugin button, .plugin input, .plugin label, .plugin select, .plugin td, .plugin textarea	0.27%	11px

### ● Document avoids plugins

Search engines can't index plugin content, and many devices restrict plugins or don't support them.  
[Learn more about avoiding plugins.](#)

Alongside [Chrome's updated Installability Criteria](#), Lighthouse will be deprecating the PWA category in a future release. Please refer to the [updated PWA documentation](#) for future PWA testing.



## PWA

These checks validate the aspects of a Progressive Web App. [Learn what makes a good Progressive Web App.](#)

### ⊕ INSTALLABLE

#### ▲ Web app manifest or service worker do not meet the installability requirements — 1 reason

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more about manifest installability requirements.](#)

Failure reason

No manifest was fetched

### ★ PWA OPTIMIZED

#### ▲ Is not configured for a custom splash screen Failures: No manifest was fetched.

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more about splash screens.](#)

Does not set a theme color for the address bar.

⚠️ Failures: No manifest was fetched, No `<meta name="theme-color">` tag found.

The browser address bar can be themed to match your site. [Learn more about theming the address bar.](#)

● Content is sized correctly for the viewport

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn how to size content for the viewport.](#)

● Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) [TBT]

⚠️ Manifest doesn't have a maskable icon [No manifest was fetched](#)

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn about maskable manifest icons.](#)

#### ADDITIONAL ITEMS TO MANUALLY CHECK (3)

Hide

○ Site works cross-browser

To reach the most number of users, sites should work across every major browser. [Learn about cross-browser compatibility.](#)

○ Page transitions don't feel like they block on the network

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more about page transitions.](#)

○ Each page has a URL

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more about providing deep links.](#)

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

📅 Captured at Feb 3, 2024, 2:54 PM

💻 Emulated Desktop with Lighthouse

🔗 Single page session

GMT-3

11.4.0

⌚ Initial page load

📶 Unknown

⌚ Using HeadlessChromium

121.0.6167.85 with Ir

Generated by **Lighthouse** 11.4.0 | [File an issue](#)