

job submitted

```

lissyuse, cc(cl96) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
summarize pitotal, detail
lissyuse, cc(cl98) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cl00) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cl03) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cl06) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cl09) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cl11) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cl13) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cl15) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cl17) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)

```

listing

NOTICE TO USERS

Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by regulations which do not allow copying or further distribution of the survey microdata.

Anyone violating these regulations will lose all privileges to the databases and may be subject to prosecution under the law. In addition, any attempt to circumvent the LIS processing system or unauthorized entry into the LIS computing system will result in prosecution.

All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be submitted for entry into the Working Papers Series.

Please consult our web site for more information at WWW.LISDATACENTER.ORG

NOTICE TO USERS

```

. lissyuse, cc(cl96) pvars(pitotal)

```

lisyyuse specifications:

ccyy: c196

pvars: pitotal

hvars:

lis:

lws:

erflis:

onebyone:

from:

to:

iso2:

select:

implicate:

progs:

no project defined, standard selection 'lis' database has been assigned

valid datasets: c196

c196p has been loaded, containing variables pitotal

your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	133,886
25%	0	0	Sum of Wgt.	133,886
50%	0		Mean	675104.3
		Largest	Std. Dev.	1747930
75%	834143.9	7.20e+07		
90%	1800000	7.20e+07	Variance	3.06e+12
95%	2840004	7.20e+07	Skewness	11.85479
99%	6999994	7.20e+07	Kurtosis	279.9538

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
pitotal	133886	675104.3	1747930	0

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	133,886
25%	0	0	Sum of Wgt.	133,886
50%	0		Mean	675104.3
		Largest	Std. Dev.	1747930

75%	834143.9	7.20e+07		
90%	1800000	7.20e+07	Variance	3.06e+12
95%	2840004	7.20e+07	Skewness	11.85479
99%	6999994	7.20e+07	Kurtosis	279.9538

```
. lisyyuse, cc(cl98) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy:      cl98
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets:  cl98
```

```
cl98p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	187,843
25%	0	0	Sum of Wgt.	187,843
50%	0		Mean	797896.8
		Largest	Std. Dev.	2660340
75%	970604.5	2.35e+08		
90%	2116692	2.40e+08	Variance	7.08e+12
95%	3210000	2.94e+08	Skewness	56.77351
99%	8231579	4.82e+08	Kurtosis	7558.692

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
pitotal	187843	797896.8	2660340	0

```
. lisyyuse, cc(cl00) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy:      cl00
pvars:     pitotal
hvars:
lis:
```

```

lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

no project defined, standard selection 'lis' database has been assigned
valid datasets: cl00

cl00p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

```
. summarize pitotal, detail
```

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	252,276
25%	0	0	Sum of Wgt.	252,276
50%	0		Mean	770124.5
		Largest	Std. Dev.	2351455
75%	1039079	1.45e+08		
90%	2000004	2.26e+08	Variance	5.53e+12
95%	3120000	3.00e+08	Skewness	42.03361
99%	7299996	3.94e+08	Kurtosis	4872.74

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	252276	770124.5	2351455	0
-----+-----				

```
. lisyyuse, cc(cl03) pvars(pitotal)
```

lisyyuse specifications:

```

ccyy:      cl03
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

no project defined, standard selection 'lis' database has been assigned

valid datasets: cl03

cl03p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	256,447
25%	0	0	Sum of Wgt.	256,447
50%	0		Mean	910255.5
		Largest	Std. Dev.	2898634
75%	1200000	2.40e+08		
90%	2368944	2.40e+08	Variance	8.40e+12
95%	3600000	2.45e+08	Skewness	59.574
99%	9300000	6.48e+08	Kurtosis	10517.4

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
pitotal	256447	910255.5	2898634	0

. lissyuse, cc(cl06) pvars(pitotal)

lissyuse specifications:

ccyy: cl06
pvars: pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets: cl06

cl06p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest
1%	0	0

5%	0	0		
10%	0	0	Obs	268,508
25%	0	0	Sum of Wgt.	268,508
50%	0		Mean	1123354
		Largest	Std. Dev.	2831356
75%	1556203	1.80e+08		
90%	2880000	1.93e+08	Variance	8.02e+12
95%	4434000	2.12e+08	Skewness	18.27539
99%	1.02e+07	2.40e+08	Kurtosis	821.3385

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	268508	1123354	2831356	0
-----+-----				

```
. lissyuse, cc(cl09) pvars(pitotal)
```

```
lissyuse specifications:
```

```
ccyy:      cl09
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets:  cl09
```

```
cl09p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

total individual income, person				

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	246,782
25%	0	0	Sum of Wgt.	246,782
50%	0		Mean	1318752
		Largest	Std. Dev.	2764519
75%	1920000	1.20e+08		
90%	3384445	1.32e+08	Variance	7.64e+12
95%	4920000	1.32e+08	Skewness	10.06426
99%	1.10e+07	1.43e+08	Kurtosis	236.6768

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	246782	1318752	2764519	0
-----+-----				

```
. lisyyuse, cc(cll1) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy:      cll1
```

```
pvars:     pitotal
```

```
hvars:
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
```

```
to:
```

```
iso2:
```

```
select:
```

```
implicate:
```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: cll1
```

```
cll1p has been loaded, containing variables pitotal
```

```
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	200,160
25%	0	0	Sum of Wgt.	200,160
50%	384000		Mean	1847696
		Largest	Std. Dev.	3989364
75%	2400000	1.77e+08		
90%	4800000	2.41e+08	Variance	1.59e+13
95%	7200000	2.54e+08	Skewness	11.51439
99%	1.68e+07	2.64e+08	Kurtosis	382.5122

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	200160	1847696	3989364	384000
-----+-----				

```
. lisyyuse, cc(cll3) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy:      cll3
```

```
pvars:     pitotal
```

```

hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

```

no project defined, standard selection 'lis' database has been assigned
valid datasets:  cl13

```

```

cl13p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

```

```

. summarize pitotal, detail

```

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	218,348
25%	0	0	Sum of Wgt.	218,348
50%	960000		Mean	2230265
		Largest	Std. Dev.	4993489
75%	2900000	3.01e+08		
90%	5647083	3.36e+08	Variance	2.49e+13
95%	8400000	3.83e+08	Skewness	16.6005
99%	1.92e+07	4.39e+08	Kurtosis	793.0941

```

. tabstat pitotal, stat(N mean sd median)

```

variable	N	mean	sd	p50
pitotal	218348	2230265	4993489	960000

```

. lisyyuse, cc(cl15) pvars(pitotal)

```

```

lisyyuse specifications:

```

```

ccyy:      cl15
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```


no project defined, standard selection 'lis' database has been assigned
valid datasets: cl15

cl15p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	266,713
25%	0	0	Sum of Wgt.	266,713
50%	1077168		Mean	2725500
		Largest	Std. Dev.	5966341
75%	3600000	3.72e+08		
90%	6609996	4.00e+08	Variance	3.56e+13
95%	9999996	5.02e+08	Skewness	14.95508
99%	2.40e+07	5.18e+08	Kurtosis	707.8655

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
pitotal	266713	2725500	5966341	1077168

. lissyuse, cc(cl17) pvars(pitotal)

lissyuse specifications:

```
ccyy:      cl17
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: cl17

cl17p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	216,231
25%	0	0	Sum of Wgt.	216,231
50%	1314936		Mean	3169016
		Largest	Std. Dev.	7157505
75%	3960000	4.08e+08		
90%	7560000	4.85e+08	Variance	5.12e+13
95%	1.20e+07	5.85e+08	Skewness	24.35988
99%	2.76e+07	9.60e+08	Kurtosis	2023.495

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
-----+-----				
pitotal	216231	3169016	7157505	1314936

.
end of do-file