

*job submitted*

```

lissyuse, cc(kr06) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(kr08) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(kr10) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(kr12) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(kr14) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(kr16) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)

```

*listing*

##### NOTICE TO USERS #####

Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by regulations which do not allow copying or further distribution of the survey microdata.

Anyone violating these regulations will lose all privileges to the databases and may be subject to prosecution under the law. In addition, any attempt to circumvent the LIS processing system or unauthorized entry into the LIS computing system will result in prosecution.

All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be submitted for entry into the Working Papers Series.  
Please consult our web site for more information at [WWW.LISDATACENTER.ORG](http://WWW.LISDATACENTER.ORG)

##### NOTICE TO USERS #####

```

. lissyuse, cc(kr06) pvars(pitotal)
lissyuse specifications:
  ccyy:      kr06
  pvars:     pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:

```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: kr06
```

```
kr06p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	44,882
25%	0	0	Sum of Wgt.	44,882
50%	0		Mean	0
		Largest	Std. Dev.	0
75%	0	0		
90%	0	0	Variance	0
95%	0	0	Skewness	.
99%	0	0	Kurtosis	.

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
pitotal	44882	0	0	0

```
. lisyyuse, cc(kr08) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy:      kr08
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: kr08
```

```
kr08p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	38,863
25%	0	0	Sum of Wgt.	38,863
50%	0		Mean	0
		Largest	Std. Dev.	0
75%	0	0		
90%	0	0	Variance	0
95%	0	0	Skewness	.
99%	0	0	Kurtosis	.

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
-----+				
pitotal	38863	0	0	0
-----				

. lissyuse, cc(kr10) pvars(pitotal)

lissyuse specifications:

ccyy: kr10  
pvars: pitotal  
hvars:  
lis:  
lws:  
erflis:  
onebyone:  
from:  
to:  
iso2:  
select:  
implicate:  
progs:

no project defined, standard selection 'lis' database has been assigned  
valid datasets: kr10

kr10p has been loaded, containing variables pitotal  
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person				
Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	37,823
25%	0	0	Sum of Wgt.	37,823
50%	0		Mean	0
		Largest	Std. Dev.	0
75%	0	0		
90%	0	0	Variance	0

95%	0	0	Skewness	.
99%	0	0	Kurtosis	.

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
-----+-----				
pitotal	37823	0	0	0
-----+-----				

. lissyuse, cc(kr12) pvars(pitotal)

lissyuse specifications:

ccyy: kr12  
pvars: pitotal  
hvars:  
lis:  
lws:  
erflis:  
onebyone:  
from:  
to:  
iso2:  
select:  
implicate:  
progs:

no project defined, standard selection 'lis' database has been assigned  
valid datasets: kr12

kr12p has been loaded, containing variables pitotal  
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person				
-----				
Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	36,027
25%	0	0	Sum of Wgt.	36,027
50%	0	Largest	Mean	0
			Std. Dev.	0
75%	0	0		
90%	0	0	Variance	0
95%	0	0	Skewness	.
99%	0	0	Kurtosis	.

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
-----+-----				
pitotal	36027	0	0	0
-----+-----				

. lissyuse, cc(kr14) pvars(pitotal)

```
lisyyuse specifications:
```

```
ccyy:    kr14
pvars:   pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets:  kr14
```

```
kr14p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

-----				
Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	32,443
25%	0	0	Sum of Wgt.	32,443
50%	0		Mean	0
		Largest	Std. Dev.	0
75%	0	0		
90%	0	0	Variance	0
95%	0	0	Skewness	.
99%	0	0	Kurtosis	.

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----				
pitotal	32443	0	0	0
-----				

```
. lisyyuse, cc(kr16) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy:    kr16
pvars:   pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
```

```
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets:  krl6

krl6p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail
```

total individual income, person				
-----				
Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	28,522
25%	0	0	Sum of Wgt.	28,522
50%	0		Mean	0
		Largest	Std. Dev.	0
75%	0	0		
90%	0	0	Variance	0
95%	0	0	Skewness	.
99%	0	0	Kurtosis	.

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	28522	0	0	0
-----				

```
.
end of do-file
```