

*job submitted*

```

lissyuse, cc(hu99) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(hu05) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(hu07) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(hu09) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(hu12) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(hu15) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)

```

*listing*

##### NOTICE TO USERS #####

Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by regulations which do not allow copying or further distribution of the survey microdata.

Anyone violating these regulations will lose all privileges to the databases and may be subject to prosecution under the law. In addition, any attempt to circumvent the LIS processing system or unauthorized entry into the LIS computing system will result in prosecution.

All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be submitted for entry into the Working Papers Series.  
Please consult our web site for more information at [WWW.LISDATACENTER.ORG](http://WWW.LISDATACENTER.ORG)

##### NOTICE TO USERS #####

```

. lissyuse, cc(hu99) pvars(pitotal)
lissyuse specifications:
  ccyy:      hu99
  pvars:     pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:

```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: hu99
```

```
hu99p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	5,490
25%	0	0	Sum of Wgt.	5,490
-----				
50%	288000		Mean	335569.6
		Largest	Std. Dev.	407870.6
75%	468000	5040000		
90%	720000	5694000	Variance	1.66e+11
95%	972400	5800000	Skewness	4.496233
99%	1722000	7140000	Kurtosis	47.01941

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	5490	335569.6	407870.6	288000
-----				

```
. lissyuse, cc(hu05) pvars(pitotal)
```

```
lissyuse specifications:
```

```
ccyy: hu05
pvars: pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: hu05
```

```
hu05p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

-----				
Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	5,244
25%	0	0	Sum of Wgt.	5,244
50%	630000		Mean	667647
		Largest	Std. Dev.	750433.3
75%	960000	7600000		
90%	1365000	1.04e+07	Variance	5.63e+11
95%	1728000	1.44e+07	Skewness	7.234224
99%	2960000	2.18e+07	Kurtosis	154.6098

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	5244	667647	750433.3	630000
-----				

```
. lisyyuse, cc(hu07) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy: hu07
pvars: pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: hu07
```

```
hu07p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

total individual income, person				
-----				
Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	4,993
25%	0	0	Sum of Wgt.	4,993
50%	755000		Mean	752992.6
		Largest	Std. Dev.	739193.3
75%	1080000	7200000		
90%	1520000	1.10e+07	Variance	5.46e+11

```

95%      1800000      1.24e+07      Skewness      3.807502
99%      3000000      1.48e+07      Kurtosis      52.03912

```

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	4993	752992.6	739193.3	755000
-----+-----				

```
. lissyuse, cc(hu09) pvars(pitotal)
```

```
lissyuse specifications:
```

```

ccyy:      hu09
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

```

no project defined, standard selection 'lis' database has been assigned
valid datasets: hu09

```

```

hu09p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

```

```
. summarize pitotal, detail
```

```
total individual income, person
```

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	4,797
25%	50000	0	Sum of Wgt.	4,797
50%	852000		Mean	845272.3
		Largest	Std. Dev.	757639.9
75%	1200000	7200000		
90%	1680000	8301000	Variance	5.74e+11
95%	2070120	9100000	Skewness	2.048833
99%	3055000	9600000	Kurtosis	16.1515

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	4797	845272.3	757639.9	852000
-----+-----				

```
. lissyuse, cc(hu12) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy:    hul2
pvars:   pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets:  hul2
```

```
hul2p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

-----				
	Percentiles	Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	4,801
25%	51200	0	Sum of Wgt.	4,801
50%	948000		Mean	938886.1
		Largest	Std. Dev.	838595.4
75%	1389600	6400000		
90%	1917924	7200000	Variance	7.03e+11
95%	2285000	9600000	Skewness	1.615903
99%	3625000	9600000	Kurtosis	10.94657

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	4801	938886.1	838595.4	948000
-----+-----				

```
. lisyyuse, cc(hul5) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy:    hul5
pvars:   pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
```

```
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets:  hul5

hul5p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail
```

total individual income, person				
-----				
Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	6,237
25%	612000	0	Sum of Wgt.	6,237
50%	1176000		Mean	1237498
		Largest	Std. Dev.	1098548
75%	1704000	1.16e+07		
90%	2280000	1.27e+07	Variance	1.21e+12
95%	2766000	1.29e+07	Skewness	3.604405
99%	4400000	2.06e+07	Kurtosis	36.93568

```
. tabstat pitotal, stat(N mean sd median)

variable |      N      mean      sd      p50
-----+-----
pitotal |    6237  1237498  1098548  1176000
-----+-----
```

```
.
end of do-file
```