

job submitted

```

lissyuse, cc(ch00) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch02) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch04) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch06) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch07) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch08) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch09) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch10) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch11) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch12) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch13) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch14) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch15) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch16) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch17) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(ch18) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)

```

listing

NOTICE TO USERS

Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by regulations which do not allow copying or further distribution of the survey microdata.

Anyone violating these regulations will lose all privileges to the databases and may be subject to prosecution under the law. In addition, any attempt to circumvent the LIS processing system or unauthorized entry into the LIS computing system will result in prosecution.

All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be submitted for entry into the Working Papers Series.

Please consult our web site for more information at WWW.LISDATACENTER.ORG

NOTICE TO USERS

```
. lissyuse, cc(ch00) hvars(nhhmem)
```

```
lissyuse specifications:
```

```
ccyy:      ch00
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets:  ch00
```

```
ch00h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

number of household members

| ----- | | | | |
|-------|-------------|----------|-------------|----------|
| | Percentiles | Smallest | | |
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 3,642 |
| 25% | 2 | 1 | Sum of Wgt. | 3,642 |
| 50% | 2 | | Mean | 2.531576 |
| | | Largest | Std. Dev. | 1.321746 |
| 75% | 4 | 7 | | |
| 90% | 4 | 8 | Variance | 1.747011 |
| 95% | 5 | 8 | Skewness | .6943702 |
| 99% | 6 | 9 | Kurtosis | 2.83284 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N | mean | sd | p50 |
|-------------|------|----------|----------|-----|
| -----+----- | | | | |
| nhhmem | 3642 | 2.531576 | 1.321746 | 2 |
| -----+----- | | | | |

```
. lisyyuse, cc(ch02) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      ch02
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets:  ch02
```

```
ch02h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

number of household members

| Percentiles | | Smallest | | |
|-------------|---|----------|-------------|----------|
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 3,726 |
| 25% | 1 | 1 | Sum of Wgt. | 3,726 |
| 50% | 2 | | Mean | 2.493827 |
| | | Largest | Std. Dev. | 1.307835 |
| 75% | 4 | 7 | | |
| 90% | 4 | 9 | Variance | 1.710432 |
| 95% | 5 | 10 | Skewness | .778994 |
| 99% | 6 | 11 | Kurtosis | 3.399008 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N | mean | sd | p50 |
|-------------|------|----------|----------|-----|
| -----+----- | | | | |
| nhhmem | 3726 | 2.493827 | 1.307835 | 2 |
| -----+----- | | | | |

```
. lisyyuse, cc(ch04) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      ch04
pvars:
hvars:     nhhmem
lis:
```

```

lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

no project defined, standard selection 'lis' database has been assigned
valid datasets: ch04

ch04h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```
. summarize nhhmem, detail
```

number of household members

| Percentiles | | Smallest | | |
|-------------|---|----------|-------------|----------|
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 3,270 |
| 25% | 1 | 1 | Sum of Wgt. | 3,270 |
| 50% | 2 | | Mean | 2.444343 |
| | | Largest | Std. Dev. | 1.299619 |
| 75% | 3 | 7 | | |
| 90% | 4 | 8 | Variance | 1.689009 |
| 95% | 5 | 8 | Skewness | .7498671 |
| 99% | 6 | 9 | Kurtosis | 2.909479 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N | mean | sd | p50 |
|----------|------|----------|----------|-----|
| nhhmem | 3270 | 2.444343 | 1.299619 | 2 |

```
. lisyyuse, cc(ch06) hvars(nhhmem)
```

lisyyuse specifications:

```

ccyy:      ch06
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

no project defined, standard selection 'lis' database has been assigned

valid datasets: ch06

ch06h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

| number of household members | | | | |
|-----------------------------|---|----------|-------------|----------|
| ----- | | | | |
| Percentiles | | Smallest | | |
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 6,612 |
| 25% | 1 | 1 | Sum of Wgt. | 6,612 |
| | | | | |
| 50% | 2 | | Mean | 2.412432 |
| | | Largest | Std. Dev. | 1.299168 |
| 75% | 3 | 8 | | |
| 90% | 4 | 8 | Variance | 1.687838 |
| 95% | 5 | 8 | Skewness | .8606187 |
| 99% | 6 | 9 | Kurtosis | 3.198161 |

. tabstat nhhmem, stat(N mean sd median)

| variable | N | mean | sd | p50 |
|----------|------|----------|----------|-----|
| -----+ | | | | |
| nhhmem | 6612 | 2.412432 | 1.299168 | 2 |
| ----- | | | | |

. lissyuse, cc(ch07) hvars(nhhmem)

lissyuse specifications:

ccyy: ch07
pvars:
hvars: nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets: ch07

ch07h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

| number of household members | | |
|-----------------------------|----------|---|
| ----- | | |
| Percentiles | Smallest | |
| 1% | 1 | 1 |

| | | | | |
|-----|---|---------|-------------|----------|
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 6,778 |
| 25% | 1 | 1 | Sum of Wgt. | 6,778 |
| 50% | 2 | | Mean | 2.41915 |
| | | Largest | Std. Dev. | 1.304593 |
| 75% | 3 | 8 | | |
| 90% | 4 | 8 | Variance | 1.701962 |
| 95% | 5 | 9 | Skewness | .8996353 |
| 99% | 6 | 11 | Kurtosis | 3.445437 |

. tabstat nhhmem, stat(N mean sd median)

| variable | N | mean | sd | p50 |
|-------------|------|---------|----------|-----|
| -----+----- | | | | |
| nhhmem | 6778 | 2.41915 | 1.304593 | 2 |
| -----+----- | | | | |

. lisyyuse, cc(ch08) hvars(nhhmem)

lisyyuse specifications:

ccyy: ch08
pvars:
hvars: nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned

valid datasets: ch08

ch08h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

| number of household members | | | | |
|-----------------------------|---|----------|-------------|----------|
| ----- | | | | |
| Percentiles | | Smallest | | |
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 7,372 |
| 25% | 1 | 1 | Sum of Wgt. | 7,372 |
| 50% | 2 | | Mean | 2.382122 |
| | | Largest | Std. Dev. | 1.283489 |
| 75% | 3 | 8 | | |
| 90% | 4 | 9 | Variance | 1.647343 |
| 95% | 5 | 10 | Skewness | .927879 |
| 99% | 6 | 11 | Kurtosis | 3.613855 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N | mean | sd | p50 |
|----------|------|----------|----------|-----|
| nhhmem | 7372 | 2.382122 | 1.283489 | 2 |

```
. lisyyuse, cc(ch09) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      ch09
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets:  ch09
```

```
ch09h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

number of household members

| Percentiles | | Smallest | | |
|-------------|---|----------|-------------|----------|
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 7,513 |
| 25% | 1 | 1 | Sum of Wgt. | 7,513 |
| 50% | 2 | | Mean | 2.389458 |
| | | Largest | Std. Dev. | 1.28947 |
| 75% | 3 | 8 | | |
| 90% | 4 | 9 | Variance | 1.662732 |
| 95% | 5 | 9 | Skewness | .9535355 |
| 99% | 6 | 11 | Kurtosis | 3.661789 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N | mean | sd | p50 |
|----------|------|----------|---------|-----|
| nhhmem | 7513 | 2.389458 | 1.28947 | 2 |

```
. lisyyuse, cc(ch10) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      ch10
pvars:
```

```

hvars:      nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

no project defined, standard selection 'lis' database has been assigned
valid datasets: ch10

ch10h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```
. summarize nhhmem, detail
```

number of household members

| Percentiles | | Smallest | | |
|-------------|---|----------|-------------|----------|
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 7,502 |
| 25% | 1 | 1 | Sum of Wgt. | 7,502 |
| 50% | 2 | | Mean | 2.346308 |
| | | Largest | Std. Dev. | 1.276384 |
| 75% | 3 | 9 | | |
| 90% | 4 | 9 | Variance | 1.629155 |
| 95% | 5 | 9 | Skewness | .950614 |
| 99% | 6 | 9 | Kurtosis | 3.549495 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N | mean | sd | p50 |
|----------|------|----------|----------|-----|
| nhhmem | 7502 | 2.346308 | 1.276384 | 2 |

```
. lisyyuse, cc(ch11) hvars(nhhmem)
```

lisyyuse specifications:

```

ccyy:      ch11
pvars:
hvars:      nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```


no project defined, standard selection 'lis' database has been assigned
valid datasets: ch11

ch11h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

| number of household members | | | | |
|-----------------------------|---|----------|-------------|----------|
| ----- | | | | |
| Percentiles | | Smallest | | |
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 7,529 |
| 25% | 1 | 1 | Sum of Wgt. | 7,529 |
| | | | | |
| 50% | 2 | | Mean | 2.319432 |
| | | Largest | Std. Dev. | 1.267427 |
| 75% | 3 | 8 | | |
| 90% | 4 | 8 | Variance | 1.606372 |
| 95% | 5 | 9 | Skewness | .9723004 |
| 99% | 6 | 10 | Kurtosis | 3.547955 |

. tabstat nhhmem, stat(N mean sd median)

| variable | N | mean | sd | p50 |
|----------|------|----------|----------|-----|
| -----+ | | | | |
| nhhmem | 7529 | 2.319432 | 1.267427 | 2 |
| ----- | | | | |

. lisyyuse, cc(ch12) hvars(nhhmem)

lisyyuse specifications:

ccyy: ch12
pvars:
hvars: nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets: ch12

ch12h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

| number of household members | | | | |
|-----------------------------|--|--|--|--|
| ----- | | | | |

| Percentiles | | Smallest | | |
|-------------|---|----------|-------------|----------|
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 7,341 |
| 25% | 1 | 1 | Sum of Wgt. | 7,341 |
| | | | | |
| 50% | 2 | Largest | Mean | 2.302411 |
| | | | Std. Dev. | 1.263329 |
| 75% | 3 | 8 | | |
| 90% | 4 | 8 | Variance | 1.596001 |
| 95% | 5 | 9 | Skewness | 1.040721 |
| 99% | 6 | 11 | Kurtosis | 3.894439 |

. tabstat nhhmem, stat(N mean sd median)

| variable | N | mean | sd | p50 |
|-------------|------|----------|----------|-----|
| -----+----- | | | | |
| nhhmem | 7341 | 2.302411 | 1.263329 | 2 |
| ----- | | | | |

. lissyuse, cc(ch13) hvars(nhhmem)

lissyuse specifications:

ccyy: ch13

pvars:

hvars: nhhmem

lis:

lws:

erflis:

onebyone:

from:

to:

iso2:

select:

implicate:

progs:

no project defined, standard selection 'lis' database has been assigned

valid datasets: ch13

ch13h has been loaded, containing variables nhhmem

your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

| number of household members | | | | |
|-----------------------------|---|----------|-------------|----------|
| Percentiles | | Smallest | | |
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 6,792 |
| 25% | 1 | 1 | Sum of Wgt. | 6,792 |
| | | | | |
| 50% | 2 | Largest | Mean | 2.304329 |
| | | | Std. Dev. | 1.262018 |
| 75% | 3 | 8 | | |
| 90% | 4 | 9 | Variance | 1.592689 |
| 95% | 5 | 9 | Skewness | 1.006581 |

99% 6 10 Kurtosis 3.757565

. tabstat nhhmem, stat(N mean sd median)

| variable | N | mean | sd | p50 |
|-------------|------|----------|----------|-----|
| -----+----- | | | | |
| nhhmem | 6792 | 2.304329 | 1.262018 | 2 |
| -----+----- | | | | |

. lisyyuse, cc(ch14) hvars(nhhmem)

lisyyuse specifications:

ccyy: ch14
pvars:
hvars: nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets: ch14

ch14h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

| number of household members | | | | |
|-----------------------------|---|----------|-------------|----------|
| ----- | | | | |
| Percentiles | | Smallest | | |
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 7,468 |
| 25% | 1 | 1 | Sum of Wgt. | 7,468 |
| | | | | |
| 50% | 2 | | Mean | 2.29834 |
| | | Largest | Std. Dev. | 1.253964 |
| 75% | 3 | 8 | | |
| 90% | 4 | 8 | Variance | 1.572425 |
| 95% | 5 | 10 | Skewness | .975196 |
| 99% | 6 | 10 | Kurtosis | 3.691443 |

. tabstat nhhmem, stat(N mean sd median)

| variable | N | mean | sd | p50 |
|-------------|------|---------|----------|-----|
| -----+----- | | | | |
| nhhmem | 7468 | 2.29834 | 1.253964 | 2 |
| -----+----- | | | | |

. lisyyuse, cc(ch15) hvars(nhhmem)

lisyyuse specifications:

```
ccyy:      ch15
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets:  ch15

ch15h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail
```

| number of household members | | | | |
|-----------------------------|---|----------|-------------|----------|
| ----- | | | | |
| Percentiles | | Smallest | | |
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 7,762 |
| 25% | 1 | 1 | Sum of Wgt. | 7,762 |
| | | | | |
| 50% | 2 | | Mean | 2.303659 |
| | | Largest | Std. Dev. | 1.256616 |
| 75% | 3 | 8 | | |
| 90% | 4 | 8 | Variance | 1.579085 |
| 95% | 5 | 10 | Skewness | .9557254 |
| 99% | 6 | 10 | Kurtosis | 3.624074 |

```
. tabstat nhhmem, stat(N mean sd median)

variable |      N      mean      sd      p50
-----+-----
nhhmem   |    7762  2.303659  1.256616      2
-----+-----
```

```
. lissyuse, cc(ch16) hvars(nhhmem)
lissyuse specifications:
ccyy:      ch16
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
```

```

implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets:  chl6

chl6h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

```

| number of household members | | | | |
|-----------------------------|----------|---------|-------------|----------|
| ----- | | | | |
| Percentiles | Smallest | | | |
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 8,122 |
| 25% | 1 | 1 | Sum of Wgt. | 8,122 |
| 50% | 2 | | Mean | 2.302389 |
| | | Largest | Std. Dev. | 1.250407 |
| 75% | 3 | 8 | | |
| 90% | 4 | 8 | Variance | 1.563518 |
| 95% | 5 | 9 | Skewness | .91994 |
| 99% | 6 | 10 | Kurtosis | 3.411805 |

```

. tabstat nhhmem, stat(N mean sd median)

```

| variable | N | mean | sd | p50 |
|----------|------|----------|----------|-----|
| -----+ | | | | |
| nhhmem | 8122 | 2.302389 | 1.250407 | 2 |
| ----- | | | | |

```

. lisyyuse, cc(chl7) hvars(nhhmem)

```

```
lisyyuse specifications:
```

```

ccyy:      chl7
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

```

no project defined, standard selection 'lis' database has been assigned
valid datasets:  chl7

```

```

chl7h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```

```

. summarize nhhmem, detail

```

| number of household members | | | | |
|-----------------------------|---|----------|-------------|----------|
| ----- | | | | |
| Percentiles | | Smallest | | |
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 6,680 |
| 25% | 1 | 1 | Sum of Wgt. | 6,680 |
| | | | | |
| 50% | 2 | | Mean | 2.275449 |
| | | Largest | Std. Dev. | 1.2413 |
| 75% | 3 | 7 | | |
| 90% | 4 | 8 | Variance | 1.540826 |
| 95% | 5 | 8 | Skewness | .9366527 |
| 99% | 6 | 10 | Kurtosis | 3.346705 |

. tabstat nhhmem, stat(N mean sd median)

| variable | N | mean | sd | p50 |
|----------|------|----------|--------|-----|
| -----+ | | | | |
| nhhmem | 6680 | 2.275449 | 1.2413 | 2 |
| ----- | | | | |

. lisyyuse, cc(chl8) hvars(nhhmem)

lisyyuse specifications:

ccyy: chl8

pvars:

hvars: nhhmem

lis:

lws:

erflis:

onebyone:

from:

to:

iso2:

select:

implicate:

progs:

no project defined, standard selection 'lis' database has been assigned

valid datasets: chl8

chl8h has been loaded, containing variables nhhmem

your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

| number of household members | | | | |
|-----------------------------|---|----------|-------------|----------|
| ----- | | | | |
| Percentiles | | Smallest | | |
| 1% | 1 | 1 | | |
| 5% | 1 | 1 | | |
| 10% | 1 | 1 | Obs | 7,341 |
| 25% | 1 | 1 | Sum of Wgt. | 7,341 |
| | | | | |
| 50% | 2 | | Mean | 2.269718 |
| | | Largest | Std. Dev. | 1.237249 |
| 75% | 3 | 7 | | |

| | | | | |
|-----|---|---|----------|----------|
| 90% | 4 | 8 | Variance | 1.530785 |
| 95% | 5 | 8 | Skewness | .9304791 |
| 99% | 6 | 8 | Kurtosis | 3.288638 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N | mean | sd | p50 |
|-------------|------|----------|----------|-----|
| -----+----- | | | | |
| nhhmem | 7341 | 2.269718 | 1.237249 | 2 |
| -----+----- | | | | |

```
.  
end of do-file
```