

*job submitted*

```

lissyuse, cc(no00) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(no04) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(no07) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(no10) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(no16) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(no19) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(no20) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)

```

*listing*

##### NOTICE TO USERS #####

Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by regulations which do not allow copying or further distribution of the survey microdata.

Anyone violating these regulations will lose all privileges to the databases and may be subject to prosecution under the law. In addition, any attempt to circumvent the LIS processing system or unauthorized entry into the LIS computing system will result in prosecution.

All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be submitted for entry into the Working Papers Series.  
Please consult our web site for more information at [WWW.LISDATACENTER.ORG](http://WWW.LISDATACENTER.ORG)

##### NOTICE TO USERS #####

```

. lissyuse, cc(no00) hvars(nhhmem)
lissyuse specifications:
  ccyy:      no00
  pvars:
  hvars:     nhhmem
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:

```

```
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: no00
```

```
no00h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

number of household members				
-----				
Percentiles		Smallest		
1%	1	1		
5%	1	1		
10%	1	1	Obs	12,919
25%	2	1	Sum of Wgt.	12,919
50%	2		Mean	2.697655
		Largest	Std. Dev.	1.392564
75%	4	10		
90%	5	10	Variance	1.939235
95%	5	10	Skewness	.6739872
99%	6	12	Kurtosis	3.166624

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
nhhmem	12919	2.697655	1.392564	2
-----				

```
. lissyuse, cc(no04) hvars(nhhmem)
```

```
lissyuse specifications:
```

```
ccyy: no04
pvars:
hvars: nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: no04
```

```
no04h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

number of household members

Percentiles		Smallest		
1%	1	1		
5%	1	1		
10%	1	1	Obs	13,131
25%	2	1	Sum of Wgt.	13,131
50%	2		Mean	2.588455
		Largest	Std. Dev.	1.372564
75%	4	10		
90%	4	11	Variance	1.883931
95%	5	12	Skewness	.865415
99%	6	13	Kurtosis	3.828391

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
nhhmem	13131	2.588455	1.372564	2

```
. lisyyuse, cc(no07) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      no07
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets:  no07
```

```
no07h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

number of household members

Percentiles		Smallest		
1%	1	1		
5%	1	1		
10%	1	1	Obs	217,884
25%	1	1	Sum of Wgt.	217,884
50%	2		Mean	2.148083

		Largest	Std. Dev.	1.306495
75%	3	13		
90%	4	13	Variance	1.70693
95%	5	13	Skewness	1.158372
99%	6	13	Kurtosis	4.080251

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
nhhmem	217884	2.148083	1.306495	2
-----+-----				

```
. lisyyuse, cc(no10) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      no10
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: no10
```

```
no10h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

number of household members				
-----				
Percentiles		Smallest		
1%	1	1		
5%	1	1		
10%	1	1	Obs	228,200
25%	1	1	Sum of Wgt.	228,200
50%	2		Mean	2.146144
		Largest	Std. Dev.	1.300118
75%	3	12		
90%	4	12	Variance	1.690306
95%	5	15	Skewness	1.135982
99%	6	15	Kurtosis	3.955177

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
nhhmem	228200	2.146144	1.300118	2

```
-----  
  
. lissyuse, cc(nol6) hvars(nhhmem)  
lissyuse specifications:  
  ccyy:      nol6  
  pvars:  
  hvars:     nhhmem  
  lis:  
  lws:  
  erflis:  
  onebyone:  
  from:  
  to:  
  iso2:  
  select:  
  implicate:  
  progs:  
  
  no project defined, standard selection 'lis' database has been assigned  
valid datasets:  nol6  
  
  nol6h has been loaded, containing variables nhhmem  
your dataset run has been completed, containing variables nhhmem  
  
. summarize nhhmem, detail
```

number of household members				
-----				
Percentiles		Smallest		
1%	1	1		
5%	1	1		
10%	1	1	Obs	243,915
25%	1	1	Sum of Wgt.	243,915
50%	2		Mean	2.143944
		Largest	Std. Dev.	1.285158
75%	3	12		
90%	4	12	Variance	1.651632
95%	5	13	Skewness	1.14934
99%	6	15	Kurtosis	4.069415

```
. tabstat nhhmem, stat(N mean sd median)  
  
variable |      N      mean      sd      p50  
-----+-----  
nhhmem | 243915  2.143944  1.285158      2  
-----
```

```
. lissyuse, cc(nol9) hvars(nhhmem)  
lissyuse specifications:  
  ccyy:      nol9  
  pvars:  
  hvars:     nhhmem  
  lis:  
  lws:  
  erflis:  
  onebyone:
```

```

from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets:  no19

```

```

no19h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```

```
. summarize nhhmem, detail
```

```

              number of household members
-----
Percentiles      Smallest
1%                1          1
5%                1          1
10%               1          1   Obs          257,116
25%               1          1   Sum of Wgt.    257,116

50%               2
              Largest      Mean          2.112486
              13          Std. Dev.    1.263949
75%               3          14
90%               4          14   Variance    1.597568
95%               5          15   Skewness   1.165013
99%               6          15   Kurtosis   4.093252

```

```
. tabstat nhhmem, stat(N mean sd median)
```

```

variable |      N      mean      sd      p50
-----+-----
nhhmem | 257116  2.112486  1.263949      2
-----+-----

```

```
. lisyyuse, cc(no20) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```

ccyy:      no20
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

```

no project defined, standard selection 'lis' database has been assigned
valid datasets:  no20

```

```
no20h has been loaded, containing variables nhhmem
```

your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

number of household members				
-----				
Percentiles		Smallest		
1%	1	1		
5%	1	1		
10%	1	1	Obs	261,320
25%	1	1	Sum of Wgt.	261,320
50%	2		Mean	2.093001
		Largest	Std. Dev.	1.257971
75%	3	13		
90%	4	13	Variance	1.58249
95%	5	14	Skewness	1.238329
99%	6	32	Kurtosis	5.38815

. tabstat nhhmem, stat(N mean sd median)

variable	N	mean	sd	p50
-----+-----				
nhhmem	261320	2.093001	1.257971	2
-----				

.  
end of do-file