

job submitted

```

lisyyuse, cc(br06) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lisyyuse, cc(br09) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lisyyuse, cc(br11) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lisyyuse, cc(br13) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lisyyuse, cc(br16) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)

```

listing

NOTICE TO USERS

Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by regulations which do not allow copying or further distribution of the survey microdata.

Anyone violating these regulations will lose all privileges to the databases and may be subject to prosecution under the law. In addition, any attempt to circumvent the LIS processing system or unauthorized entry into the LIS computing system will result in prosecution.

All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be submitted for entry into the Working Papers Series.
Please consult our web site for more information at WWW.LISDATACENTER.ORG

NOTICE TO USERS

```

. lisyyuse, cc(br06) pvars(pitotal)
lisyyuse specifications:
  ccyy:      br06
  pvars:     pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

```

no project defined, standard selection 'lis' database has been assigned

valid datasets: br06

br06p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	405,914
25%	0	0	Sum of Wgt.	405,914

50%	1200		Mean	5835.875
		Largest	Std. Dev.	14915.74
75%	6059.013	903600		
90%	13377	960000	Variance	2.22e+08
95%	24000	1200000	Skewness	15.16216
99%	64000	1624700	Kurtosis	738.5289

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
-----+				
pitotal	405914	5835.875	14915.74	1200

. lissyuse, cc(br09) pvars(pitotal)

lissyuse specifications:

ccyy: br09
pvars: pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets: br09

br09p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest
1%	0	0

5%	0	0		
10%	0	0	Obs	394,134
25%	0	0	Sum of Wgt.	394,134
50%	2760		Mean	7746.613
		Largest	Std. Dev.	20539.08
75%	8618.453	1680000		
90%	18000	1800000	Variance	4.22e+08
95%	30000	3360000	Skewness	44.08109
99%	80000	4202956	Kurtosis	6734.716

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	394134	7746.613	20539.08	2760
-----+-----				

```
. lissyuse, cc(br11) pvars(pitotal)
```

```
lissyuse specifications:
```

```
ccyy:      br11
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: br11
```

```
br11p has been loaded, containing variables pitotal
```

```
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

total individual income, person				

	Percentiles	Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	350,967
25%	0	0	Sum of Wgt.	350,967
50%	3600		Mean	9253.416
		Largest	Std. Dev.	22006.35
75%	10666.67	1395000		
90%	21333.33	1666667	Variance	4.84e+08
95%	36000	1800000	Skewness	16.26783
99%	93333.33	2400000	Kurtosis	866.1412

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	350967	9253.416	22006.35	3600
-----+-----				

```
. lisyyuse, cc(br13) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy: br13
```

```
pvars: pitotal
```

```
hvars:
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
```

```
to:
```

```
iso2:
```

```
select:
```

```
implicate:
```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: br13
```

```
br13p has been loaded, containing variables pitotal
```

```
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	355,249
25%	0	0	Sum of Wgt.	355,249
50%	5400		Mean	11487.12
		Largest	Std. Dev.	26391.07
75%	13333.33	1800000		
90%	26666.67	1800000	Variance	6.96e+08
95%	42000	1920000	Skewness	14.45561
99%	113333.3	2160000	Kurtosis	583.9072

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	355249	11487.12	26391.07	5400
-----+-----				

```
. lisyyuse, cc(br16) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy: br16
```

```
pvars: pitotal
```

```
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: brl6

brl6p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

```
. summarize pitotal, detail
```

total individual income, person				

	Percentiles	Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	447,122
25%	0	0	Sum of Wgt.	447,122
50%	4320		Mean	11919.03
		Largest	Std. Dev.	25815.83
75%	14300	1333333		
90%	26666.67	1800000	Variance	6.66e+08
95%	44000	1826000	Skewness	15.69613
99%	111466.7	3639000	Kurtosis	1132.994

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	447122	11919.03	25815.83	4320

```
.
end of do-file
```