

job submitted

```

lissyuse, cc(za08) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(za10) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(za12) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(za15) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(za17) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)

```

listing

NOTICE TO USERS

Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by regulations which do not allow copying or further distribution of the survey microdata.

Anyone violating these regulations will lose all privileges to the databases and may be subject to prosecution under the law. In addition, any attempt to circumvent the LIS processing system or unauthorized entry into the LIS computing system will result in prosecution.

All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be submitted for entry into the Working Papers Series.
Please consult our web site for more information at WWW.LISDATACENTER.ORG

NOTICE TO USERS

```

. lissyuse, cc(za08) pvars(pitotal)
lissyuse specifications:
  ccyy:      za08
  pvars:     pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

```

no project defined, standard selection 'lis' database has been assigned

valid datasets: za08

za08p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person				

	Percentiles	Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	28,187
25%	0	0	Sum of Wgt.	28,187
50%	0		Mean	13679.36
		Largest	Std. Dev.	58107.61
75%	10440	1678405		
90%	26400	1696665	Variance	3.38e+09
95%	67002	1872819	Skewness	13.84294
99%	207439	2227379	Kurtosis	307.8005

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
-----+				
pitotal	28187	13679.36	58107.61	0

. lissyuse, cc(za10) pvars(pitotal)

lissyuse specifications:

```
ccyy:      za10
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: za10

za10p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person		

	Percentiles	Smallest
1%	0	0

5%	0	0		
10%	0	0	Obs	29,380
25%	0	0	Sum of Wgt.	29,380
50%	0		Mean	13053.66
		Largest	Std. Dev.	58554.74
75%	11029.5	1844611		
90%	27535.5	2029496	Variance	3.43e+09
95%	61481	2086765	Skewness	16.5122
99%	203068	2160000	Kurtosis	413.2091

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	29380	13053.66	58554.74	0
-----+-----				

```
. lissyuse, cc(zal2) pvars(pitotal)
```

```
lissyuse specifications:
```

```
ccyy:      zal2
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: zal2
```

```
zal2p has been loaded, containing variables pitotal
```

```
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

total individual income, person				

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	33,100
25%	0	0	Sum of Wgt.	33,100
50%	0		Mean	16977.8
		Largest	Std. Dev.	62241.41
75%	14400	1639995		
90%	39343.5	1741455	Variance	3.87e+09
95%	84000	1793329	Skewness	10.92399
99%	274499	2387789	Kurtosis	212.4461

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
pitotal	33100	16977.8	62241.41	0

```
. lisyyuse, cc(zal5) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy:      zal5
```

```
pvars:     pitotal
```

```
hvars:
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
```

```
to:
```

```
iso2:
```

```
select:
```

```
implicate:
```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets:  zal5
```

```
zal5p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	37,975
25%	0	0	Sum of Wgt.	37,975
50%	0		Mean	21995.62
		Largest	Std. Dev.	104971.9
75%	16200	2469994		
90%	51333	3379200	Variance	1.10e+10
95%	102000	7426088	Skewness	53.96115
99%	321434	1.21e+07	Kurtosis	5362.532

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
pitotal	37975	21995.62	104971.9	0

```
. lisyyuse, cc(zal7) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy:      zal7
```

```
pvars:     pitotal
```

```
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: zal7

zal7p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

```
. summarize pitotal, detail
```

total individual income, person				

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	41,083
25%	0	0	Sum of Wgt.	41,083
50%	0		Mean	30436.91
		Largest	Std. Dev.	188116.7
75%	18720	2453515		
90%	67160	2510534	Variance	3.54e+10
95%	153580	6000150	Skewness	113.0181
99%	480000	3.12e+07	Kurtosis	18383.69

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	41083	30436.91	188116.7	0

```
.
end of do-file
```