

job submitted

```
lissyuse, cc(cn02) pvars(pitotal) summarize pitotal, detail tabstat pitotal, stat(N mean sd median) lissyuse, cc(cn13) pvars(pitotal) summarize pitotal, detail tabstat pitotal, stat(N mean sd median) lissyuse, cc(cn18) pvars(pitotal) summarize pitotal, detail tabstat pitotal, stat(N mean sd median) tabstat pitotal, stat(N mean sd median)
```

listing

Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by regulations which do not allow copying or further distribution of the survey microdata.

Anyone violating these regulations will lose all privileges to the databases and may be subject to prosecution under the law. In addition, any attempt to circumvent the LIS processing system or unauthorized entry into the LIS computing system will result in prosecution.

All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be submitted for entry into the Working Papers Series.

Please consult our web site for more information at WWW.LISDATACENTER.ORG

```
. lissyuse, cc(cn02) pvars(pitotal)
lissyuse specifications:
 ссуу:
            cn02
            pitotal
 pvars:
 hvars:
 lis:
 lws:
  erflis:
 onebyone:
 from:
 to:
 iso2:
 select:
 implicate:
 progs:
 no project defined, standard selection 'lis' database has been assigned
valid datasets: cn02
 cn02p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
. summarize pitotal, detail
```



total individual income, person

	Percentiles	Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	61,731
25%	0	0	Sum of Wgt.	61,731
50%	0		Mean	3526.058
		Largest	Std. Dev.	6259.202
75%	5400	86400		
90%	11597	100000	Variance	3.92e+07
95%	15609.8	110650.1	Skewness	3.270281
99%	26620	144530	Kurtosis	24.45952

. tabstat pitotal, stat(N mean sd median)

variable		N	mean	sd	p50
pitotal	+	61731	3526.058	6259.202	0

. lissyuse, cc(cn13) pvars(pitotal)

lissyuse specifications:

cn13

ссуу: pvars: pitotal hvars: lis: lws: erflis: onebyone: from: to: select: implicate: progs:

no project defined, standard selection 'lis' database has been assigned valid datasets: cn13

cn13p has been loaded, containing variables pitotal your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

	Percentiles	Smallest		
1%	0	-30000		
5%	0	0		
10%	0	0	Obs	60,902
25%	0	0	Sum of Wgt.	60,902
50%	0		Mean	14708.43
		Largest	Std. Dev.	26286.81



		800000	25000	75%
ce 6.91e+	Variance	1000000	42000	90%
ss 11.833	Skewness	1200000	56000	95%
is 521.46	Kurtosis	1800000	100000	99%

. tabstat pitotal, stat(N mean sd median)

variable		N	mean	sd	p50
pitotal		60902	14708.43	26286.81	0

. lissyuse, cc(cn18) pvars(pitotal)

lissyuse specifications:

ccyy: cn18
pvars: pitotal

hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned valid datasets: cn18

cn18p has been loaded, containing variables pitotal your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

	Percentiles	Smallest		
1%	0	-3000000		
5%	0	-150000		
10%	0	-100000	0bs	71,198
25%	0	-45000	Sum of Wgt.	71,198
50%	7000		Mean	26012.63
		Largest	Std. Dev.	52237.71
75%	40000	2283600		
90%	67128	2796000	Variance	2.73e+09
95%	92400	2796000	Skewness	17.05631
99%	180000	4596600	Kurtosis	1343.435

. tabstat pitotal, $\operatorname{stat}(N \text{ mean sd median})$

variable		N	mean	sd	p50
pitotal		71198	26012.63	52237.71	7000

Median Income China

job 1100154 submitted Saturday 1 July 2023 at 13:46



end of do-file