

job submitted

```
lissyuse, cc(co01) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(co02) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(co03) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(co04) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(co05) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(co06) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(co07) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(co08) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(co09) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(col0) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(col1) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(col2) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(col3) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(col4) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(col5) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(col6) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(col7) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(col8) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
```

```

lissyuse, cc(col9) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(co20) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)

```

listing

NOTICE TO USERS

Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by regulations which do not allow copying or further distribution of the survey microdata.

Anyone violating these regulations will lose all privileges to the databases and may be subject to prosecution under the law. In addition, any attempt to circumvent the LIS processing system or unauthorized entry into the LIS computing system will result in prosecution.

All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be submitted for entry into the Working Papers Series.
Please consult our web site for more information at WWW.LISDATACENTER.ORG

NOTICE TO USERS

```

. lissyuse, cc(co01) pvars(pitotal)
lissyuse specifications:
  ccyy:      co01
  pvars:     pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

```

no project defined, standard selection 'lis' database has been assigned
valid datasets: co01

co01p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

```

. summarize pitotal, detail

```

total individual income, person

```

-----
Percentiles      Smallest
1%              0          0

```

5%	0	0		
10%	0	0	Obs	264,862
25%	0	0	Sum of Wgt.	264,862
50%	0		Mean	2163033
		Largest	Std. Dev.	5845830
75%	3000000	3.00e+08		
90%	5640000	3.00e+08	Variance	3.42e+13
95%	9600000	3.00e+08	Skewness	15.27033
99%	2.40e+07	5.94e+08	Kurtosis	694.8662

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	264862	2163033	5845830	0
-----+-----				

```
. lissyuse, cc(co02) pvars(pitotal)
```

```
lissyuse specifications:
```

```
ccyy:      co02
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets:  co02
```

```
co02p has been loaded, containing variables pitotal
```

```
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

total individual income, person				
Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	528,358
25%	0	0	Sum of Wgt.	528,358
50%	0		Mean	2321750
		Largest	Std. Dev.	7209162
75%	3360000	4.80e+08		
90%	6000000	6.00e+08	Variance	5.20e+13
95%	9600000	6.00e+08	Skewness	82.25292
99%	2.40e+07	2.40e+09	Kurtosis	23694.16

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
pitotal	528358	2321750	7209162	0

```
. lisyyuse, cc(co03) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy: co03
```

```
pvars: pitotal
```

```
hvars:
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
```

```
to:
```

```
iso2:
```

```
select:
```

```
implicate:
```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: co03
```

```
co03p has been loaded, containing variables pitotal
```

```
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	534,322
25%	0	0	Sum of Wgt.	534,322
50%	0		Mean	2494759
		Largest	Std. Dev.	6862720
75%	3600000	4.20e+08		
90%	6240000	4.32e+08	Variance	4.71e+13
95%	1.08e+07	1.20e+09	Skewness	31.27282
99%	2.51e+07	1.20e+09	Kurtosis	3838.296

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
pitotal	534322	2494759	6862720	0

```
. lisyyuse, cc(co04) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy: co04
```

```
pvars: pitotal
```

```

hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

no project defined, standard selection 'lis' database has been assigned
valid datasets: co04

co04p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

```
. summarize pitotal, detail
```

total individual income, person

	Percentiles	Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	602,608
25%	0	0	Sum of Wgt.	602,608
50%	0		Mean	2552666
		Largest	Std. Dev.	7054749
75%	3600000	4.96e+08		
90%	6600000	5.40e+08	Variance	4.98e+13
95%	1.08e+07	8.32e+08	Skewness	21.77204
99%	2.58e+07	1.03e+09	Kurtosis	1591.833

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+				
pitotal	602608	2552666	7054749	0

```
. lisyyuse, cc(co05) pvars(pitotal)
```

lisyyuse specifications:

```

ccyy:    co05
pvars:   pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

no project defined, standard selection 'lis' database has been assigned
valid datasets: co05

co05p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	597,020
25%	0	0	Sum of Wgt.	597,020
50%	0		Mean	2915010
		Largest	Std. Dev.	8542371
75%	4200000	8.14e+08		
90%	7200000	1.20e+09	Variance	7.30e+13
95%	1.20e+07	1.44e+09	Skewness	46.23352
99%	3.00e+07	1.98e+09	Kurtosis	7355.749

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
pitotal	597020	2915010	8542371	0

. lissyuse, cc(co06) pvars(pitotal)

lissyuse specifications:

```
ccyy:      co06
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: co06

co06p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	303,350
25%	0	0	Sum of Wgt.	303,350
50%	0		Mean	3078901
		Largest	Std. Dev.	7753844
75%	4800000	3.72e+08		
90%	8100000	4.02e+08	Variance	6.01e+13
95%	1.23e+07	4.80e+08	Skewness	12.12688
99%	3.00e+07	4.80e+08	Kurtosis	350.509

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	303350	3078901	7753844	0
-----+-----				

```
. lisyyuse, cc(co07) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy: co07
```

```
pvars: pitotal
```

```
hvars:
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
```

```
to:
```

```
iso2:
```

```
select:
```

```
implicate:
```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: co07
```

```
co07p has been loaded, containing variables pitotal
```

```
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

total individual income, person				
Percentiles		Smallest		
1%	0	-120000		
5%	0	0		
10%	0	0	Obs	828,201
25%	0	0	Sum of Wgt.	828,201
50%	0		Mean	3590858
		Largest	Std. Dev.	2.10e+07
75%	4800000	4.56e+09		
90%	9342000	5.66e+09	Variance	4.41e+14
95%	1.56e+07	5.82e+09	Skewness	177.7085

99% 3.77e+07 8.23e+09 Kurtosis 50286.15

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
pitotal	828201	3590858	2.10e+07	0

. lisyyuse, cc(co08) pvars(pitotal)

lisyyuse specifications:

ccyy: co08

pvars: pitotal

hvars:

lis:

lws:

erflis:

onebyone:

from:

to:

iso2:

select:

implicate:

progs:

no project defined, standard selection 'lis' database has been assigned

valid datasets: co08

co08p has been loaded, containing variables pitotal

your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest		
1%	0	-3242000		
5%	0	0		
10%	0	0	Obs	818,309
25%	0	0	Sum of Wgt.	818,309
50%	0		Mean	3876199
		Largest	Std. Dev.	1.79e+07
75%	5338800	2.83e+09		
90%	9818182	2.99e+09	Variance	3.21e+14
95%	1.70e+07	3.00e+09	Skewness	242.8065
99%	3.98e+07	9.85e+09	Kurtosis	116471.5

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
pitotal	818309	3876199	1.79e+07	0

. lisyyuse, cc(co09) pvars(pitotal)

lisyyuse specifications:


```
ccyy:      co09
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: co09

co09p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

```
. summarize pitotal, detail
```

total individual income, person

Percentiles		Smallest		
1%	0	-1736000		
5%	0	-125000		
10%	0	0	Obs	811,050
25%	0	0	Sum of Wgt.	811,050
50%	0		Mean	3982401
		Largest	Std. Dev.	1.68e+07
75%	5400000	3.60e+09		
90%	1.00e+07	4.20e+09	Variance	2.84e+14
95%	1.75e+07	5.51e+09	Skewness	153.7001
99%	4.18e+07	5.88e+09	Kurtosis	42862.64

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
pitotal	811050	3982401	1.68e+07	0

```
. lissyuse, cc(col0) pvars(pitotal)
```

lissyuse specifications:

```
ccyy:      col0
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
```

```

implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets:  col0

```

```

col0p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

```

```
. summarize pitotal, detail
```

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	816,807
25%	0	0	Sum of Wgt.	816,807
50%	0		Mean	4286817
		Largest	Std. Dev.	1.19e+07
75%	6000000	1.10e+09		
90%	1.09e+07	1.10e+09	Variance	1.41e+14
95%	1.82e+07	1.20e+09	Skewness	21.66694
99%	4.35e+07	1.25e+09	Kurtosis	1258.741

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
pitotal	816807	4286817	1.19e+07	0

```
. lisyyuse, cc(coll) pvars(pitotal)
```

```
lisyyuse specifications:
```

```

ccyy:      coll
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

```

no project defined, standard selection 'lis' database has been assigned
valid datasets:  coll

```

```

collp has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

```

```
. summarize pitotal, detail
```

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	819,905
25%	0	0	Sum of Wgt.	819,905
50%	0		Mean	4715405
		Largest	Std. Dev.	2.46e+07
75%	6427200	4.33e+09		
90%	1.20e+07	8.62e+09	Variance	6.04e+14
95%	2.02e+07	9.85e+09	Skewness	340.4165
99%	4.80e+07	1.34e+10	Kurtosis	159993.7

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
pitotal	819905	4715405	2.46e+07	0

. lisyyuse, cc(col2) pvars(pitotal)

lisyyuse specifications:

```
ccyy:    col2
pvars:   pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: col2

col2p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	807,560
25%	0	0	Sum of Wgt.	807,560
50%	0		Mean	4918820
		Largest	Std. Dev.	1.31e+07
75%	6920954	1.20e+09		

90%	1.23e+07	1.43e+09	Variance	1.71e+14
95%	2.11e+07	2.69e+09	Skewness	37.03376
99%	4.80e+07	2.69e+09	Kurtosis	5224.625

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	807560	4918820	1.31e+07	0
-----+-----				

```
. lissyuse, cc(col3) pvars(pitotal)
```

```
lissyuse specifications:
```

```
ccyy:      col3
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: col3
```

```
col3p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

total individual income, person				
Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	793,351
25%	0	0	Sum of Wgt.	793,351
50%	0		Mean	5136634
		Largest	Std. Dev.	1.29e+07
75%	7200000	1.20e+09		
90%	1.32e+07	1.44e+09	Variance	1.67e+14
95%	2.18e+07	1.51e+09	Skewness	22.61717
99%	4.92e+07	1.71e+09	Kurtosis	1625.198

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	793351	5136634	1.29e+07	0
-----+-----				

```
. lisyyuse, cc(col4) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy:    col4
```

```
pvars:   pitotal
```

```
hvars:
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
```

```
to:
```

```
iso2:
```

```
select:
```

```
implicate:
```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: col4
```

```
col4p has been loaded, containing variables pitotal
```

```
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

Percentiles		Smallest		
1%	0	-2000000		
5%	0	-84000		
10%	0	-8676	Obs	783,953
25%	0	0	Sum of Wgt.	783,953
50%	0		Mean	5487664
		Largest	Std. Dev.	1.35e+07
75%	7687000	9.60e+08		
90%	1.44e+07	9.60e+08	Variance	1.83e+14
95%	2.34e+07	1.20e+09	Skewness	41.15853
99%	5.20e+07	3.83e+09	Kurtosis	8714.615

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
pitotal	783953	5487664	1.35e+07	0

```
. lisyyuse, cc(col5) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy:    col5
```

```
pvars:   pitotal
```

```
hvars:
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
```

```
to:
```

```
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: col5

col5p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

```
. summarize pitotal, detail
```

total individual income, person

Percentiles		Smallest		
1%	0	-642000		
5%	0	0		
10%	0	0	Obs	783,131
25%	0	0	Sum of Wgt.	783,131
50%	0		Mean	5868364
		Largest	Std. Dev.	1.41e+07
75%	8348227	1.20e+09		
90%	1.49e+07	1.20e+09	Variance	1.99e+14
95%	2.40e+07	1.20e+09	Skewness	36.78011
99%	5.49e+07	3.76e+09	Kurtosis	6993.698

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	783131	5868364	1.41e+07	0

```
. lissyuse, cc(col6) pvars(pitotal)
```

lissyuse specifications:

```
ccyy:    col6
pvars:   pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: col6

col6p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

```
. summarize pitotal, detail
```

```
total individual income, person
```

Percentiles		Smallest		
1%	0	-323000		
5%	0	0		
10%	0	0	Obs	774,693
25%	0	0	Sum of Wgt.	774,693

50%	0		Mean	6210832
		Largest	Std. Dev.	1.98e+07
75%	8700000	1.79e+09		
90%	1.56e+07	1.84e+09	Variance	3.93e+14
95%	2.47e+07	3.44e+09	Skewness	252.9553
99%	5.79e+07	1.13e+10	Kurtosis	137052.8

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+				
pitotal	774693	6210832	1.98e+07	0

```
. lissyuse, cc(col7) pvars(pitotal)
```

```
lissyuse specifications:
```

```
ccyy: col7
```

```
pvars: pitotal
```

```
hvars:
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
```

```
to:
```

```
iso2:
```

```
select:
```

```
implicate:
```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: col7
```

```
col7p has been loaded, containing variables pitotal
```

```
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

Percentiles		Smallest		
1%	0	-229680		
5%	0	0		
10%	0	0	Obs	764,590
25%	0	0	Sum of Wgt.	764,590

50%	0		Mean	6471326

		Largest	Std. Dev.	1.50e+07
75%	9545455	1.23e+09		
90%	1.64e+07	1.63e+09	Variance	2.24e+14
95%	2.60e+07	2.20e+09	Skewness	27.80662
99%	5.88e+07	3.11e+09	Kurtosis	3573.522

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	764590	6471326	1.50e+07	0
-----+-----				

```
. lissyuse, cc(col8) pvars(pitotal)
```

```
lissyuse specifications:
```

```
ccyy: col8
```

```
pvars: pitotal
```

```
hvars:
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
```

```
to:
```

```
iso2:
```

```
select:
```

```
implicate:
```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: col8
```

```
col8p has been loaded, containing variables pitotal
```

```
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

total individual income, person				
Percentiles		Smallest		
1%	0	-3840000		
5%	0	0		
10%	0	0	Obs	759,753
25%	0	0	Sum of Wgt.	759,753
50%	0		Mean	6806618
		Largest	Std. Dev.	1.74e+07
75%	9600000	1.53e+09		
90%	1.71e+07	1.58e+09	Variance	3.04e+14
95%	2.73e+07	4.73e+09	Skewness	82.50829
99%	6.06e+07	5.70e+09	Kurtosis	22500.82

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	759753	6806618	1.74e+07	0
-----+-----				


```
-----
. lissyuse, cc(col9) pvars(pitotal)
```

```
lissyuse specifications:
```

```
ccyy:      col9
```

```
pvars:     pitotal
```

```
hvars:
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
```

```
to:
```

```
iso2:
```

```
select:
```

```
implicate:
```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: col9
```

```
col9p has been loaded, containing variables pitotal
```

```
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	753,503
25%	0	0	Sum of Wgt.	753,503
50%	0		Mean	7063458
		Largest	Std. Dev.	1.73e+07
75%	1.03e+07	1.90e+09		
90%	1.80e+07	2.28e+09	Variance	3.00e+14
95%	2.88e+07	2.89e+09	Skewness	44.84489
99%	6.56e+07	4.62e+09	Kurtosis	8568.088

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
pitotal	753503	7063458	1.73e+07	0

```
. lissyuse, cc(co20) pvars(pitotal)
```

```
lissyuse specifications:
```

```
ccyy:      co20
```

```
pvars:     pitotal
```

```
hvars:
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets:  co20
```

```
co20p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

total individual income, person				

Percentiles		Smallest		
1%	0	0		
5%	0	0		
10%	0	0	Obs	433,503
25%	0	0	Sum of Wgt.	433,503
50%	0		Mean	6596299
		Largest	Std. Dev.	1.97e+07
75%	1.00e+07	1.88e+09		
90%	1.69e+07	2.17e+09	Variance	3.88e+14
95%	2.80e+07	2.18e+09	Skewness	111.7655
99%	6.44e+07	6.82e+09	Kurtosis	34239.22

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	433503	6596299	1.97e+07	0

```
.
end of do-file
```