

*job submitted*

```

lissyuse, cc(dk00) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(dk07) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(dk10) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(dk13) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(dk16) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)

```

*listing*

##### NOTICE TO USERS #####

Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by regulations which do not allow copying or further distribution of the survey microdata.

Anyone violating these regulations will lose all privileges to the databases and may be subject to prosecution under the law. In addition, any attempt to circumvent the LIS processing system or unauthorized entry into the LIS computing system will result in prosecution.

All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be submitted for entry into the Working Papers Series.  
Please consult our web site for more information at [WWW.LISDATACENTER.ORG](http://WWW.LISDATACENTER.ORG)

##### NOTICE TO USERS #####

```

. lissyuse, cc(dk00) hvars(nhhmem)
lissyuse specifications:
  ccyy:      dk00
  pvars:
  hvars:     nhhmem
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

```

no project defined, standard selection 'lis' database has been assigned

valid datasets: dk00

dk00h has been loaded, containing variables nhhmem  
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

number of household members				
-----				
Percentiles		Smallest		
1%	1	1		
5%	1	1		
10%	1	1	Obs	82,062
25%	1	1	Sum of Wgt.	82,062
50%	2		Mean	2.137884
		Largest	Std. Dev.	1.238259
75%	3	11		
90%	4	11	Variance	1.533284
95%	4	14	Skewness	1.180724
99%	6	17	Kurtosis	4.465968

. tabstat nhhmem, stat(N mean sd median)

variable	N	mean	sd	p50
-----+-----				
nhhmem	82062	2.137884	1.238259	2
-----				

. lissyuse, cc(dk07) hvars(nhhmem)

lissyuse specifications:

ccyy: dk07  
pvars:  
hvars: nhhmem  
lis:  
lws:  
erflis:  
onebyone:  
from:  
to:  
iso2:  
select:  
implicate:  
progs:

no project defined, standard selection 'lis' database has been assigned  
valid datasets: dk07

dk07h has been loaded, containing variables nhhmem  
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

number of household members		
-----		
Percentiles		Smallest
1%	1	1

5%	1	1		
10%	1	1	Obs	84,669
25%	1	1	Sum of Wgt.	84,669
50%	2		Mean	2.121981
		Largest	Std. Dev.	1.246757
75%	3	11		
90%	4	11	Variance	1.554403
95%	5	12	Skewness	1.204549
99%	6	12	Kurtosis	4.325176

. tabstat nhhmem, stat(N mean sd median)

variable	N	mean	sd	p50
-----+-----				
nhhmem	84669	2.121981	1.246757	2
-----+-----				

. lissyuse, cc(dk10) hvars(nhhmem)

lissyuse specifications:

ccyy: dk10  
pvars:  
hvars: nhhmem  
lis:  
lws:  
erflis:  
onebyone:  
from:  
to:  
iso2:  
select:  
implicate:  
progs:

no project defined, standard selection 'lis' database has been assigned  
valid datasets: dk10

dk10h has been loaded, containing variables nhhmem  
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

number of household members				
-----				
Percentiles		Smallest		
1%	1	1		
5%	1	1		
10%	1	1	Obs	85,645
25%	1	1	Sum of Wgt.	85,645
50%	2		Mean	2.104805
		Largest	Std. Dev.	1.233964
75%	3	11		
90%	4	11	Variance	1.522667
95%	5	11	Skewness	1.219297
99%	6	13	Kurtosis	4.407627

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
nhhmem	85645	2.104805	1.233964	2
-----+-----				

```
. lisyyuse, cc(dk13) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      dk13
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets:  dk13
```

```
dk13h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

#### number of household members

Percentiles		Smallest		
1%	1	1		
5%	1	1		
10%	1	1	Obs	87,517
25%	1	1	Sum of Wgt.	87,517
50%	2		Mean	2.102014
		Largest	Std. Dev.	1.227974
75%	3	11		
90%	4	11	Variance	1.507921
95%	4	12	Skewness	1.230729
99%	6	14	Kurtosis	4.493127

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
nhhmem	87517	2.102014	1.227974	2
-----+-----				

```
. lisyyuse, cc(dk16) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      dk16
pvars:
```

```
hvars:      nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned

valid datasets: dk16

dk16h has been loaded, containing variables nhhmem

your dataset run has been completed, containing variables nhhmem

```
. summarize nhhmem, detail
```

number of household members				
-----				
Percentiles		Smallest		
1%	1	1		
5%	1	1		
10%	1	1	Obs	89,245
25%	1	1	Sum of Wgt.	89,245
50%	2		Mean	2.102034
		Largest	Std. Dev.	1.221598
75%	3	11		
90%	4	11	Variance	1.492301
95%	4	12	Skewness	1.205992
99%	6	13	Kurtosis	4.309666

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
nhhmem	89245	2.102034	1.221598	2
-----				

```
.
end of do-file
```