ANTIMICROBIALS FLUOROQUINOLONES

enrofloxacin (Baytril) orbifloxacin (Orbax) marbofloxacin (Marbocyl)



ANTIMICROBIALS FLUOROQUINOLONES

(4-Quinolones)

- · Good gram negative efficacy
- Some gram positive e.g. staphs
- · NOT anaerobes
- · Risk of bacterial mutation arising.

Fluoroquinolones

Gram Positive Bacteria

Anaerobes

Some activity e.g. **Staphylococcus**,

Not efficacious

Gram Negative Bacteria

Other susceptible:

Brucella, Pasteurella, Shigella, E. coli Mycoplasma, Chlamydia trachomatis, Rickettsia, Mycobacterium (not Johne's)

Pseudomona aeruginosa,

ANTIMICROBIALS FLUOROQUINOLONES

- DNA gyrase (topoisomerase II and IV)
- Bacteriocidal (paradoxic effect)
- · Concentration dependent
- Post antibiotic effect.

ANTIMICROBIALS FLUOROQUINOLONES

enrofloxacin (Baytril)

- Toxicity
 Normal & high doses blindness in cats
- · Growing animals cartilage damage
- · Adverse effects in people
- · Avoid in animals with a history of seizures.

ANTIMICROBIALS FLUOROQUINOLONES

- · Highly Lipophilic
- Good distribution to most tissues
- · Oral absorption variable, food.

ANTIMICROBIALS FLUOROQUINOLONES

- · Antacids & sucralfate interfere
- · Partial metabolism in the liver
- Excreted in urine (\(\) dose if renal disease)
- · Long half-life
- Interference chloramphenicol, rifampicin.


ANTIMICROBIALS FLUOROQUINOLONES

- Used in small mammals due to safety and efficacy in gram negative infections e.g. Pasteurella
- May cause dermal necrosis by SC injection.

ANTIMICROBIALS FLUOROQUINOLONES - USES

- · DO NOT USE for routine infections
- · Urinary tract infections Pseudomonas
- · Prostatitis in dogs
- · Osteomyelitis due to Gram negative bacteria
- · Deep, granulomatous pyodermas
- · Serious respiratory tract infections.







Pasteurella multocida – most common infection in rabbits but was not cultured from the abscess.

ANTIMICROBIALS NITROIMIDAZOLES

metronidazole

- Anaerobes
- · Protozoa e.g. Giardia
- Bactericidal
- · Swine dysentery -
 - dimetridazole



ANTIMICROBIALS NITROIMIDAZOLES

metronidazole

Mechanism of Action:

- · DNA damage and repair mechanisms
 - · Mammalian and bacteria.

ANTIMICROBIALS NITROIMIDAZOLES

metronidazole

Pharmacokinetics:

- bioavailability ~ 100%
- distribution to most tissues
- · extensive hepatic metabolism
- · excreted in urine.

ANTIMICROBIALS NITROIMIDAZOLES

metronidazole

- Nausea in people (pets?)
- Neurotoxicity ataxia, seizures, and head tilt reported in dogs

ANTIMICROBIALS NITROIMIDAZOLES

metronidazole

• Giardia



ANTIMICROBIALS NITROIMIDAZOLES

metronidazole.

Uses:

- · Anaerobic infections
- Gingivitis in dogs and cats
- · Dimetridazole swine dysentery
- · Bacteroides, Clostridia, Helicobacter

