

# CS-2050-All-Sections CS 2050 Homework 4 (HOWARD, FAULKNER, ELLEN)

Vidit Dharmendra Pokharna

TOTAL POINTS

96.5 / 101

## QUESTION 1

### Question 1 12 pts

1.1 a 3 / 3

! - 0 pts False

ff - 3 pts True

ff - 3 pts Incorrect / Missing

1.2 b 3 / 3

! - 0 pts True

ff - 3 pts False

ff - 3 pts Incorrect / Missing

1.3 c 3 / 3

! - 0 pts False

ff - 3 pts True

ff - 3 pts Incorrect / Missing

1.4 d 3 / 3

! - 0 pts False

ff - 3 pts True

ff - 3 pts Incorrect / Missing

## QUESTION 2

### Question 2 12 pts

2.1 a 3 / 3

! - 0 pts 0

ff - 3 pts Incorrect / Missing

2.2 b 3 / 3

! - 0 pts 1

ff - 3 pts Incorrect / Missing

2.3 c 3 / 3

! - 0 pts 5

ff - 3 pts Incorrect / Missing

2.4 d 3 / 3

! - 0 pts 3

ff - 3 pts Incorrect / Missing

## QUESTION 3

### Question 3 24 pts

3.1 a 3 / 3

! - 0 pts  $\{a, b, c, d, e, f, m, n, o\}$

ff - 3 pts Incorrect / Missing

3.2 b 3 / 3

! - 0 pts  $\emptyset$

ff - 3 pts Incorrect / Missing

3.3 c 3 / 3

! - 0 pts  $\{(m, m), (m, n), (m, o), (n, m), (n, n), (n,$

$o), (o, m), (o, n), (o, o)\}$

ff - 1.5 pts Used anything except a set of tuples

e.g. used a set of sets

ff - 3 pts Incorrect / Missing

3.4 d 3 / 3

! - 0 pts  $\{\emptyset, \{m\}, \{n\}, \{o\}, \{m, n\}, \{n, o\}, \{m, o\}, \{m, n, o\}\}$

ff - 3 pts Incorrect / Missing

3.5 e 3 / 3

! - 0 pts  $\emptyset$

ff - 3 pts Incorrect / Missing

3.6 f 3 / 3

! - 0 pts 15

ff - 3 pts Incorrect / Missing

3.7 g 3 / 3

! - 0 pts  $2^{2^{\{C\}}} = 2^{2^{\{3\}}} = 2^{2^8} = 2^{256}$

ff - 3 pts Incorrect / Missing

3.8 h 3 / 3

! - 0 pts  $\{a, b, c, d, e, m, n, o\}$

ff - 3 pts Incorrect / Missing

QUESTION 4

4 Question 4 10 / 10

! - 0 pts Correct

ff - 6 pts Uses a Venn Diagram for a proof

ff - 5 pts Uses mutual subsets approach but only shows one direction

ff - 5 pts Did not cite any steps

Invalid Steps

ff - 2 pts 1 Invalid Step

ff - 4 pts 2 Invalid Steps

ff - 6 pts 3 Invalid Steps

ff - 8 pts 4 Invalid Steps

ff - 10 pts 5+ Invalid Steps

Skipped Steps

ff - 2 pts 1 Skipped Step

ff - 4 pts 2 Skipped Steps

ff - 6 pts 3 Skipped Steps

ff - 8 pts 4 Skipped Steps

ff - 10 pts 5+ Skipped Steps

Uncited Steps

ff - 1 pts 1 Uncited Step

ff - 2 pts 2 Uncited Steps

ff - 3 pts 3 Uncited Steps

ff - 4 pts 4+ Uncited Steps

Miscited Steps

ff - 1 pts 1 Miscited Step

ff - 2 pts 2 Miscited Steps

ff - 3 pts 3 Miscited Steps

ff - 4 pts 4+ Miscited Steps

ff - 8 pts Uses set equivalencies.

ff - 10 pts Disproves Statement

ff - 10 pts No Answer

QUESTION 5

5 Question 5 0 / 6

ff - 0 pts  $\{\emptyset, \{\emptyset\}, \{\emptyset, \{\emptyset\}\}$

ff - 3 pts Working shown with incorrect order of operators used

! - 6 pts Incorrect/No Answer

#### QUESTION 6

### Question 6 12 pts

6.1 a 3 / 3

! - 0 pts  $T \cap \overline{S} \cap C$

or

$T \cap \overline{S} \cap \overline{C}$

ff - 3 pts Incorrect / Missing

6.2 b 3 / 3

! - 0 pts  $(C \cap T) - (C \cap T)$

or

$(C \cap T) \cap \overline{(C \cap T)}$

or

$(T - C) \cup (C - T)$

ff - 3 pts Incorrect / Missing

6.3 c 3 / 3

! - 0 pts  $C - (T \cap S)$  or  $C \cap \overline{T \cap S}$

ff - 3 pts Incorrect / Missing

6.4 d 3 / 3

! - 0 pts  $C - T - S$

or

$C - (T \cup S)$

or

$C \cap \overline{T} \cap \overline{S}$

or

$C \cap \overline{T \cup S}$

ff - 3 pts Incorrect / Missing

#### QUESTION 7

### Question 7 5 / 5

! - 0 pts  $A = \{\emptyset, \{\emptyset\},$

$\{\{\emptyset\}\}\}$

or

$A = \{\emptyset, \{\emptyset\}, \{\emptyset,$

$\{\emptyset\}\}\}$

ff - 2.5 pts Correctly satisfied one of the two

constraints i.e. either  $|A| = 3$  or  $A \in P(P(A))$

ff - 5 pts Does not exist

ff - 5 pts No Answer

#### QUESTION 8

### Question 8 6 pts

8.1 a 2 / 3

! - 0 pts Correct

ff - 1 pts Says statement is True but provides an invalid proof

ff - 2 pts Says statement is True but does not provide a proof

ff - 3 pts Says statement is False and provides a counter example

ff - 3 pts No Answer

- 1 Point adjustment

ff You needed to provide a 2 column proof.

8.2 b 3 / 3

! - 0 pts Valid counterexample

e.g.  $A = \{1\}$  and  $B = \{2\}$

ff - 1 pts Says statement is False but provides invalid counter example

ff - 2 pts Says statement is False but does not provide a counter example

⚐ - 3 pts Proves the statement

⚐ - 3 pts No Answer

#### QUESTION 9

##### 9 Question 9 9 / 9

! - 0 pts *Correct*

⚐ - 5 pts Only shows one direction

⚐ - 5 pts Did not cite any steps

#### Invalid Steps

⚐ - 2 pts 1 Invalid Step

⚐ - 4 pts 2 Invalid Steps

⚐ - 6 pts 3 Invalid Steps

⚐ - 8 pts 4 Invalid Steps

⚐ - 10 pts 5+ Invalid Steps

#### Skipped Steps

⚐ - 2 pts 1 Skipped Step

⚐ - 4 pts 2 Skipped Steps

⚐ - 6 pts 3 Skipped Steps

⚐ - 8 pts 4 Skipped Steps

⚐ - 10 pts 5+ Skipped Steps

#### Uncited Steps

⚐ - 1 pts 1 Uncited Step

⚐ - 2 pts 2 Uncited Steps

⚐ - 3 pts 3 Uncited Steps

⚐ - 4 pts 4+ Uncited Steps

#### Miscited Steps

⚐ - 1 pts 1 Miscited Step

⚐ - 2 pts 2 Miscited Steps

⚐ - 3 pts 3 Miscited Steps

⚐ - 4 pts 4+ Miscited Steps

⚐ - 9 pts Disproves Statement

⚐ - 9 pts No Answer

#### QUESTION 10

##### 10 Question 10 5 / 5

! - 0 pts *Correct examples provided*

e.g.  $A = B = C = D = \emptyset$

OR

$A = \{1, 2, 3\}$ ;  $B = \{1\}$ ;  $C = \{2\}$ ;  $D = \{3\}$

⚐ - 5 pts Incorrect / No Answer

#### QUESTION 11

##### 11 On Time 2.5 / 0

! + 2.5 pts *On Time (Before Thursday)*

⚐ - 0 pts On Time (Friday)

⚐ - 10 pts 1 day late

⚐ - 25 pts 2 days late

#### QUESTION 12

##### 12 Matching 0 / 0

! - 0 pts *Correct*

⚐ - 5 pts Incorrect



1.1 a 3 / 3

! - 0 pts *False*

ff - 3 pts True

ff - 3 pts Incorrect / Missing





1.2b 3 / 3

! - 0 pts *True*

ff - 3 pts False

ff - 3 pts Incorrect / Missing







1.3 C 3 / 3

! - 0 pts *False*

ff - 3 pts True

ff - 3 pts Incorrect / Missing





1.4d 3 / 3

! - 0 pts *False*

ff - 3 pts True

ff - 3 pts Incorrect / Missing





2.1 a 3 / 3

! - 0 pts 0

ff - 3 pts Incorrect / Missing





2.2b 3 / 3

! - 0 pts 1

ff - 3 pts Incorrect / Missing







2.3C 3 / 3

! - 0 pts 5

ff - 3 pts Incorrect / Missing





2.4d 3 / 3

! - 0 pts 3

ff - 3 pts Incorrect / Missing





3.1 a 3 / 3

! - 0 pts  $\{a, b, c, d, e, f, m, n, o\}$

ff - 3 pts Incorrect / Missing





3.2b 3 / 3

! - 0 pts  $\emptyset$

ff - 3 pts Incorrect / Missing







3.3 C 3 / 3

! - 0 pts  $\{(m, m), (m, n), (m, o), (n, m), (n, n), (n, o), (o, m), (o, n), (o, o)\}$

££ - 1.5 pts Used anything except a set of tuples e.g. used a set of sets

££ - 3 pts Incorrect / Missing



3.4d 3 / 3

! - 0 pts  $\{\emptyset, \{m\}, \{n\}, \{o\}, \{m, n\}, \{n, o\}, \{m, o\}, \{m, n, o\}\}$

ff - 3 pts Incorrect / Missing



3.5 e 3 / 3

! - 0 pts  $\emptyset$

ff - 3 pts Incorrect / Missing





3.6 f 3 / 3

! - 0 pts 15

ff - 3 pts Incorrect / Missing







3.7g 3 / 3

! - 0 pts  $2^{2^{\{2^{\{C\}}\}}} = 2^{2^{\{2^{\{3\}}\}}} = 2^{2^8} = 2^{256}$

ff - 3 pts Incorrect / Missing





3.8h 3 / 3

! - 0 pts  $\{a, b, c, d, e, m, n, o\}$

ff - 3 pts Incorrect / Missing





#### 4 Question 4 10 / 10

! - 0 pts *Correct*

ff - 6 pts Uses a Venn Diagram for a proof

ff - 5 pts Uses mutual subsets approach but only shows one direction

ff - 5 pts Did not cite any steps

##### Invalid Steps

ff - 2 pts 1 Invalid Step

ff - 4 pts 2 Invalid Steps

ff - 6 pts 3 Invalid Steps

ff - 8 pts 4 Invalid Steps

ff - 10 pts 5+ Invalid Steps

##### Skipped Steps

ff - 2 pts 1 Skipped Step

ff - 4 pts 2 Skipped Steps

ff - 6 pts 3 Skipped Steps

ff - 8 pts 4 Skipped Steps

ff - 10 pts 5+ Skipped Steps

##### Uncited Steps

ff - 1 pts 1 Uncited Step

ff - 2 pts 2 Uncited Steps

ff - 3 pts 3 Uncited Steps

ff - 4 pts 4+ Uncited Steps

##### Miscited Steps

ff - 1 pts 1 Miscited Step

ff - 2 pts 2 Miscited Steps

ff - 3 pts 3 Miscited Steps

ff - 4 pts 4+ Miscited Steps

ff - 8 pts Uses set equivalencies.

ff - 10 pts Disproves Statement

ff - 10 pts No Answer



### 5 Question 5 0 / 6

⌘ - 0 pts  $\{\emptyset, \{\emptyset\}, \{\emptyset, \{\emptyset\}\}\}$

⌘ - 3 pts Working shown with incorrect order of operators used

! - 6 pts *Incorrect/No Answer*





6.1 a 3 / 3

! - 0 pts  $T \cap \overline{S} \cap C$

or

$T \cap \overline{S} \cap \overline{C}$

£ - 3 pts Incorrect / Missing





6.2b 3 / 3

! - 0 pts  $$(C \cup T) - (C \cap T)$$

or

$$(C \cup T) \cap \overline{(C \cap T)}$$

or

$$(T - C) \cup (C - T)$$

⚠ - 3 pts Incorrect / Missing





6.3 C 3 / 3

! - 0 pts  $C - (T \cap S)$  or  $C \cap \overline{(T \cap S)}$

ff - 3 pts Incorrect / Missing





6.4 d 3 / 3

! - 0 pts  $C - T - S$

or

$C - (T \cup S)$

or

$C \cap \overline{T} \cap \overline{S}$

or

$C \cap \overline{T \cup S}$

⚠ - 3 pts Incorrect / Missing





7 Question 7 5 / 5

! - 0 pts  $A = \{\{\emptyset, \{\emptyset\}\}, \{\{\emptyset\}\}\}$

or

$A = \{\{\emptyset, \{\emptyset\}\}, \{\emptyset, \{\emptyset, \{\emptyset\}\}\}$

⌘ - 2.5 pts Correctly satisfied one of the two constraints i.e. either  $|A| = 3$  or  $A \in P(P(A))$

⌘ - 5 pts Does not exist

⌘ - 5 pts No Answer



8.1 a 2 / 3

! - 0 pts *Correct*


ff - 1 pts Says statement is True but provides an invalid proof

ff - 2 pts Says statement is True but does not provide a proof

ff - 3 pts Says statement is False and provides a counter example

ff - 3 pts No Answer

- 1 *Point adjustment*

 You needed to provide a 2 column proof.



8.2b 3 / 3

! - 0 pts *Valid counterexample*

e.g.  $A = \{1\}$  and  $B = \{2\}$

ff - 1 pts Says statement is False but provides invalid counter example

ff - 2 pts Says statement is False but does not provide a counter example

ff - 3 pts Proves the statement

ff - 3 pts No Answer



## 9 Question 9 9 / 9

! - 0 pts *Correct*

ff - 5 pts Only shows one direction

ff - 5 pts Did not cite any steps

### Invalid Steps

ff - 2 pts 1 Invalid Step

ff - 4 pts 2 Invalid Steps

ff - 6 pts 3 Invalid Steps

ff - 8 pts 4 Invalid Steps

ff - 10 pts 5+ Invalid Steps

### Skipped Steps

ff - 2 pts 1 Skipped Step

ff - 4 pts 2 Skipped Steps

ff - 6 pts 3 Skipped Steps

ff - 8 pts 4 Skipped Steps

ff - 10 pts 5+ Skipped Steps

### Uncited Steps

ff - 1 pts 1 Uncited Step

ff - 2 pts 2 Uncited Steps

ff - 3 pts 3 Uncited Steps

ff - 4 pts 4+ Uncited Steps

### Miscited Steps

ff - 1 pts 1 Miscited Step

ff - 2 pts 2 Miscited Steps

ff - 3 pts 3 Miscited Steps

ff - 4 pts 4+ Miscited Steps

ff - 9 pts Disproves Statement

ff - 9 pts No Answer





10 Question 10 5 / 5

! - 0 pts *Correct examples provided*

e.g.  $A = B = C = D = \emptyset$

OR

$A = \{1, 2, 3\}$ ;  $B = \{1\}$ ;  $C = \{2\}$ ;  $D = \{3\}$

£ - 5 pts Incorrect / No Answer

11 On Time 2.5 / 0

! + 2.5 pts On Time (Before Thursday)

££ - 0 pts On Time (Friday)

££ - 10 pts 1 day late

££ - 25 pts 2 days late



12 Matching 0 / 0

! - 0 pts Correct

ff - 5 pts Incorrect

