

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION.**W. F. Taylor Co., Inc.**

11545 Pacific Avenue
Fontana, CA 92337-8228
951/360-6677

CHEMICAL EMERGENCY HOTLINE 1-800-535-5053

PRODUCT NAME: **2025 UNIVERSAL PRIMER**
ITEM NUMBER: 2025-4
ITEM DESCRIPTION: 2025 Universal Primer 4-gal
PRODUCT DESCRIPTION: SYNTHETIC LATEX SOLUTION
CHEMICAL FAMILY: SYNTHETIC LATEX
REVISION DATE: 01/02/14 REVIEW DATE: / / PRINT DATE: 01/24/14 PRINT TIME: 08:09

HMIS HAZARD RATING

LEAST: 0	HEALTH: 1
SLIGHT: 1	FLAMMABLE: 0
MODERATE: 2	REACTIVITY: 0
HIGH: 3	
EXTREME: 4	

PREPARED BY: ROBERT DDAMULIRA
PREEMPTS PREVIOUS MSDS SHEETS

HMIS HAZARD RATING

LEAST: 0	HEALTH: 1
SLIGHT: 1	FLAMMABLE: 0
MODERATE: 2	REACTIVITY: 0
HIGH: 3	
EXTREME: 4	

PREPARED BY: ROBERT DDAMULIRA
PREEMPTS PREVIOUS MSDS SHEETS

SECTION II HAZARDOUS INGREDIENTS

No Hazardous ingredients per current OSHA regulations.

No Hazardous ingredients per current OSHA regulations.

SECTION III PHYSICAL DATA

<u>Hazard</u>	<u>CAS #</u>	<u>WT/Wt % Less Than</u>
---------------	--------------	--------------------------

NO HAZARDOUS INGREDIENTS PER CURRENT OSHA REGULATIONS

PRODUCT NAME: **2025 UNIVERSAL PRIMER**
ITEM NUMBER: 2025-4
ITEM DESCRIPTION: 2025 Universal Primer 4-gal
REVISION DATE: 01/02/14 REVIEW DATE: / / PRINT DATE: 01/24/14 PRINT TIME: 08:09

BOILING POINT: 212 DEGREES F
LBS/GAL: 8.4 - 8.8
SOLUBILITY IN WATER: MISCIBLE
EVAPORATION RATE (nBuAc=1): SAME AS WATER
VAPOR DENSITY (AIR=1): >1
VAPOR PRESSURE, MM, HG AT 20 DEGREES C: 250 MPAS
PERCENT VOLATILE: 83 - 87 (BY WEIGHT)
APPEARANCE AND ODOR: CREAM COLORED LIQUID, SWEET AROMATIC- MILD

BOILING POINT: 212 DEGREES F
LBS/GAL: 8.4 - 8.8
SOLUBILITY IN WATER: MISCIBLE
EVAPORATION RATE (nBuAc=1): SAME AS WATER
VAPOR DENSITY (AIR=1): >1
VAPOR PRESSURE, MM, HG AT 20 DEGREES C: 250 MPAS
PERCENT VOLATILE: 83 - 87 (BY WEIGHT)
APPEARANCE AND ODOR: CREAM COLORED LIQUID, SWEET AROMATIC- MILD

SECTION IV FIRE AND EXPLOSION HAZARD DATA

DOT CATEGORY: NOT REGULATED
FLASH POINT: NONE LEL: NA
EXTINGUISHING MEDIA: NONE REQUIRED
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE
SPECIAL FIRE FIGHTING PROCEDURES: NONE

DOT CATEGORY: NOT REGULATED
FLASH POINT: NONE LEL: NA
EXTINGUISHING MEDIA: NONE REQUIRED
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE
SPECIAL FIRE FIGHTING PROCEDURES: NONE

SECTION V HEALTH HAZARD IDENTIFICATION

SYMPTOMS OF OVER EXPOSURE:
INHALATION: NONE KNOWN
EYES: MAY CAUSE MILD IRRITATION
SKIN: NONE KNOWN
INGESTION: NONE KNOWN

FIRST AID PROCEDURES:
EYES: FLUSH WITH WATER
SKIN: WASH WITH SOAP AND WATER
INHALATION: REMOVE TO FRESH AIR IF NEEDED

INGESTION: DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.

PRODUCT NAME: **2025 UNIVERSAL PRIMER**
ITEM NUMBER: 2025-4
ITEM DESCRIPTION: 2025 Universal Primer 4-gal
REVISION DATE: 01/02/14 REVIEW DATE: / / PRINT DATE: 01/24/14 PRINT TIME: 08:09

SYMPTOMS OF OVER EXPOSURE:

INHALATION: MAY CAUSE SLIGHT IRRITATION TO THE UPPER RESPIRATORY TRACT.

EYES: VAPOR MAY CAUSE IRRITATION.

SKIN: MAY CAUSE SLIGHT SKIN IRRITATION.

INGESTION: NOT A LIKELY ROUTE OF ENTRY UNDER PROPER HANDLING CONDITIONS. MAY CAUSE

VOMITING. SYMPTOMS MAY BE SAME AS INHALATION.

HEALTH EFFECTS OR RISK FROM EXPOSURE:

ACUTE: INHALATION MAY CAUSE RESPIRATORY TRACT IRRITATION. CONTACT WITH EYES AND SKIN MAY RESULT TO IRRITATION. INGESTION MAY RESULT TO GASTRIC DISTURBANCES.

CHRONIC: NOT KNOWN

SECTION VI REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID: NONE KNOWN

INCOMPATIBILITY-MATERIALS TO AVOID: NONE KNOWN

HAZARDOUS DECOMPOSITION PRODUCTS: NONE KNOWN

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

FIRST AID PROCEDURES:

EYES CONTACT: WASH WITH WATER AT LEAST 15 MINUTES. IF IRRITATIONS PERSISTS, SEEK MEDICAL ATTENTION.

SKIN CONTACT: REMOVE FROM SKIN AND WASH WITH SOAP AND WATER. IF IRRITATIONS PERSISTS, SEEK MEDICAL ATTENTION.

INHALATION: MOVE TO FRESH AIR. ADMINISTER OXYGEN, IF NECESSARY. SEEK MEDICAL ATTENTION.

INGESTION: IF SWALLOWED, CALL PHYSICIAN.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: NONE KNOWN

SECTION VII SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED

KEEP OUT OF SEWER SYSTEMS TO PREVENT BLOCKAGE DUE TO POLYMER DEPOSITS. USE ABSORBENT MATERIAL TO COLLECT AND/OR SCRAPE UP EXCESS AND PLACE INTO CLOSED DOT APPROVED CONTAINERS FOR DISPOSAL.

WASTE DISPOSAL: ABIDE BY ALL STATE, FEDERAL AND LOCAL REGULATIONS.

PRECAUTION FOR HANDLING AND STORING: DO NOT PUNCTURE.

KEEP OUT OF THE REACH OF CHILDREN.

PROTECT FROM FREEZING

CAUTION: DO NOT TAKE INTERNALLY. IF SWALLOWED, DO NOT INDUCE VOMITING, CALL PHYSICIAN IMMEDIATELY.

SECTION VIII SPECIAL PROTECTION INFORMATION

PRODUCT NAME: **2025 UNIVERSAL PRIMER**
ITEM NUMBER: 2025-4
ITEM DESCRIPTION: 2025 Universal Primer 4-gal
REVISION DATE: 01/02/14 REVIEW DATE: / / PRINT DATE: 01/24/14 PRINT TIME: 08:09

RESPIRATORY PROTECTION: NONE NEEDED
VENTILATION: LOCAL EXHAUST
PROTECTIVE GLOVES: NONE REQUIRED
EYES: GOGGLES
OTHER PROTECTIVE EQUIPMENT: NONE

VENTILATION AND ENGINEERING CONTROLS: USE LOCAL EXHAUST. DO NOT USE CLOSED AIR-CIRCULATING SYSTEM. OPEN WINDOWS AND DOORS IF NECESSARY.
RESPIRATORY PROTECTION: NIOSH RESPIRATOR IF NEEDED.
CLOTHING: CHEMICAL RESISTANT GLOVES, APRON, COVERALLS, AND BOOTS AS NECESSARY TO PREVENT CONTACT.
EYE PROTECTION: CHEMICAL GOGGLES OR FACE SHIELD
OTHER CLOTHING AND EQUIPMENT: IF CLOTHING BECOMES CONTAMINATED, REMOVE AND CLEAN BEFORE REWEARING.
WORK PRACTICES, HYGIENIC PRACTICES: FOLLOW LABEL INSTRUCTIONS.
PROTECTIVE MEASURES DURING MAINTENANCE OF CONTAMINATED EQUIPMENT: USE GOGGLES AND GLOVES WHEN CLEANING ADHESIVE FROM EQUIPMENT. MAINTAIN PROPER VENTILATION.

SECTION IX SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED
KEEP OUT OF SEWER SYSTEMS TO PREVENT BLOCKAGE DUE TO POLYMER DEPOSITS. USE ABSORBENT MATERIAL TO COLLECT AND/OR SCRAPE UP EXCESS AND PLACE INTO CLOSED DOT APPROVED CONTAINERS FOR DISPOSAL.

PRECAUTION FOR HANDLING AND STORING: DO NOT PUNCTURE.
KEEP OUT OF THE REACH OF CHILDREN.
PROTECT FROM FREEZING.

SECTION X STABILITY AND REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID: KEEP AWAY FROM EXTREME TEMPERATURE CONDITIONS.
INCOMPATIBILITY-MATERIALS TO AVOID: METAL SALTS MAY COAGULATE THE PRODUCT.
HAZARDOUS DECOMPOSITION PRODUCTS (INCLUDING COMBUSTION PRODUCTS): OXIDES OF CARBON, WATER AND ORGANIC COMPOUNDS OF UNKNOWN STRUCTURE.
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION XI TOXICOLOGICAL PROPERTIES

NOT AVAILABLE

SECTION XII ECOLOGICAL INFORMATION

NOT AVAILABLE

SECTION XIII DISPOSAL CONSIDERATION

WASTE DISPOSAL: ABIDE BY ALL STATE, FEDERAL AND LOCAL REGULATIONS

SECTION XIV: TRANSPORTATION INFORMATION

PRODUCT NAME: **2025 UNIVERSAL PRIMER**
ITEM NUMBER: 2025-4
ITEM DESCRIPTION: 2025 Universal Primer 4-gal
REVISION DATE: 01/02/14 REVIEW DATE: / / PRINT DATE: 01/24/14 PRINT TIME: 08:09

PROPER SHIPPING NAME: NOT APPLICABLE
PROPER HAZARD CLASS: NOT HAZARDOUS
HAZARD CODE: NOT HAZARDOUS

SECTION XV REGULATORY INFORMATION

OSHA HAZARD COMMUNICATION STANDARD (29CFR 1910.1200) HAZARD CLASS (ES): NONE
SARA TITLE III SECTION 312 HAZARD CLASS: NONE
EPA SARA TITLE III SECTION 313: NONE

NOTICE

W.F. TAYLOR BELIEVES THE DATA SET FORTH HEREIN ARE ACCURATE AS OF THE DATE
HEREOF. TAYLOR MAKES NO WARRANTY WITH RESPECT THERETO AND EXPRESSLY DISCLAIMS ALL
LIABILITY FOR RELIANCE THEREON. SUCH DATA ARE OFFERED SOLELY FOR YOUR CONSIDERATION,
INVESTIGATION AND VERIFICATION.

W.F. TAYLOR BELIEVES THE DATA SET FORTH HEREIN ARE ACCURATE AS OF THE DATE
HEREOF. TAYLOR MAKES NO WARRANTY WITH RESPECT THERETO AND EXPRESSLY DISCLAIMS ALL
LIABILITY FOR RELIANCE THEREON. SUCH DATA ARE OFFERED SOLELY FOR YOUR CONSIDERATION,
INVESTIGATION AND VERIFICATION.
