

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
This feature consists of scenarios related to login & logout of application	3.440 s	1	0	1	0	3	0	1	2	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
	This feature consists of scenarios related to login & logout of application	All items on home able to shop or not


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@smoke	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0
@sanity	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	This feature consists of scenarios related to login & logout of application	1	0	1	0	3.440 s


SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	This feature consists of scenarios	All items on home able to shop or not	3	0	1	2	3.438 s
	related to login & logout of application						

DETAILED SECTION

This feature consists of scenarios related to login & logout of application



All items on home able to shop or not



#	Step / Hook Details	Status	Duration
1	Given Log into sauce labs application with credentials "standard_user" and password "secret_sauce"	FAILED	2.874 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h3[@data-test='error]"} (Session info: chrome=129.0.6668.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8d6a52a9ee9455d3abde3481e515ade2, findElement {using=xpath, value=//h3[@data-test='error']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1, userDataDir: C:\Users\vijay\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55922}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55922/devtoo, se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8d6a52a9ee9455d3abde3481e515ade2 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)	TAILLE	2.0143
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy41.isDisplayed(Unknown Source)		
	at pageObjects.LoginPage.getErrorMessageExistence(LoginPage.java:45)		
	at stepDefinitions.shoppingCart.applicationLogin(shoppingCart.java:27)		
	at ?.Log into sauce labs application with credentials "standard_user" and password "secret_sauce"(file:///E:/Learn/Selenium_Practise/		
	SauceLabs_CucumberBDD_NODI/src/test/java/features/LoginLogout.feature:5)		
	* Not displayable characters are replaced by '?'.		
2	Given User at home page or not	SKIPPED	0.000 s
3	Then validate each item in home page haveing Add to cart button	SKIPPED	0.001 s