

1) (10 pts) ALG (Binary Search Trees)

- (a) (6 pts) Following are three traversals produced by the exact same **binary search tree**. Using your powers of inference, determine which one is which. (Fill in each blank with “in-order,” “pre-order,” “post-order.”) (*Note: All sets of answers which don't contain each traversal exactly once will automatically be awarded 0 points.*)

preorder traversal: 18 14 12 9 31 24 19 22 23 36

post-order traversal: 9 12 14 23 22 19 24 36 31 18

in-order traversal: 9 12 14 18 19 22 23 24 31 36

Grading: Each answer above is worth two points. However, if they try to game the system by putting the same answer in all three blanks, award zero points.

- (b) (1 pt) What value must be at the root of the BST that produced the traversals listed in part (a)?

18

- (c) Using big-oh notation, what is the best-case runtime for searching for a particular value in a BST with n nodes?

$O(1)$

- (d) Using big-oh notation, what is the worst-case runtime for searching for a particular value in a binary tree (a regular old binary tree, not necessarily a BST) with n nodes?

$O(n)$

- (e) Using big-oh notation, what is the worst-case runtime for searching for a particular value in a BST with n nodes?

$O(n)$

Grading: For parts (b) through (e), each answer is worth 1 pt and is either right or wrong.