Lambda Functions: Takeaways 🖻

by Dataquest Labs, Inc. - All rights reserved $\ensuremath{\mathbb{C}}$ 2019

Syntax

• Accessing the first character in a string:

```
s = "string"[0]
```

• Accessing the first four characters of a string:

```
stri = "string"[0:4]
```

• Omitting the ending index to access the last five characters of a string:

```
sword = "password"[3:]
```

• Skipping indexes in a slice:

```
hlo = "hello world"[:5:2]
```

• Stepping backwards in a string:

```
olleh = "hello world"[4::-1]
```

• Applying a function to a list of items:

```
list(map(func, my_list))
```

• Filtering through a list of items using a function:

```
def is_palindrome(my_string):
    return my_string == my_string[::-1]
palindrome_passwords = list(filter(is_palindrome, passwords)))
```

• Using a lambda function to filter a list:

```
numbers = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10]
evens = list(filter(lambda x : x % 2 == 0, numbers))
```

Concepts

- We can slice or select fragments of string objects using the index of the string. Slicing a string extracts a chunk or substring from the original string. You can either slice by specifying a single number to select a specific character or a range of values to select multiple characters.
- When extracting the first four characters in a string, you would specify the starting index as
 but the ending index as
 Python uses the ending index to stop iterating and doesn't return the character at the ending index.
- Python's flexibility with ranges allow you to omit the starting or ending index to extract strings.
- Lambda functions, or anonymous functions, are used when you want to run a function once and don't need to save it for reuse.

Resources

- <u>Documentation for map, filter, and reduce</u>
- Anonymous function



Takeaways by Dataquest Labs, Inc. - All rights reserved © 2019