

EE5609 Assignment 2

Vimal K B

Roll No - AI20MTECH14002

Abstract—This assignment involves finding the angle between a given pair of lines

The python solution code for this problem can be downloaded from

https://github.com/vimalkb007/EE5609/blob/master/Assignment_2/codes/assignment2_solution.py

The python verification code for this problem can be downloaded from

https://github.com/vimalkb007/EE5609/blob/master/Assignment_2/codes/assignment2_solution_verify.py

1 PROBLEM STATEMENT

Find the angle between the following pair of lines

1)

$$\frac{x-2}{2} = \frac{y-1}{5} = \frac{z+3}{-3}, \quad (1.0.1)$$

$$\frac{x+2}{-1} = \frac{y-4}{8} = \frac{z-5}{4} \quad (1.0.2)$$

2)

$$\frac{x}{2} = \frac{y}{2} = \frac{z}{1}, \quad (1.0.3)$$

$$\frac{x-5}{4} = \frac{y-2}{1} = \frac{z-3}{8} \quad (1.0.4)$$

2 THEORY

Given two symmetric line equations we can represent them in the vector format.

Using the dot product of the vectors we can find the angle between the two lines. If we have two vectors \mathbf{u} , \mathbf{v} , the dot product is given by

$$\mathbf{u} \cdot \mathbf{v} = \|\mathbf{u}\| \|\mathbf{v}\| \cos \theta \quad (2.0.1)$$

From the above 2.0.1 we get the angle between two vectors as

$$\theta = \cos^{-1} \frac{\mathbf{u} \cdot \mathbf{v}}{\|\mathbf{u}\| \|\mathbf{v}\|} \quad (2.0.2)$$

3 SOLUTION

From theory, we understand that using dot product we can find the angle between the lines

1)

$$\frac{x-2}{2} = \frac{y-1}{5} = \frac{z+3}{-3}, \quad (3.0.1)$$

$$\frac{x+2}{-1} = \frac{y-4}{8} = \frac{z-5}{4} \quad (3.0.2)$$

The above symmetric equations 3.0.1, 3.0.2 can be represented in the vector form as

$$\mathbf{r}_1 = \begin{pmatrix} 2 \\ 1 \\ -3 \end{pmatrix} + \lambda_1 \begin{pmatrix} 2 \\ 5 \\ -3 \end{pmatrix} \quad (3.0.3)$$

$$\mathbf{r}_2 = \begin{pmatrix} -2 \\ 4 \\ 5 \end{pmatrix} + \lambda_2 \begin{pmatrix} -1 \\ 8 \\ 4 \end{pmatrix} \quad (3.0.4)$$

As we have to find the angle between the vectors, we will only be taking the direction vectors into consideration. The direction vectors are $\mathbf{u} = \begin{pmatrix} 2 \\ 5 \\ -3 \end{pmatrix}$ and $\mathbf{v} = \begin{pmatrix} -1 \\ 8 \\ 4 \end{pmatrix}$. We can find the corresponding magnitude values

$$\|\mathbf{u}\| = \sqrt{2^2 + 5^2 + (-3)^2} = \sqrt{38} \quad (3.0.5)$$

$$\|\mathbf{v}\| = \sqrt{(-1)^2 + 8^2 + 4^2} = \sqrt{81} \quad (3.0.6)$$

Using 2.0.2, 3.0.5, 3.0.6 we get

$$\theta = \cos^{-1} \frac{\begin{pmatrix} 2 \\ 5 \\ -3 \end{pmatrix}^T \begin{pmatrix} -1 \\ 8 \\ 4 \end{pmatrix}}{(\sqrt{38})(\sqrt{81})} \quad (3.0.7)$$

$$\theta = \cos^{-1} \frac{26}{55.4797} \quad (3.0.8)$$

$$\theta = \cos^{-1}(0.4686) \quad (3.0.9)$$

$$\theta = 62.053^\circ \quad (3.0.10)$$

Therefore, the angle between the two lines is 62.053° .

Therefore, the angle between the two lines is 48.189° .

2)

$$\frac{x}{2} = \frac{y}{2} = \frac{z}{1}, \quad (3.0.11)$$

$$\frac{x-5}{4} = \frac{y-2}{1} = \frac{z-3}{8} \quad (3.0.12)$$

The above symmetric equations 3.0.11, 3.0.12 can be represented in the vector form as

$$\mathbf{r}_1 = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix} + \lambda_1 \begin{pmatrix} 2 \\ 2 \\ 1 \end{pmatrix} \quad (3.0.13)$$

$$\mathbf{r}_2 = \begin{pmatrix} 5 \\ 2 \\ 3 \end{pmatrix} + \lambda_2 \begin{pmatrix} 4 \\ 1 \\ 8 \end{pmatrix} \quad (3.0.14)$$

As we have to find the angle between the vectors, we will only be taking the direction vectors into consideration. The direction vectors are $\mathbf{u} = \begin{pmatrix} 2 \\ 2 \\ 1 \end{pmatrix}$ and $\mathbf{v} = \begin{pmatrix} 4 \\ 1 \\ 8 \end{pmatrix}$. We can find the corresponding magnitude values

$$\|\mathbf{u}\| = \sqrt{2^2 + 2^2 + 1^2} = \sqrt{9} \quad (3.0.15)$$

$$\|\mathbf{v}\| = \sqrt{4^2 + 1^2 + 8^2} = \sqrt{81} \quad (3.0.16)$$

Using 2.0.2, 3.0.15, 3.0.16 we get

$$\theta = \cos^{-1} \frac{\begin{pmatrix} 2 \\ 2 \\ 1 \end{pmatrix}^T \begin{pmatrix} 4 \\ 1 \\ 8 \end{pmatrix}}{(\sqrt{9})(\sqrt{81})} \quad (3.0.17)$$

$$\theta = \cos^{-1} \frac{18}{27.00} \quad (3.0.18)$$

$$\theta = \cos^{-1}(0.667) \quad (3.0.19)$$

$$\theta = 48.189^\circ \quad (3.0.20)$$