

Encapsulation and Abstraction

Agenda



Encapsulation and Abstraction


© 2017 Wipro


confidential

Objectives

At the end of this module, you will be able to:

- Understand the relevance of Object Oriented Programming techniques
- Implement Encapsulation and Abstraction








Introduction to Object Oriented Programming

- Object Oriented Programming is a programming paradigm which uses "Objects" consisting of data fields and methods together with their interactions
- It is used to design applications and computer programs
- Programming technique may include features like encapsulation, abstraction, polymorphism and inheritance

Encapsulation and Abstraction



Encapsulation is hiding the implementation level details Abstraction is exposing only the interface

Defining a Sample point Class

```
class Point {
  int x;  int y;
  void setX( int x) {
    x = (x > 79 ? 79 : (x < 0 ? 0 :x)); }
  void setY (int y) {
    y = (y > 24 ? 24 : (y < 0 ? 0 : y)); }
  int getX() { return x; }
  int getY() { return y;}
}</pre>
```

Access Specifiers

- Java provides access specifiers to control access to class members
- Access specifiers help implement:
 - Encapsulation by hiding implementation-level details in a class
 - Abstraction by exposing only the interface of the class to the external world
- The **private** access specifier is generally used to encapsulate or hide the member data in the class
- The **public** access specifier is used to expose the member functions as interfaces to the outside world

Class Declaration for Point

```
class Point{
  private int x;
  private int y;
  public void setX( int x){
    x = (x > 79 ? 79 : (x < 0 ? 0 :x));
  public void setY (int y) {
    y= (y > 24 ? 24 : (y < 0 ? 0 : y));
  public int getX(){
    return x;
public int getY(){
    return y;
```

Class Declaration for Point (Contd.).

```
class PointDemo {
  public static void main(String args[]){
    int a, b;
    Point p1 = new Point();
    p1.setX(22);
    p1.setY(44);
    a = p1.qetX();
    System.out.println("The value of a is "+a);
    b = p1.qetY();
    System.out.println("The value of b is "+b) Expected Output:
                                                            The value of a is 22
                                                            The value of b is 24
                                                            Actual Output:
                                                            The value of a is 0
                                                            The value of b is 0
                                                                  © 2017 Wipro
                                   Sensitivity: Internal & Restricted
```

Class Declaration for Point - modified

```
class Point{
 private int x;
 private int y;
 public void setX( int x) {
   this.x= (x > 79 ? 79 : (x < 0 ? 0 :x));
 public void setY (int y) {
   this.y= (y > 24 ? 24 : (y < 0 ? 0 : y));
 public int getX( ){
   return x;
public int getY(){
   return y;
```

Sensitivity: Internal & Restricted

Class Declaration for Point - modified (Contd.).

```
class PointDemo {
 public static void main(String args[]){
   int a, b;
   Point p1 = new Point();
   p1.setX(22);
   p1.setY(44);
   a = p1.qetX();
   System.out.println("The value of a is "+a);
   b = p1.qetY();
   System.out.println("The value of b is "+b);
                                  Output:
                                  The value of a is 22
                                   The value of b is 24
```

Summary

In this module, we were able to:

- Understand the relevance of Object Oriented Programming techniques
- Implement Encapsulation and Abstraction



Thank You