## Rajalakshmi Engineering College

Name: vinnarasan i

Email: 241501245@rajalakshmi.edu.in

Roll no: 241501245 Phone: 7305999373

Branch: REC

Department: I AI & ML FC

Batch: 2028

Degree: B.E - AI & ML



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 1\_COD\_Question 4

Attempt: 1 Total Mark: 10 Marks Obtained: 10

Section 1: Coding

## 1. Problem Statement

As part of a programming assignment in a data structures course, students are required to create a program to construct a singly linked list by inserting elements at the beginning.

You are an evaluator of the course and guide the students to complete the task.

## **Input Format**

The first line of input consists of an integer N, which is the number of elements.

The second line consists of N space-separated integers.

Output Format

The output prints the singly linked list elements, after inserting them at the beginning.

Refer to the sample output for formatting specifications.

Sample Test Case

int main(){

scanf("%d", &n);

struct Node\* head = NULL;

```
Input: 5
   78 89 34 51 67
   Output: 67 51 34 89 78
   Answer
   #include <stdio.h>
#include <stdlib.h>
   struct Node {
     int data:
      struct Node* next;
   };
   void insertAtFront(struct Node**head,int data){
     struct Node*newNode=(struct Node*)malloc(sizeof(struct Node));
     newNode->data=data;
     newNode->next=*head:
     *head=newNode;
  void printList(struct Node*head){
     struct Node*temp=head;
     while(temp!=NULL){
        printf("%d",temp->data);
        temp=temp->next;
     }
     printf("\n");
```

247501245

```
24,150,1245
                                                             24,501245
          ..., IT+) {
... activity;
scanf("%d", &activity);
insertAtFront(&book)
int i = 0; i
int activity;
scanf("0/-"
        for (int i = 0; i < n; i++) {
          insertAtFront(&head, activity);
        printList(head);
        struct Node* current = head;
        while (current != NULL) {
           struct Node* temp = current;
          current = current->next;
          free(temp);
                                                             247501245
                              247501245
return 0;
                                                                                    Marks: 10/10
     Status: Correct
```

247501245

247501245

24,501245

24,150,1245

247501245

247501245

247501245

247501245