PremiumCAD Design Request Form

Project Name:

^①Project Info→ ^②Structural Info→ ^③ Electrical Info

PROJECT INFORMATION	
ASTERISK COLOR CODE KEY * = Required Field	
HOMEOWNER INFORMATION	AHJ INFORMATION
First Name:* Anwar Hussain	AHJ Name:*
Last Name:*	Utility Name:*
Address:* 10051 Whitehurst Drive, Dallas, TX, USA City, State, Zip:* Dallas TX 75243	Special AHJ/Utility Requirements (If Known)
Project's Assessor's Parcel #:	
CONTRACTOR INFORMATION	
Company Name:*	
Phone:* Address (Street, City, State, Zip):*	Snow & Wind Loads (If Known)
	Snow Load:
License Numbers:*	Wind Load:
	Project (Site) Photos Checklist:
PROJECT MANAGER First Name:*	Photos will be used to understand site conditions and project site and are essential to generate an accurate permit package.
Last Name:*	Outility Meter Location (Zoomed out View)*
Last Name.	Main Service Panel Location*
Phone:*	O Close-up of Main Service Panel Label*
Auglioritan Tonox	O Close-up of Main Breaker
Application Type:* Please select the appropriate racking application types.	O Close-up of Main Breaker Label
Tilt-Up	O Sub-Panel Main Breaker (If used)
O Tile-Op O Tilasii-Modifit O filtegrated Kacking	O Sub-Panel Location (If used)
Engineering Stamps:	O Subpanel Location (If used)
Structural Only Stamp	O Close-up of Sub-Panel Breaker Label
Electrical Only Stamp	O Proposed Inverter Location (Zoomed out View)
Structural & Electrical Both	Array Location(s) (if possible)
Wet Stamps / Hard Copy No. Of Copies:	O Entire Roof with Obstructions (If possible)
	Ground Mount Location (If applicable)
Delivery Address:	Rafter/Truss Size and Spacing (Show tape mesure in photo if possible)
	Attic Space - Show existing roof rafter/truss for each roof structure (Show tape measure if possible)*

[®]Project Info→[®]Pitched Roof Structural Info→[®]Electrical Info

ARRAY 1 - PITCHED ROOF APPLICATIONS

PITCHED ROOF & STR	UCTURAL INFO	RACKING INFO
Roof Material:*		Attachment Type:*
Please select the appropriate roof mat	terial from the options below.	Flashed L-Foot O Tile Hook O Standoff
(Asphalt) shingles	Standing Seam Metal	O Integrated intoRacking O Standing Seam Clamp
Corrugated Metal	Clay S-Tile	O Corrubracket O Other:
Flat Tile	Rubber Membrane	9
Wave Tile	Other:	Racking Manufacturer:*
Wood Shake		
Layers of Roof Material		Racking Model:*
One O Two		
Structure Type:*		Attachment Manufacturer:*
Please select the appropriate Structure	e Type from the options below.	
Truss (Wood)	Knee Wall + Collar Tie	Attachment Model:*
Metal Beam Supported	Collar Tie (Wood)	Attachment Wodel.
Interior bearing wall—(Wood)	Single Span Rafter (Wood)	
Purlins	Wood Supported Strut	Maximum Rail Span:*
Knee Wall	Steel Frame	Please select the default maximum distance between mounting points accross the rail layout used for this project.
Rafter Size:*		O 16" O 24" O 32" O 48" O 72" O 96" O Other:
O 2x4 O 2x6 O 2x8 O 2x10	0 Other:	Pitch (Degrees):*
Rafter Spacing:*		
Please select the typical distance betv	veen each rafter (in inches):	Azimuth(s):*
O 12" O 14" O 16" O 24" O 4	.8" Other:	
Roof Structure Measureme	ents:*	
A: B:		
B B	B	

ARRAY 2 - PITCHED ROOF APPLICATIONS (Only if roof structure is different)

PITCHED ROOF & STRUC	TURAL INFO	RACKING INFO
Roof Material:*		Attachment Type:*
Please select the appropriate roof ma	iterial from the options below.	O Flashed L-Foot O Tile Hook O Standoff
(Asphalt) shingles	Standing Seam Metal	O Integrated intoRacking O Standing Seam Clamp
Corrugated Metal	Clay S-Tile	O Corrubracket O Other:
Flat Tile	Rubber Membrane	C containance C cure.
Wave Tile	Other:	Racking Manufacturer:*
Wood Shake		
Layers of Roof Material		Racking Model:
One O Two		
Structure Type:* Please select the appropriate Structure	re Type from the options below.	Attachment Manufacturer:*
	^	
Truss (Wood)	Knee Wall + Collar Tie	Attachment Model:*
Metal Beam Supported Interior bearing wall—	Collar Tie (Wood)	
(Wood)	Single Span Rafter (Wood)	
Purlins — The House of the Hous	Wood Supported Strut	Maximum Rail Span:*
Knee Wall	Steel Frame	Please select the default maximum distance between mounting points accross the rail layout used for this project.
Rafter Size:*		O 16" O 24" O 32" O 48" O 72" O 96" O 0ther:
○ 2x4 ○ 2x6 ○ 2x8 ○ 2x1	IO Other:	Pitch (Degrees):*
Defter Cresings		
Rafter Spacing:* Please select the typical distance beto	woon oach raftor (in inchas):	Azimuth(s):*
O 12" O 14" O 16" O 24" O 4		
012 014 010 024 04	ounci	
Roof Structure Measureme	ents:*	
A: B:		
À R	В	
B B	B	

[®]Project Info → [®]Structural Info → [®]Electrical Info

ELECTRICAL INFORMATION

NEW EQUIPMENT INFORMATION	Inverter Location:*										
Madala Massafa dassa C Madala Norda	Please select intended location of inverter and electrical equipment.										
Module Manufacturer & Model Number:*	1. O Exterior O Interior										
Module Manufacturer:	2. O House O Garage O Barn O Pole Mounted										
Model Number:	Other:										
Quantity:	3. North South East West										
	ONE ONW OSE OSW										
String/Micro Manufacturer & Model Number:*											
nverter Manufacturer:	Wire Transition Enclosure:*										
	Please select the appropriate wire transition enclosure between modules and inverter.										
Model Number:	O Junction Box O Soladeck O Combiner Box O None										
Quantity:											
	Combining AC Circuits:*										
Optimizer Manufacturer & Model Number (If Applicable):	Select how to combine the inverter(s) AC outputs. Multiple inverters or micros only.										
	O Soladeck (Rooftop) O (N) AC Panel Board										
Optimizer Manufacturer:	O Existing Subpanel										
Model Number:											
Quantity:	Service AC Disconnect:*										
	Typically the utility requires a lockable utility disconnect for the AC output in case of an emergency or service.										
Inverter DC Disconnect Options (If Applicable):*	○ Yes ○ No										
Utilize Integrated DC Disconnect	Utility Disconnect Location:*										
Utilize Standalone DC Disconnect (Rooftop or Ground Array)	Please describe the Utility Disconnect location.										
	1. O Exterior O Interior										
Standalone DC Disconnect Location (If Used):	2. O House O Garage O Barn O Pole Mounted										
I. O Exterior O Interior	Next to Utility Meter Other:										
2. O House O Garage O Barn O Pole Mounted											
Rooftop At Ground Array	3. North South East West										
Other:	ONE ONW OSE OSW										
	PV Revenue Meter:*										
3. O North O South O East O West	Is there a PV Revenue Meter? The Production meter measures and										
ONE ONW OSE OSW	tracks the production for the solar array.										
	Yes No (Net Meter)										

ELECTRICAL INFORMATION (Continued)

Location of PV Meter:*	Interconnection Location*											
Select the location of the PV meter in reference to the AC disconnect.	Please select the electrical location the tap will occur.											
O Between inverter and disconnect Between disconnect and point of interconnection (MEP, Tap, Etc.)	Existing Main Electrical New Tap Box											
EXISTING EQUIPMENT INFORMATION	Existing Meter Automatic Transfer Switch (ATS)											
EXISTING EGGIFMENT IN ORMATION	New Sub-Panel Existing Sub-Panel											
Meter Main Combo?*	Renewable Meter Adapter New Main Electrical											
O Yes	(RMA) at Meter Panel Upgrade											
Main Electrical Panel Rating:*	(E)xisting Meter Location:*											
Write the Bus and main circuit breaker rating.	1. O Exterior O Interior											
Bus Rating (amps):	2. O MEP Location O Pole Mounted											
Main Breaker Rating (amps):	Other:											
Are there spaces available in the panel?	3. O North O South O East O West O NE O NW O SE O SW											
Main Breaker Location:*	0.112 0.1111 0.312 0.311											
☐ Top-fed ○ Center-fed ○ Bottom-fed	*Location of the Pole in relation to the house:											
O top total O contact total O contact total	*For pole mounted utility meters and main electrical panels.											
Main Electrical Panel Location:*	Cardinal Direction:											
Please select where the Main Electrical Panel is located. 1. O Exterior O Interior	Distance:											
2. O House O Garage O Barn O Pole Mounted	Utility Entrance:*											
Other:	Overhead Ounder Ground											
3. O North O South O East O West	Existing Electrical Grounding:*											
ONE ONW OSE OSW	Current or Original Bond of existing electrical system? Please select from the options below.											
(N)ew Main Breaker Derating or Panel Upgrade: Write the new ratings that the main breaker will be derated to.	Ground Rod Oufer Ocold Water Pipe											
Bus Rating (amps):	Project Notes & Special Requirements:											
Main Breaker Rating (amps):												
Interconnection Strategy:*												
Please select the appropriate interconnection strategy from the choices below: Panel upgrades or choose "Backfeed Breaker".												
Backfeed Breaker O Derate Main Breaker												
Cline Side Tap Cload Side Tap												

A rough sketch or drawing of the solar panel layout on the project residence or site including roof measurements where possible and plan for equipment locations from the provided key. This sketch will							PNL AC PANELBOARD S AC DISCONNECT								UE ME			X ROOF OBSTRUCTION									
be used to create the base site plan and array layout.								DSW DC DISCONNECT					JB JUNCTION BOX														
O I placed the modules on the roof sketch below O I want the designer to place the modules																											
	want he Sa							docı	umen	t																	
																											_
																									N	_	-
																								W	Н		
																									L S		
																									I		

I DC/AC INVERTER

Sales Sketch:*

(E) UTILITY METER

M1) MODULE #