PremiumCAD Design Request Form

Project Name:

^①Project Info→ ^②Structural Info→ ^③ Electrical Info

PROJECT INFORMATION	
ASTERISK COLOR CODE KEY	
* = Required Field * = Account Preference	
HOMEOWNER INFORMATION	AHJ INFORMATION
First Name:*	AHJ Name:*
Last Name:*	Utility Name:*
Address:*	
City, State, Zip:*	Special AHJ/Utility Requirements (If Known)
Project's Assessor's Parcel #:	
CONTRACTOR INFORMATION	
Company Name:*	
Phone:*	
Address (Street, City, State, Zip):*	Snow & Wind Loads (If Known)
	Snow Load:
License Numbers:*	Wind Load:
PROJECT MANAGER	Project (Site) Photos Checklist:
First Name:*	Photos will be used to understand site conditions and project site and are essential to generate an accurate permit package.
Last Name:*	Outility Meter Location (Zoomed out View)*
Last Natife.	○ Main Service Panel Location*
Phone:*	O Close-up of Main Service Panel Label*
A !	O Close-up of Main Breaker
Application Type:*	O Close-up of Main Breaker Label
Please select the appropriate racking application types.	O Sub-Panel Main Breaker (If used)
○ Tilt-Up ○ Flush-Mount ○ Integrated Racking	O Sub-Panel Location (If used)
Engineering Stamps:	O Subpanel Location (If used)
Structural Only Stamp	O Close-up of Sub-Panel Breaker Label
	O Proposed Inverter Location (Zoomed out View)
Electrical Only Stamp	Array Location(s) (if possible)
Structural & Electrical Both	O Entire Roof with Obstructions (If possible)
Wet Stamps / Hard Copy No. Of Copies:	Ground Mount Location (If applicable)
Delivery Address:	O Rafter/Truss Size and Spacing (Show tape mesure in photo if possible)
	O Attic Space - Show existing roof rafter/truss for each


roof structure (Show tape measure if possible)*


[®]Project Info→[®]Pitched Roof Structural Info→[®]Electrical Info

ARRAY 1 - PITCHED ROOF APPLICATIONS

ARRAT I THORIED RO	or Arreigations	
PITCHED ROOF & STRU	JCTURAL INFO	RACKING INFO
Roof Material:*		Attachment Type:*
Please select the appropriate roof mat	erial from the options below.	Flashed L-Foot O Tile Hook O Standoff
(Asphalt) shingles	Standing Seam Metal	○ Integrated intoRacking ○ Standing Seam Clamp
Corrugated Metal	Clay S-Tile	O Corrubracket O Other:
Flat Tile	Rubber Membrane	<u> </u>
Wave Tile	Other:	Racking Manufacturer:*
Wood Shake		
Layers of Roof Material		Racking Model:*
One O Two		
Structure Types*		Attachment Manufacturer:*
Structure Type:* Please select the appropriate Structure	e Type from the options below.	
Truss (Wood) Metal Beam Supported	Knee Wall + Collar Tie Collar Tie (Wood)	Attachment Model:*
Interior bearing wall—	Single Span Rafter	
(Wood)	(Wood)	
Purlins— — —	Wood Supported Strut	Maximum Rail Span:*
Knee Wall	Steel Frame	Please select the default maximum distance between mounting points accross the rail layout used for this project.
D (1 C) **		○ 16" ○ 24" ○ 32" ○ 48" ○ 72" ○ 96" ○ Other:
Rafter Size:*		
O 2x4 O 2x6 O 2x8 O 2x10) Other:	Pitch (Degrees):*
Rafter Spacing:*		Azimuth(s):*
Please select the typical distance betw		Azimuti(3).
○ 12" ○ 14" ○ 16" ○ 24" ○ 48	3" Otner:	
Roof Structure Measureme	nts:*	
A: B:		
A B;		
	<u> </u>	









ARRAY 2 - PITCHED ROOF APPLICATIONS (Only if roof structure is different)

PITCHED ROOF & STRUCTURAL	. INFO	RACKING INFO
Roof Material:*		Attachment Type:*
Corrugated Metal CI Flat Tile Ru	the options below. anding Seam Metal ay S-Tile ubber Membrane ther:	Flashed L-Foot Tile Hook Standoff Integrated intoRacking Standing Seam Clamp Corrubracket Other: Racking Manufacturer:*
Layers of Roof Material		Racking Model:
One Two Structure Type:* Please select the appropriate Structure Type from	m the options below.	Attachment Manufacturer:*
Metal Beam Supported Interior bearing wall (Wood) Purlins Colla Sing (Wood) Woo	e Wall + Collar Tie ar Tie (Wood) le Span Rafter od) od Supported Strut el Frame	Attachment Model:* Maximum Rail Span:* Please select the default maximum distance between mounting points accross the rail layout used for this project. 16" 24" 32" 48" 72" 96" Other:
	ner:	Pitch (Degrees):*
Rafter Spacing:* Please select the typical distance between each 12" 14" 16" 24" 48" 000		Azimuth(s):*
Roof Structure Measurements:* A: B:	В	



[®]Project Info → [®]Structural Info → [®]Electrical Info

ELECTRICAL INFORMATION

NEW EQUIPMENT INFORMATION	Inverter Location:*								
Module Manufacturer & Model Number:*	Please select intended location of inverter and electrical equipment. 1.								
Module Manufacturer: Model Number:	2. O House O Garage O Barn O Pole Mounted Other:								
Quantity:	3. O North O South O East O West O NE O NW O SE O SW								
String/Micro Manufacturer & Model Number:*									
Inverter Manufacturer:	Wire Transition Enclosure:* Please select the appropriate wire transition enclosure between modules and inverter.								
Model Number: Quantity:	O Junction Box O Soladeck O Combiner Box O None								
Optimizer Manufacturer & Model Number (If Applicable):	Combining AC Circuits:* Select how to combine the inverter(s) AC outputs. Multiple inverters or micros only.								
Optimizer Manufacturer:	O Soladeck (Rooftop) O (N) AC Panel Board Existing Subpanel								
Model Number:	Service AC Disconnect:*								
Quantity:	Typically the utility requires a lockable utility disconnect for the AC output in case of an emergency or service.								
Inverter DC Disconnect Options (If Applicable):*	○ Yes ○ No								
O Utilize Integrated DC Disconnect	Utility Disconnect Location:*								
O Utilize Standalone DC Disconnect (Rooftop or Ground Array)	Please describe the Utility Disconnect location.								
Standalone DC Disconnect Location (If Used):	1. O Exterior O Interior								
1. O Exterior O Interior	O House								
2. O House O Garage O Barn O Pole Mounted O Rooftop O At Ground Array Other:	3. O North O South O East O West O NE O NW O SE O SW								
3. North South East West NE NW SE SW	PV Revenue Meter:* Is there a PV Revenue Meter? The Production meter measures and tracks the production for the solar array. O Yes O No (Net Meter)								

ELECTRICAL INFORMATION (Continued) Location of PV Meter:* Select the location of the PV meter in reference to the AC disconnect. O Between inverter and disconnect Between disconnect and point of interconnection (MEP, Tap, Etc.)

EXISTING EQUIPMENT INFORMATION Meter Main Combo?* (Yes O No Main Electrical Panel Rating:* Write the Bus and main circuit breaker rating. Bus Rating (amps): Main Breaker Rating (amps): Are there spaces available in the panel?

•••••											
Main Breaker Location:*											
O Top-fed	Center-fed OE	Bottom-fed									
Main Electri	ical Panel Lo	ocation:*									
Please select wh	ere the Main Ele	ctrical Panel is	s located.								
1. O Exterior	OInterior										
2. O House	○ Garage	O Barn	O Pole Mounted								
Other:											

(N)ew Main Breaker Derating or Panel Upgrade:
Write the new ratings that the main breaker will be derated to.
Bus Rating (amps):
Main Breaker Rating (amps):
Interconnection Strategy:*

Please select the appropriate interconnection strategy from the choices below: Panel upgrades or choose "Backfeed Breaker". Rackfeed Breaker O Derate Main Breaker

D Backleed Brea	aker O Derate Ma
C Line Side Tap	O Load Side Tap

3. O North O South O East O West

ONW

O NE

Please select i	the electrical	location th	ne tap w	vill occur.
Existing Panel (g Main Elec MEP)	trical		New Tap Box
Existing	g Meter			Automatic Transfer Switch (ATS)
New S	ub-Panel			Existing Sub-Panel
Panaw	able Meter		New Main Electrical	
(RMA) a	at Meter Meter Lo	cation:*		Panel Upgrade
(RMA)	Meter Lo			Panel Upgrade
(RMA) a	Meter Lo	rior		Panel Upgrade
I	Meter Lo	rior		Panel Upgrade
(E)xisting 1. O Exterior 2. O MEP Lo	Meter Lo	rior Pole Moun	ted	

*Location of the Pole in relation to the house:

*For pole mounted	utility meters	s and main electrical panels.
Cardinal Direction:		
Distance:		
Utility Entran	ce:*	
Overhead C	Under Grou	und
Existing Elect	rical Gro	ounding:*
Current or Original Please select from		sting electrical system? below.
O Ground Rod	OUfer	Cold Water Pipe
Project Notes	& Speci	al Requirements:

•••••	
•••••	

resic plan	A rough sketch or drawing of the solar panel layout on the project residence or site including roof measurements where possible and plan for equipment locations from the provided key. This sketch will be used to create the base site plan and array layout.									s AC DISCONNECT								UE MI	ETER AL PA		X ROOF OBSTRUCTION							
	place									at.			DSW	DC DI	SCON	NEC	Γ	JB	JUN	CTION	I BOX							
	want																											
От	he Sa	iles S	iketch	n is at	tache	ed as	a sep	oarate	e doci	umen	nt																	
																									W		╛	
																										S		┵
																							- VQ		W		7	-
																							2	4	In	5	$\overline{\hspace{1cm}}$	

I DC/AC INVERTER

Sales Sketch:*

(E) UTILITY METER

M1) MODULE #