NAME

CUTEST_ureport_threaded - CUTEst tool to obtain statistics concerning function evaluation and CPU time used.

SYNOPSIS

```
CALL CUTEST_ureport_threaded( status, CALLS, TIME, thread )
```

For real rather than double precision arguments, instead

```
CALL CUTEST_ureport_threaded_s( ... )
```

and for quadruple precision arguments, when available,

```
CALL CUTEST_ureport_threaded_q( ... )
```

DESCRIPTION

The CUTEST_ureport_threaded subroutine obtains statistics concerning function evaluation and CPU time used for unconstrained or bound-constrained optimization in a standardized format.

The problem under consideration is to minimize or maximize an objective function f(x) over all $x \in \mathbb{R}^n$ subject to the simple bounds $x^l \le x \le x^u$. The objective function is group-partially separable.

ARGUMENTS

The arguments of CUTEST_ureport_threaded are as follows

```
status [out] - integer
```

the outputr status: 0 for a successful call, 1 for an array allocation/deallocation error, 2 for an array bound error, 3 for an evaluation error, 4 for an out-of-range thread,

CALLS [out] - real array of length 4

gives the number of calls to the problem functions:

CALLS(1): number of calls to the objective function

CALLS(2): number of calls to the objective gradient

CALLS(3): number of calls to the objective Hessian

CALLS(4): number of Hessian times vector products

TIME [out] - real array of length 4:

TIME(1): CPU time (in seconds) for CUTEST_usetup_threaded

TIME(2): CPU time (in seconds) since the end of CUTEST_usetup_threaded

TIME(3): elapsed system clock time (in seconds) for CUTEST_usetup_threaded

TIME(4): elapsed system clock time (in seconds) since the end of CUTEST_usetup_threaded

thread [in] - integer

statistics are for the specified thread; threads are numbered from 1 to the value threads set when calling CUTEST_usetup_threaded.

AUTHORS

I. Bongartz, A.R. Conn, N.I.M. Gould, D. Orban and Ph.L. Toint

SEE ALSO

CUTEst: a Constrained and Unconstrained Testing Environment with safe threads,

N.I.M. Gould, D. Orban and Ph.L. Toint,

Computational Optimization and Applications 60:3, pp.545-557, 2014.

CUTEr (and SifDec): A Constrained and Unconstrained Testing Environment, revisited,

N.I.M. Gould, D. Orban and Ph.L. Toint,

ACM TOMS, 29:4, pp.373-394, 2003.

CUTE: Constrained and Unconstrained Testing Environment,

I. Bongartz, A.R. Conn, N.I.M. Gould and Ph.L. Toint,

ACM TOMS, 21:1, pp.123-160, 1995.