

# lab-work-8

September 10, 2023

Question 1 Q1. Download the Titanic dataset and perform the Exploratory data analysis using pandas.

```
[26]: #Display the first and last 10 instances from the dataset

import pandas as pd
df = pd.read_csv("D:\Programing\Python\Titanic.csv")
print("First 10 Rows")
df.head(10)
```

First 10 Rows

```
[26]: PassengerId  Survived  Pclass  \
0             1         0         3
1             2         1         1
2             3         1         3
3             4         1         1
4             5         0         3
5             6         0         3
6             7         0         1
7             8         0         3
8             9         1         3
9            10         1         2
```

```

                                Name      Sex  Age  SibSp  \
0                        Braund, Mr. Owen Harris    male  22.0      1
1  Cumings, Mrs. John Bradley (Florence Briggs Th...  female  38.0      1
2                        Heikkinen, Miss. Laina  female  26.0      0
3  Futrelle, Mrs. Jacques Heath (Lily May Peel)  female  35.0      1
4                        Allen, Mr. William Henry    male  35.0      0
5                        Moran, Mr. James          male   NaN      0
6                        McCarthy, Mr. Timothy J     male  54.0      0
7                        Palsson, Master. Gosta Leonard    male   2.0      3
8  Johnson, Mrs. Oscar W (Elisabeth Vilhelmina Berg)  female  27.0      0
9                        Nasser, Mrs. Nicholas (Adele Achem)  female  14.0      1
```

```

Parch      Ticket      Fare Cabin Embarked
0      0      A/5 21171   7.2500   NaN      S
```

1	0	PC 17599	71.2833	C85	C
2	0	STON/O2. 3101282	7.9250	NaN	S
3	0	113803	53.1000	C123	S
4	0	373450	8.0500	NaN	S
5	0	330877	8.4583	NaN	Q
6	0	17463	51.8625	E46	S
7	1	349909	21.0750	NaN	S
8	2	347742	11.1333	NaN	S
9	0	237736	30.0708	NaN	C

```
[27]: print("Last 10 Rows")
df.tail(10)
```

Last 10 Rows

```
[27]:
```

	PassengerId	Survived	Pclass	Name \
881	882	0	3	Markun, Mr. Johann
882	883	0	3	Dahlberg, Miss. Gerda Ulrika
883	884	0	2	Banfield, Mr. Frederick James
884	885	0	3	Sutehall, Mr. Henry Jr
885	886	0	3	Rice, Mrs. William (Margaret Norton)
886	887	0	2	Montvila, Rev. Juozas
887	888	1	1	Graham, Miss. Margaret Edith
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"
889	890	1	1	Behr, Mr. Karl Howell
890	891	0	3	Dooley, Mr. Patrick

	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
881	male	33.0	0	0	349257	7.8958	NaN	S
882	female	22.0	0	0	7552	10.5167	NaN	S
883	male	28.0	0	0	C.A./SOTON 34068	10.5000	NaN	S
884	male	25.0	0	0	SOTON/OQ 392076	7.0500	NaN	S
885	female	39.0	0	5	382652	29.1250	NaN	Q
886	male	27.0	0	0	211536	13.0000	NaN	S
887	female	19.0	0	0	112053	30.0000	B42	S
888	female	NaN	1	2	W./C. 6607	23.4500	NaN	S
889	male	26.0	0	0	111369	30.0000	C148	C
890	male	32.0	0	0	370376	7.7500	NaN	Q

```
[28]: #Acquire the necessary information using the df.info() and df. Describe().
```

```
import pandas as pd
df = pd.read_csv("D:\Programing\Python\Titanic.csv")
df.info()
df.describe()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
```

Data columns (total 12 columns):

#	Column	Non-Null Count	Dtype
0	PassengerId	891 non-null	int64
1	Survived	891 non-null	int64
2	Pclass	891 non-null	int64
3	Name	891 non-null	object
4	Sex	891 non-null	object
5	Age	714 non-null	float64
6	SibSp	891 non-null	int64
7	Parch	891 non-null	int64
8	Ticket	891 non-null	object
9	Fare	891 non-null	float64
10	Cabin	204 non-null	object
11	Embarked	889 non-null	object

dtypes: float64(2), int64(5), object(5)

memory usage: 83.7+ KB

```
[28]:
```

	PassengerId	Survived	Pclass	Age	SibSp	\
count	891.000000	891.000000	891.000000	714.000000	891.000000	
mean	446.000000	0.383838	2.308642	29.699118	0.523008	
std	257.353842	0.486592	0.836071	14.526497	1.102743	
min	1.000000	0.000000	1.000000	0.420000	0.000000	
25%	223.500000	0.000000	2.000000	20.125000	0.000000	
50%	446.000000	0.000000	3.000000	28.000000	0.000000	
75%	668.500000	1.000000	3.000000	38.000000	1.000000	
max	891.000000	1.000000	3.000000	80.000000	8.000000	

	Parch	Fare
count	891.000000	891.000000
mean	0.381594	32.204208
std	0.806057	49.693429
min	0.000000	0.000000
25%	0.000000	7.910400
50%	0.000000	14.454200
75%	0.000000	31.000000
max	6.000000	512.329200

```
[29]: #Retrieve the number of columns and rows. (using shape)
```

```
import pandas as pd
df = pd.read_csv("D:\Progrmming\Python\Titanic.csv")
df.shape
```

```
[29]: (891, 12)
```


Question 2 Create the data visualization using the matplotlib.

```
[30]: #Visualize the Gender of Passengers using the Bar graph.
```

```
print("Visualization on Gender")
import matplotlib.pyplot as plt
df['Sex'].value_counts().plot(kind='bar',ylabel="Number of People")
```

Visualization on Gender

```
[30]: <Axes: xlabel='Sex', ylabel='Number of People'>
```




```
[31]: #Visualize the Survival Count of Passengers using the Bar graph.
```

```
print("Visualization on Survival")
import matplotlib.pyplot as plt
df['Survived'].value_counts().plot(kind='bar',ylabel="Number of People",color=["black","orange"]).legend(['Deceased','Survived'])
```

Visualization on Survival

[31]: <matplotlib.legend.Legend at 0x1dde441b750>




[32]: *#Visualize the Age of Passengers using the Bar/Histogram graph.*

```
print("Visualization on Age")
import matplotlib.pyplot as plt
df['Age'].value_counts().hist()
```

Visualization on Age

[32]: <Axes: >



```
[33]: #Visualize the comparison of Age and Fare of Passengers using the Scatterplot.
```

```
print("Comparison Between Age and Fare")  
df.plot.scatter(x='Age', y='Fare')
```

Comparison Between Age and Fare

```
[33]: <Axes: xlabel='Age', ylabel='Fare'>
```

