

Apple VisionableSDK v1.3.21 Release Notes (May 12, 2026)

CHANGES/FIXES

Enhanced frame handling performance within the underlying video library and optimized SDK publishing
Fixed build issue with using ModeratorPTZCommand swift class due to missing initializer

V1.3.20 RELEASE NOTES:

CHANGES/FIXES

PTZ Control and info enhancements, to support better remote and local control

V1.3.19.2 RELEASE NOTES:

CHANGES/FIXES

Added sanity checks and memory alignment for in memory sharing feature.
Fixed returned frame size for in memory sharing feature

V1.3.19.1 RELEASE NOTES:

CHANGES/FIXES

Correct RGB colorspace string to match expected by underlying processing library

V1.3.19 RELEASE NOTES:

CHANGES/FIXES

Fixed in memory sharing crashing and RGB sharing support

V1.3.18.2 RELEASE NOTES:

CHANGES/FIXES

Fixed issue with ModeratorSDK commands publishing to meeting

V1.3.18.1 RELEASE NOTES:

CHANGES/FIXES

Fixed issue with missing initializers for ModeratorSDK response objects

V1.3.18 RELEASE NOTES:

CHANGES/FIXES

FFmpeg version upgrade to 8.0
Provide API to set userAgent from client side for internal https requests

V1.3.17 RELEASE NOTES:

CHANGES/FIXES

Fixed crash in underlying video library
Provide a new API on macOS for in-memory client to SDK sharing capabilities.

V1.3.16 RELEASE NOTES:

CHANGES/FIXES

Fixed highlighting of shared windows on macOS
Fixed crash on macOS during resizing of shared window
Added Mute\unmute callback for local participant
Added moderator disabled device callback
Updated Moderator SDK to work in request - response mode to avoid waiting for response from client
Updated Moderator SDK to send request status instead of failure only

BREAKING: participantAmplitudeChanged is no longer sent when local user got microphone enabled \ disabled

BREAKING: ModeratorSDK delegate no longer uses callbacks for onRequest methods. Instead requestId is passed to client and should be used later with sendModeratorResponse

V1.3.15 RELEASE NOTES:

CHANGES/FIXES

Fix high memory usage when reported resolution is negative

Fix GETROOT timeout that occurs after system suspend and resume

V1.3.14 RELEASE NOTES:

CHANGES/FIXES

Added participantAmplitudeChanged notification when local participant is muted \ unmuted

Added deviceListUpdated notification when local participant is muted \ unmuted

Fixed check if local participant is moderator

Fixed loss, jitter and network bars values for network conditions update

V1.3.13 RELEASE NOTES:

CHANGES/FIXES

Fixed crash on macOS during update of capturing area of current window

V1.3.12 RELEASE NOTES:

CHANGES/FIXES

Missing updateCurrentWindowAreaSharing method for macOS

V1.3.11 RELEASE NOTES:

CHANGES/FIXES

Moderator SDK commands support for macOS and iOS devices

V1.3.10 RELEASE NOTES:

CHANGES/FIXES

Fixed crash during network conditions processing

On macOS updated SDK to return capture cards as video devices

Enhance NAT traversal logging for IGAudio in IGVideo

Update SDK logging to close file on name change

V1.3.9 RELEASE NOTES:

CHANGES/FIXES

Ability to perform screen sharing of particular area of current process window

V1.3.7 RELEASE NOTES:

CHANGES/FIXES

No changes, maintain version consistency with other platforms

V1.3.6 RELEASE NOTES:

CHANGES/FIXES

Update logging to open file once and flush content after full log message has been written to filestream

V1.3.5 RELEASE NOTES:

CHANGES/FIXES

Updated Audio and Video library dependencies
Corrected Network Stats types and added streamId
Added configuration capability to Audio and Video

V1.3.4 RELEASE NOTES:

CHANGES/FIXES

Fix imports for Audio and Video conditions

V1.3.3 RELEASE NOTES:

CHANGES/FIXES

Fix for device info updates during join to meeting
Relative zoom instead of absolute for CAM520

V1.3.1 RELEASE NOTES:

API CHANGES

Added new callbacks for audio and video network conditions.

```
public func audioConditionUpdate(audioCondition: AudioCondition)  
public func videoConditionUpdate(videoCondition: VideoCondition)
```

Added dedicated objects for conditions data:

AudioCondition – represents general audio network condition and contains data for audio streams

AudioStreamCondition - represents audio stream specific network conditions

VideoCondition - represents general video network condition and contains data for video streams

VideoStreamCondition - represents video stream specific network conditions

CHANGES/FIXES

No changes

KNOWN ISSUES

Same as in v1.3.0

V1.3.0 RELEASE NOTES:

API CHANGES

Added APIs to allow for an “Image Capture” device. This is a device that the application “creates” with an API call by specifying a directory to which image files can be written to (via a new API call) and from which the underlying video engine can read image files to be sent up into a meeting.

```
public func enableImageCapture(displayName: String,  
                               directory: String, mode: String) -> Int32
```

Asks the SDK to create a new image device. The `displayName` parameter is the name that will appear in the corresponding `VideoInfo` `siteName` field for this stream. The `directory` parameter is an absolute path to a directory on the local device that can be written to. This absolute path **must** contain a trailing directory separator. The `mode` parameter is a screen sharing mode to be used for this stream (such as “BEST SCREEN”).

Returns an integer ID to be used with other API calls that need to reference this device. Successful execution of this API call will generate an immediate `participantVideoAdded` callback for this user in all applications connected to the meeting.

```
public func disableImageCapture(deviceId: Int32) -> Bool
```

Disables a previously created image capture device. The `deviceId` parameter is the identifier returned by the corresponding call to `enableImageCaptureDevice` (which created this capture device). Returns a `boolean` indicating whether or not the call was successful.

```
public func imageCapturePutImage(deviceId: Int32, data: Data,  
                                width: Int32, height: Int32, size: Int32) -> Bool
```

Send a YUV420P image into the meeting for the specified device. The `deviceId` parameter is the identifier returned by the call to `enableImageCaptureDevice` the application used to create the capture device being used. The `data` parameter is a `Data` (`NSData`) object containing an unpadding YUV420P image. The `width` and `height` parameters are the width and height of the image, respectively. The `size` parameter is the size of the `Data` object being passed in.

Returns a `Boolean` indicating whether or not the image was successfully received.

CHANGES/FIXES

Miscellaneous Audio/Video engine fixes

KNOWN ISSUES

When screen sharing from iOS and placing the application in the background, iOS may suspend the app (and cause screen sharing to be paused) if the iOS device is running low on system resources.

When sharing a window into the meeting, the remote user may see the share freeze if the shared window is resized while being actively shared.

The new `previewVideoUpdated` delegate method may *not* be called when a device rotates. This will be resolved in a future SDK release.

In support of the new threading model, all delegate methods are executed on a serial `OperationQueue` that is created by the SDK. Future versions will allow you to specify an `OperationQueue` that you create (or use the main queue)