GeeksforGeeks

A computer science portal for geeks

Login

Home	Algorithms	DS	GATE	Interv	view Corner	Q&A	С	C++	Java	Books	Contribute	Ask a Q	About
Array	Bit Magic	C/C+	+ Arti	cles	GFacts	Linked L	ist	MCQ	Misc	Outpu	t String	Tree	Graph

Does Java support goto?

Unlike C/C++, Java does not have goto statement, but java supports label. The only place where a label is useful in Java is right before nested loop statements. We can specify label name with break to break out a specific outer loop. Similarly, label name can be specified with continue.

See following program for example.

```
// file name: Main.java
public class Main {
  public static void main(String[] args) {
    outer: //label for outer loop
    for (int i = 0; i < 10; i++) {</pre>
      for (int j = 0; j < 10; j++) {
        if (i == 1)
          break outer;
        System.out.println(" value of j = " + j);
    } //end of outer loop
  } // end of main()
} //end of class Main
```

Output:

value of i = 0

Please write comments if you find anything incorrect, or you want to share more information about the topic discussed above.





53,527 people like GeeksforGeeks.











Interview Experiences


Advanced Data Structures

Dynamic Programming

Greedy Algorithms

Backtracking

Pattern Searching



Related Tpoics:

- Inner class in java
- How to compare two arrays in Java?
- Can we override private methods in Java?
- Can we Overload or Override static methods in java ?
- · Static class in Java
- Do we need forward declarations in Java?
- Checked vs Unchecked Exceptions in Java
- Bitwise right shift operators in Java









Writing code in comment? Please use ideone.com and share the link here.

Divide & Conquer

Mathematical Algorithms

Recursion

Geometric Algorithms



Popular Posts

All permutations of a given string

Memory Layout of C Programs

Understanding "extern" keyword in C

Median of two sorted arrays

Tree traversal without recursion and without

0 Comments

GeeksforGeeks

Sort by Newest ▼



Start the discussion...

stack!

Structure Member Alignment, Padding and

Data Packing

Intersection point of two Linked Lists

Lowest Common Ancestor in a BST.

Check if a binary tree is BST or not

Sorted Linked List to Balanced BST

Be the first to comment.





Add Disqus to your site



Recent Comments

Abhi You live US or India?

Google (Mountain View) interview · 35 minutes ago

Aman Hi, Why arent we checking for conditions...

Write a C program to Delete a Tree. · 1 hour ago

kzs please provide solution for the problem...

Backtracking | Set 2 (Rat in a Maze) · 1 hour ago

Sanjay Agarwal bool

tree::Root_to_leaf_path_given_sum(tree...

Root to leaf path sum equal to a given number \cdot 1

hour ago

GOPI GOPINATH @admin Highlight this sentence "We can easily...

Count trailing zeroes in factorial of a number · 1

hour ago

newCoder3006 If the array contains negative numbers also. We...

Find subarray with given sum · 2 hours ago

AdChoices [⊳

- ▶ Java Array
- ▶ For Loop in Java
- ▶ Java Support

AdChoices [>

- ▶ Java Void
- ► Exception Java
- ► String Java

AdChoices ▷

- ► String Java
- ► Java Public
- ► Java Syntax

@geeksforgeeks, Some rights reserved

Contact Us!

Powered by WordPress & MooTools, customized by geeksforgeeks team