

New literature for real-time AI-empowered echocardiography

Miguel Xochicale, Ph.D.

November 5, 2021

Contents

1	Introduction	1
2	Methods and materials	1
2.1	Image Quality Assessment	1

1 Introduction

In the last decades the use of echocardiography is crucial in Intensive Care Units (ICU) advances of smaller US clinical devices, US image quality and functions and its real-time capabilities to access cardiac anatomy and functions [3, 10, 9, 1]. However, despite the previous advances there is still challenges on finding standard views from experienced sonographers that sometimes such quantifications are qualitative and subjective [3].

Assessing left ventricular ejection fraction (LVEF) is done at the point of care by clinicians with different expertise which is impacted on the rhythm and structural variations [8]. However, automatic quantification of LVEF is still challenging at the point of care due to variation of protocols, skills levels [4] and the nature of providing feedback on real-time [8].

2 Methods and materials

Rank-2 non-negative matrix factorization [11] and recently Robust Non-negative Matrix Factorization [2] are low-computation cost algorithms to automatically segment mitral valve. Clustering techniques [12] [5]. Laumer et al. proposed a novel autoencoder-based framework to learn human interpretable representation of cardiac cycles from cardiac ultrasound data [7],

2.1 Image Quality Assessment

[6] considers chamber clarity, depth gain, on-axis attributes, apical foreshortenedness.

References

- [1] S. J. Campbell, R. Bechara, and S. Islam. Point-of-care ultrasound in the intensive care unit. *Clinics in Chest Medicine*, 39(1):79–97, 2018. ISSN 0272-5231. doi: <https://doi.org/10.1016/j.ccm.2017.11.005>. URL <https://www.sciencedirect.com/science/article/pii/S0272523117301168>. Interventional Pulmonology: An Update.
- [2] Y. Dukler, Y. Ge, Y. Qian, S. Yamamoto, B. Yuan, L. Zhao, A. L. Bertozzi, B. Hunter, R. Llerena, and J. T. Yen. Automatic valve segmentation in cardiac ultrasound time series data. In E. D. Angelini and B. A. Landman, editors, *Medical Imaging 2018: Image Processing*, volume 10574, pages 493 – 504. International Society for Optics and Photonics, SPIE, 2018. URL <https://doi.org/10.1117/12.2293255>.
- [3] H. Feigenbaum. Evolution of echocardiography. *Circulation*, 93(7):1321–1327, 1996. doi: 10.1161/01.CIR.93.7.1321. URL <https://www.ahajournals.org/doi/abs/10.1161/01.CIR.93.7.1321>.
- [4] L. C. Field, G. J. Guldán, and A. C. Finley. Echocardiography in the intensive care unit. *Seminars in Cardiothoracic and Vascular Anesthesia*, 15(1-2):25–39, 2011. doi: 10.1177/1089253211411734. URL <https://doi.org/10.1177/1089253211411734>. PMID: 21719547.
- [5] K. Kusunose. Steps to use artificial intelligence in echocardiography. *Journal of Echocardiography*, 19(1):21–27, Mar 2021. ISSN 1880-344X. doi: 10.1007/s12574-020-00496-4. URL <https://doi.org/10.1007/s12574-020-00496-4>.
- [6] R. B. Labs, M. Zolgharni, and J. P. Loo. Echocardiographic image quality assessment using deep neural networks. In B. W. Papież, M. Yaqub, J. Jiao, A. I. L. Namburete, and J. A. Noble, editors, *Medical Image Understanding and Analysis*, pages 488–502, Cham, 2021. Springer International Publishing. ISBN 978-3-030-80432-9.
- [7] F. Laumer, G. Fringeli, A. Dubatovka, L. Manduchi, and J. M. Buhmann. Deep-heartbeat: Latent trajectory learning of cardiac cycles using cardiac ultrasounds. In E. Alsentzer, M. B. A. McDermott, F. Falck, S. K. Sarkar, S. Roy, and S. L. Hyland, editors, *Proceedings of the Machine Learning for Health NeurIPS Workshop*, volume 136 of *Proceedings of Machine Learning Research*, pages 194–212. PMLR, 11 Dec 2020. URL <https://proceedings.mlr.press/v136/laumer20a.html>.
- [8] X. Liu, Y. Fan, S. Li, M. Chen, M. Li, W. K. Hau, H. Zhang, L. Xu, and A. P.-W. Lee. Deep learning-based automated left ventricular ejection fraction assessment using 2-d echocardiography. *American Journal of Physiology-Heart and Circulatory Physiology*, 321(2):H390–H399, 2021. doi: 10.1152/ajpheart.00416.2020. URL <https://doi.org/10.1152/ajpheart.00416.2020>. PMID: 34170197.
- [9] S. Singh and A. Goyal. The origin of echocardiography: a tribute to inge edler. *Texas Heart Institute journal*, 34(4):431–438, 2007. ISSN 0730-2347. URL <https://pubmed.ncbi.nlm.nih.gov/18172524>. 18172524[pmid].
- [10] A. Vieillard-Baron, M. Slama, B. Cholley, G. Janvier, and P. Vignon. Echocardiography in the intensive care unit: from evolution to revolution? *Intensive Care*

Medicine, 34(2):243–249, Feb 2008. ISSN 1432-1238. doi: 10.1007/s00134-007-0923-5. URL <https://doi.org/10.1007/s00134-007-0923-5>.

- [11] B. Yuan, S. R. Chitturi, G. Iyer, N. Li, X. Xu, R. Zhan, R. Llerena, J. T. Yen, and A. L. Bertozzi. Machine learning for cardiac ultrasound time series data. In A. Krol and B. Gimi, editors, *Medical Imaging 2017: Biomedical Applications in Molecular, Structural, and Functional Imaging*, volume 10137, pages 617 – 624. International Society for Optics and Photonics, SPIE, 2017. URL <https://doi.org/10.1117/12.2254704>.
- [12] J. Zhang, S. Gajjala, P. Agrawal, G. H. Tison, L. A. Hallock, L. Beussink-Nelson, M. H. Lassen, E. Fan, M. A. Aras, C. Jordan, K. E. Fleischmann, M. Melisko, A. Qasim, S. J. Shah, R. Bajcsy, and R. C. Deo. Fully automated echocardiogram interpretation in clinical practice. *Circulation*, 138(16):1623–1635, 2018. doi: 10.1161/CIRCULATIONAHA.118.034338. URL <https://www.ahajournals.org/doi/abs/10.1161/CIRCULATIONAHA.118.034338>.