



Bout 17 - Cluster 5
Video: org-3-uploads-stage.study_460.cage_4984.2025-09-03.05.37.mp4
Animal ID: 0 | Frames: 268-297 (27 frames)




Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates litter location.

Bout 28 - Cluster 5
Video: org-3-uploads-stage.study_447.cage_4838.2025-08-15.05.30.mp4
Animal ID: 1 | Frames: 1692-1722 (19 frames)



Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates lixit location.


Bout 34 - Cluster 5
Video: org-3-uploads-stage.study_410.cage_4480.2025-08-15.11.53.mp4
Animal ID: 2 | Frames: 1542-1572 (24 frames)



Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates litter location.

Bout 137 - Cluster 5


Video: org-3-uploads-stage.study_507.cage_5502.2025-10-15.22.32.mp4
Animal ID: 0 | Frames: 1640-1679 (27 frames)



Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates litter location.

Bout 139 - Cluster 5


Video: org-3-uploads-stage.study_410.cage_4484.2025-07-30.14.19.mp4
Animal ID: 2 | Frames: 1647-1677 (19 frames)



Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates lixit location.


Bout 140 - Cluster 5

Video: org-3-uploads-stage.study_447.cage_4840.2025-08-16.23.16.mp4
Animal ID: 0 | Frames: 261-301 (33 frames)



Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates lixit location.


Bout 160 - Cluster 5
Video: org-3-prod.study_443.cage_4823.2025-08-11.23.16.mp4
Animal ID: 0 | Frames: 989-1011 (22 frames)



Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates lixit location.

Bout 170 - Cluster 5

Video: org-3-uploads-stage.study_431.cage_4555.2025-07-19.04.49.mp4
Animal ID: 2 | Frames: 1433-1473 (34 frames)




Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates lixit location.

Bout 177 - Cluster 5


Video: org-9-uploads-stage.study_1013.cage_4995.2025-03-17.00.08.mp4

Animal ID: 0 | Frames: 204-234 (30 frames)



Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates litter location.

Bout 194 - Cluster 5
Video: org-3-uploads-stage.study_447.cage_4840.2025-08-20.12.10.mp4
Animal ID: 0 | Frames: 458-488 (27 frames)




Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates lixit location.

Bout 195 - Cluster 5


Video: org-3-uploads-stage.study_447.cage_4840.2025-08-20.12.10.mp4

Animal ID: 0 | Frames: 572-594 (15 frames)



Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates lixit location.

Bout 199 - Cluster 5
Video: org-3-uploads-stage.study_447.cage_4840.2025-08-20.12.10.mp4
Animal ID: 2 | Frames: 283-309 (18 frames)




Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates lixit location.

Bout 222 - Cluster 5

Video: org-9-uploads-stage.study_1013.cage_4995.2025-03-17.02.55.mp4

Animal ID: 0 | Frames: 945-994 (25 frames)




Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates lixit location.

Bout 224 - Cluster 5

Video: org-9-uploads-stage.study_1013.cage_4995.2025-03-17.02.55.mp4

Animal ID: 2 | Frames: 922-962 (32 frames)



Trajectory of nose and tail keypoints over time. Cage dimensions: 2119 x 1287 pixels. Nose: cool colormap (cyan→magenta). Tail: copper colormap (dark→bright). Grey lines connect nose to tail for each frame. Red star indicates litter location.