Ene

0.16.0

Generated by Doxygen 1.8.13

Sat Aug 10 2019 16:06:04

# **Contents**

	Ene		١
2	Nam	nespace Index	3
	2.1	Packages	3
3	Hier	archical Index	3
	3.1	Class Hierarchy	3
4	Clas	es Index	4
	4.1	Class List	4
5	File	Index	5
	5.1	File List	5
6	Nam	nespace Documentation	7
	6.1	Package ene	7
		6.1.1 Detailed Description	7
	6.2	Package ene.controllers	7
		6.2.1 Detailed Description	7
	6.3	Package ene.databases	8
		6.3.1 Detailed Description	8
	6.4	Package ene.interfaces	8
		6.4.1 Detailed Description	8
	6.5	Package ene.models	8
		6.5.1 Detailed Description	9
	6.6	Package ene.views	9
		6.6.1 Detailed Description	9
	6.7	Package ene.views.gui	9
		6.7.1 Detailed Description	9
	6.8	Package ene.views.gui.partial	10
		6.8.1 Detailed Description	10

ii CONTENTS

7	Clas	s Docu	mentation	10
	7.1	ene.co	entrollers.AbstractController< ModelType > Class Template Reference	11
		7.1.1	Detailed Description	12
		7.1.2	Member Function Documentation	13
		7.1.3	Member Data Documentation	13
	7.2	ene.vie	ews.AbstractMasterView < CoreComponentType > Class Template Reference	14
		7.2.1	Detailed Description	15
		7.2.2	Member Function Documentation	16
		7.2.3	Member Data Documentation	17
	7.3	ene.m	odels.AbstractModel Class Reference	18
		7.3.1	Detailed Description	19
		7.3.2	Member Function Documentation	20
		7.3.3	Member Data Documentation	21
	7.4	ene.Al	ostractObject Class Reference	21
		7.4.1	Detailed Description	22
		7.4.2	Member Function Documentation	23
		7.4.3	Member Data Documentation	26
	7.5	ene.vie	${\tt ews. Abstract Partial View} < {\tt CoreComponent Type, Model Type} > {\tt Class Template \ Reference} \ . \ .$	27
		7.5.1	Detailed Description	28
		7.5.2	Member Function Documentation	29
		7.5.3	Member Data Documentation	30
	7.6	ene.vie	ews.gui.partial.AbstractTrackListView Class Reference	31
		7.6.1	Detailed Description	33
		7.6.2	Member Function Documentation	33
		7.6.3	Member Data Documentation	38
	7.7	ene.vie	ews.AbstractView< CoreComponentType > Class Template Reference	39
		7.7.1	Detailed Description	40
		7.7.2	Member Function Documentation	41
		7.7.3	Member Data Documentation	44
	7.8	ene.Ap	oplication Class Reference	45

	7.8.1	Detailed Description	47
	7.8.2	Member Function Documentation	47
	7.8.3	Member Data Documentation	49
7.9	ene.vie	ws.gui.partial.ContentView Class Reference	50
	7.9.1	Detailed Description	51
	7.9.2	Constructor & Destructor Documentation	52
	7.9.3	Member Function Documentation	52
7.10	ene.inte	erfaces.Controller< ModelType > Interface Template Reference	54
	7.10.1	Detailed Description	55
	7.10.2	Member Function Documentation	55
7.11	ene.inte	erfaces.DatabaseConnection Interface Reference	56
	7.11.1	Detailed Description	57
	7.11.2	Member Function Documentation	57
7.12	ene.coi	ntrollers.LibraryController Class Reference	59
	7.12.1	Detailed Description	61
	7.12.2	Constructor & Destructor Documentation	61
	7.12.3	Member Function Documentation	63
	7.12.4	Member Data Documentation	71
7.13	ene.mo	odels.LibraryModel Class Reference	72
	7.13.1	Detailed Description	73
	7.13.2	Member Function Documentation	74
7.14	ene.vie	ws.gui.partial.LibraryView Class Reference	78
	7.14.1	Detailed Description	80
	7.14.2	Constructor & Destructor Documentation	80
	7.14.3	Member Function Documentation	81
	7.14.4	Member Data Documentation	85
7.15	ene.inte	erfaces.Localization Interface Reference	85
	7.15.1	Detailed Description	86
	7.15.2	Member Function Documentation	86
	7.15.3	Member Data Documentation	87

iv CONTENTS

7.16	ene.interfaces.MasterView < CoreComponentType > Interface Template Reference	88
	7.16.1 Detailed Description	89
	7.16.2 Member Function Documentation	90
7.17	ene.interfaces.Model Interface Reference	91
	7.17.1 Detailed Description	92
	7.17.2 Member Function Documentation	92
7.18	$ene. interfaces. Partial View < Core Component Type, \\ Model Type > Interface \ Template \ Reference \\ \ . \ .$	93
	7.18.1 Detailed Description	94
	7.18.2 Member Function Documentation	95
7.19	ene.controllers.PlayerController Class Reference	97
	7.19.1 Detailed Description	99
	7.19.2 Constructor & Destructor Documentation	99
	7.19.3 Member Function Documentation	99
7.20	ene.models.PlayerModel Class Reference	103
	7.20.1 Detailed Description	105
	7.20.2 Member Function Documentation	105
	7.20.3 Member Data Documentation	111
7.21	ene.views.gui.partial.PlayerView Class Reference	113
	7.21.1 Detailed Description	115
	7.21.2 Constructor & Destructor Documentation	115
	7.21.3 Member Function Documentation	116
	7.21.4 Member Data Documentation	122
7.22	ene.models.PlaylistModel Class Reference	124
	7.22.1 Detailed Description	125
	7.22.2 Member Function Documentation	126
	7.22.3 Member Data Documentation	126
7.23	ene.databases.SQLDatabase Class Reference	127
	7.23.1 Detailed Description	128
	7.23.2 Constructor & Destructor Documentation	129
	7.23.3 Member Function Documentation	130

		7.23.4 Member Data Documentation	134
	7.24	ene.models.TrackListModel Class Reference	135
		7.24.1 Detailed Description	136
		7.24.2 Member Function Documentation	137
		7.24.3 Member Data Documentation	138
	7.25	ene.models.TrackModel Class Reference	140
		7.25.1 Detailed Description	142
		7.25.2 Constructor & Destructor Documentation	142
		7.25.3 Member Function Documentation	143
		7.25.4 Member Data Documentation	150
	7.26	ene.interfaces.View < CoreComponentType > Interface Template Reference	152
		7.26.1 Detailed Description	153
		7.26.2 Member Function Documentation	153
	7.27	ene.views.gui.WindowView Class Reference	156
		7.27.1 Detailed Description	157
		7.27.2 Constructor & Destructor Documentation	157
		7.27.3 Member Function Documentation	158
8	File I	Documentation Commentation Comm	160
	8.1	README.md File Reference	160
	8.2	src/ene/AbstractObject.java File Reference	160
	8.3	src/ene/Application.java File Reference	161
	8.4	src/ene/controllers/AbstractController.java File Reference	161
	8.5	src/ene/controllers/LibraryController.java File Reference	161
	8.6	src/ene/controllers/package-info.java File Reference	161
	8.7	src/ene/databases/package-info.java File Reference	161
	8.8	src/ene/interfaces/package-info.java File Reference	162
	8.9	src/ene/models/package-info.java File Reference	162
	8.10	src/ene/package-info.java File Reference	162
	8.11	src/ene/views/gui/package-info.java File Reference	162
	8.12	src/ene/views/gui/partial/package-info.java File Reference	162

1 Ene 1

	8.13	src/ene/views/package-info.java File Reference	162
	8.14	src/ene/controllers/PlayerController.java File Reference	162
	8.15	src/ene/databases/SQLDatabase.java File Reference	163
	8.16	src/ene/interfaces/Controller.java File Reference	163
	8.17	src/ene/interfaces/DatabaseConnection.java File Reference	163
	8.18	src/ene/interfaces/Localization.java File Reference	163
	8.19	src/ene/interfaces/MasterView.java File Reference	163
	8.20	src/ene/interfaces/Model.java File Reference	164
	8.21	src/ene/interfaces/PartialView.java File Reference	164
	8.22	src/ene/interfaces/View.java File Reference	164
	8.23	src/ene/models/AbstractModel.java File Reference	164
	8.24	src/ene/models/LibraryModel.java File Reference	165
	8.25	src/ene/models/PlayerModel.java File Reference	165
	8.26	src/ene/models/PlaylistModel.java File Reference	165
	8.27	src/ene/models/TrackListModel.java File Reference	165
	8.28	src/ene/models/TrackModel.java File Reference	165
	8.29	src/ene/views/AbstractMasterView.java File Reference	166
	8.30	src/ene/views/AbstractPartialView.java File Reference	166
	8.31	src/ene/views/AbstractView.java File Reference	166
	8.32	src/ene/views/gui/partial/AbstractTrackListView.java File Reference	166
	8.33	src/ene/views/gui/partial/ContentView.java File Reference	167
	8.34	src/ene/views/gui/partial/LibraryView.java File Reference	167
	8.35	src/ene/views/gui/partial/PlayerView.java File Reference	167
	8.36	src/ene/views/gui/WindowView.java File Reference	167
Ind	lov		169
IIIU	1CV		103

# 1 Ene

# About

This project is a simple music library as a homework in the context of my computer science studies. For more details about the source code please check out the documentation: https://vivi90.github.io/ene (Also available as PDF download: https://vivi90.github.io/ene/ene.pdf)

#### Naming

We have named it after the character 'Ene' from the anime 'Mekakucity Actors'.

#### Usage

Just compile it. Currently it supports only WAV files. The library database is saved in a local SQLite file, called library.db.

#### Requirements

· Doxygen (only for contribution)

#### Contribution

Please issue right after cloning the following command to use all necessary hooks: git config --local core.hooksPath .githooks

#### **Translation**

Please take a look at the directory src/ene/resources/locales.

#### **Troubleshooting**

If you run this application on a Linux operating system, the sound doesn't work, and you get an Line Unavailable Exception in debug mode, then please force Java to use the Pulse Audio system by issuing: padsp java -jar bin/ene.jar You need to start this application with the -d argument to enable debug infos.

#### License

This project is free software under the terms of the GNU General Public License v3 as published by the Free Software Foundation. It is distributed WITHOUT ANY WARRANTY (without even the implied warranty of MERC HANTABILITY or FITNESS FOR A PARTICULAR PURPOSE). For more details please see the LICENSE file or: http://www.gnu.org/licenses

### Credits

- 2019 by Vivien Richter vivien-richter@outlook.de and Mathias Telling mathias. ← telling@stud.htwk-leipzig.de
- Our Git repository: https://github.com/vivi90/ene.git
- Application icon repository (by Google Limited): https://github.com/google/material-design-icons. ← git
- SQLite JDBC driver library repository: https://bitbucket.org/xerial/sqlite-jdbc

2 Namespace Index

# 2 Namespace Index

# 2.1 Packages

Here are the packages with brief descriptions (if available):

ene	7
ene.controllers	7
ene.databases	8
ene.interfaces	8
ene.models	8
ene.views	9
ene.views.gui	9
ene.views.gui.partial	10

# 3 Hierarchical Index

# 3.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

${\tt ene.controllers.AbstractController} < {\tt LibraryModel} >$	11
ene.controllers.LibraryController	59
ene.controllers.AbstractController< PlayerModel >	11
ene.controllers.PlayerController	97
ene.views.AbstractMasterView< JFrame >	14
ene.views.AbstractMasterView< JTabbedPane >	14
ene.AbstractObject	21
ene.Application	45
ene.controllers.AbstractController< ModelType >	11
ene.databases.SQLDatabase	127
ene.models.AbstractModel	18
ene.models.PlayerModel	103
ene.models.TrackListModel	135
ene.models.LibraryModel	72
ene.models.PlaylistModel	124

ene.models.TrackModel	140
ene.views.AbstractView< CoreComponentType >	39
ene.views.AbstractMasterView< CoreComponentType >	14
ene.views.gui.partial.ContentView	50
ene.views.gui.WindowView	156
${\tt ene.views.AbstractPartialView} < {\tt CoreComponentType, ModelType} >$	27
ene.views.gui.partial.AbstractTrackListView	31
ene.views.gui.partial.LibraryView	78
ene.views.gui.partial.PlayerView	113
ene.views.AbstractPartialView< JPanel, PlayerModel >	27
${\tt ene.views.AbstractPartialView} < {\tt JPanel, TrackListModel} >$	27
ene.interfaces.Controller< ModelType >	54
ene.controllers.AbstractController< ModelType >	11
ene.interfaces.DatabaseConnection	56
ene.databases.SQLDatabase	127
ene.interfaces.Localization	85
ene.views.AbstractView< CoreComponentType >	39
ene.interfaces.Model	91
ene.models.AbstractModel	18
ene.interfaces.View < CoreComponentType >	152
ene.interfaces.MasterView< CoreComponentType >	88
ene.views.AbstractMasterView< CoreComponentType >	14
${\tt ene.interfaces.Partial View} < {\tt CoreComponent Type, Model Type} >$	93
${\tt ene.views. Abstract Partial View} < {\tt CoreComponent Type, Model Type} >$	27
ene.views.AbstractView < CoreComponentType > LineListener	39
ene.models.PlayerModel ListSelectionListener	103
ene.views.gui.partial.AbstractTrackListView	31

# 4 Class Index

# 4.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

5 File Index 5

ene.controllers.AbstractController< ModelType >	11
ene.views.AbstractMasterView < CoreComponentType >	14
ene.models.AbstractModel	18
ene.AbstractObject	21
${\tt ene.views. Abstract Partial View} < {\tt CoreComponent Type, Model Type} >$	27
ene.views.gui.partial.AbstractTrackListView	31
ene.views.AbstractView < CoreComponentType >	39
ene.Application	45
ene.views.gui.partial.ContentView	50
ene.interfaces.Controller< ModelType >	54
ene.interfaces.DatabaseConnection	56
ene.controllers.LibraryController	59
ene.models.LibraryModel	72
ene.views.gui.partial.LibraryView	78
ene.interfaces.Localization	85
ene.interfaces.MasterView < CoreComponentType >	88
ene.interfaces.Model	91
${\tt ene.interfaces.Partial View} < {\tt CoreComponent Type, Model Type} >$	93
ene.controllers.PlayerController	97
ene.models.PlayerModel	103
ene.views.gui.partial.PlayerView	113
ene.models.PlaylistModel	124
ene.databases.SQLDatabase	127
ene.models.TrackListModel	135
ene.models.TrackModel	140
ene.interfaces.View< CoreComponentType >	152
ene.views.gui.WindowView	156

# 5 File Index

# 5.1 File List

Here is a list of all files with brief descriptions:

src/ene/AbstractObject.java	160
src/ene/Application.java	161
src/ene/package-info.java	162
src/ene/controllers/AbstractController.java	161
src/ene/controllers/LibraryController.java	161
src/ene/controllers/package-info.java	161
src/ene/controllers/PlayerController.java	162
src/ene/databases/package-info.java	161
src/ene/databases/SQLDatabase.java	163
src/ene/interfaces/Controller.java	163
src/ene/interfaces/DatabaseConnection.java	163
src/ene/interfaces/Localization.java	163
src/ene/interfaces/MasterView.java	163
src/ene/interfaces/Model.java	164
src/ene/interfaces/package-info.java	162
src/ene/interfaces/PartialView.java	164
src/ene/interfaces/View.java	164
src/ene/models/AbstractModel.java	164
src/ene/models/LibraryModel.java	165
src/ene/models/package-info.java	162
src/ene/models/PlayerModel.java	165
src/ene/models/PlaylistModel.java	165
src/ene/models/TrackListModel.java	165
src/ene/models/TrackModel.java	165
src/ene/views/AbstractMasterView.java	166
src/ene/views/AbstractPartialView.java	166
src/ene/views/AbstractView.java	166
src/ene/views/package-info.java	162
src/ene/views/gui/package-info.java	162
src/ene/views/gui/WindowView.java	167
src/ene/views/gui/partial/AbstractTrackListView.java	166
src/ene/views/gui/partial/ContentView.java	167

src/ene/views/gui/partial/LibraryView.java	167
src/ene/views/gui/partial/package-info.java	162
src/ene/views/gui/partial/PlayerView.java	167

# 6 Namespace Documentation

# 6.1 Package ene

# **Packages**

- package controllers
- package databases
- package interfaces
- package models
- package views

## Classes

- class AbstractObject
- class Application

# 6.1.1 Detailed Description

Simple music library.

Version

0.16.0

# 6.2 Package ene.controllers

# Classes

- class AbstractController
- class LibraryController
- · class PlayerController

# 6.2.1 Detailed Description

Controllers.

Since

0.2.0

6.3	Package	ene.databases	
-----	---------	---------------	--

• class SQLDatabase

# 6.3.1 Detailed Description

Databases.

Since

0.9.0

# 6.4 Package ene.interfaces

#### Classes

- interface Controller
- interface DatabaseConnection
- interface Localization
- interface MasterView
- interface Model
- interface PartialView
- interface View

# 6.4.1 Detailed Description

Interfaces.

Since

0.2.0

# 6.5 Package ene.models

# Classes


- class AbstractModel
- class LibraryModel
- class PlayerModel
- class PlaylistModel
- · class TrackListModel
- class TrackModel

6.5.1	Detailed Description
Data	holding models.
Since	0.2.0
	0.2.0
6.6	Package ene.views
Packa	ges
•	package gui
Classe	es
	class AbstractMasterView class AbstractPartialView
•	class AbstractView
6.6.1	Detailed Description
Views	3.
Since	
	0.2.0
6.7	Package ene.views.gui
Packa	ges
•	package partial
Classe	es
•	class WindowView
6.7.1	Detailed Description
GUI v	riews.
Since	0.44.0
	0.11.0


10		CONTENTS
6.8	Package ene.views.gui.partial	
Class	ses	
•	<ul> <li>class AbstractTrackListView</li> <li>class ContentView</li> <li>class LibraryView</li> <li>class PlayerView</li> </ul>	
6.8.1	Detailed Description	
Parti	al GUI views.	
Since	0.11.0	

7.1 ene.controllers.AbstractController < ModelType > Class Template Reference

Inheritance diagram for ene.controllers.AbstractController< ModelType >:



 $\label{local_controller} Collaboration\ diagram\ for\ ene. controllers. Abstract Controller < \ Model Type >:$ 



## **Public Member Functions**

- void setModel (Model model)
- ModelType getModel ()

## **Protected Attributes**

ModelType model

**Additional Inherited Members** 

7.1.1 Detailed Description

Abstract controller.

Version

1.0.0

Definition at line 11 of file AbstractController.java.

#### 7.1.2 Member Function Documentation

#### 7.1.2.1 getModel()

```
ModelType ene.controllers.AbstractController< ModelType >.getModel ( )
```

Returns the model instance.

Returns

Model instance.

Implements ene.interfaces.Controller< ModelType >.

Definition at line 24 of file AbstractController.java.

## 7.1.2.2 setModel()

Sets the model instance.

# **Parameters**

```
model Model instance.
```

 $Implements\ ene. interfaces. Controller < \ Model Type >.$ 

Definition at line 19 of file AbstractController.java.

## 7.1.3 Member Data Documentation

## 7.1.3.1 model

```
ModelType ene.controllers.AbstractController< ModelType >.model [protected]
```

Model instance.

Definition at line 15 of file AbstractController.java.


 $Referenced \ by \ ene. controllers. Abstract Controller < \ Player Model > .get Model ().$ 

The documentation for this class was generated from the following file:


• src/ene/controllers/AbstractController.java

7.2 ene.views.AbstractMasterView < CoreComponentType > Class Template Reference

 $Inheritance\ diagram\ for\ ene.views. Abstract Master View < Core Component Type >:$ 



Collaboration diagram for ene.views.AbstractMasterView < CoreComponentType >:



#### **Public Member Functions**

- void addView (View view)
- void setAllViews (List< View > views)
- List< View > getAllViews ()

## **Protected Attributes**

List< View > views = new ArrayList<>()

### **Additional Inherited Members**

## 7.2.1 Detailed Description

Abstract master view.

Since

0.3.0

Version

1.0.0

Definition at line 14 of file AbstractMasterView.java.

#### 7.2.2 Member Function Documentation

## 7.2.2.1 addView()

Adds view instance.

## **Parameters**


view View instance.	
---------------------	--

Implements ene.interfaces.MasterView < CoreComponentType >.

Definition at line 21 of file AbstractMasterView.java.

Referenced by ene.views.gui.partial.ContentView.ContentView(), and ene.views.gui.WindowView.WindowView().

Here is the caller graph for this function:



## 7.2.2.2 getAllViews()

```
List<View> ene.views.AbstractMasterView< CoreComponentType >.getAllViews ( )
```

Returns all contained view instances.

Returns


List of view instaces.

Implements ene.interfaces.MasterView < CoreComponentType >.

Definition at line 31 of file AbstractMasterView.java.

Referenced by ene.views.gui.partial.ContentView.render(), and ene.views.gui.WindowView.render().

Here is the caller graph for this function:



## 7.2.2.3 setAllViews()

```
\label{local_continuous} \mbox{void ene.views.AbstractMasterView} < \mbox{CoreComponentType} > . \mbox{setAllViews} \mbox{ (} \\ \mbox{List} < \mbox{View} > \mbox{views} \mbox{ )} \\
```

Sets all contained view instances.

**Parameters** 

views	List of view instaces.

Implements ene.interfaces.MasterView < CoreComponentType >.

Definition at line 26 of file AbstractMasterView.java.

#### 7.2.3 Member Data Documentation

## 7.2.3.1 views

```
List<View> ene.views.AbstractMasterView< CoreComponentType >.views = new ArrayList<>() [protected]
```

Contained view instances.

Definition at line 18 of file AbstractMasterView.java.


Referenced by ene.views. Abstract Master View < JFrame >.get All Views (), and ene.views. Abstract Master View < J $\leftarrow$  Frame >.set All Views ().

The documentation for this class was generated from the following file:


src/ene/views/AbstractMasterView.java

# 7.3 ene.models.AbstractModel Class Reference

Inheritance diagram for ene.models.AbstractModel:



Collaboration diagram for ene.models.AbstractModel:



### **Public Member Functions**

void addView (PartialView view)

## **Protected Member Functions**

• void changed ()

## **Protected Attributes**

• List< PartialView > views = new ArrayList<>()

#### **Additional Inherited Members**

## 7.3.1 Detailed Description

Abstract model.

Version

2.0.0

Definition at line 13 of file AbstractModel.java.

#### 7.3.2 Member Function Documentation

#### 7.3.2.1 addView()

```
\begin{tabular}{ll} {\tt void ene.models.AbstractModel.addView (} \\ {\tt PartialView \it view ()} \end{tabular}
```

Add related view.

#### **Parameters**



Implements ene.interfaces.Model.

Definition at line 20 of file AbstractModel.java.

# 7.3.2.2 changed()

```
void ene.models.AbstractModel.changed ( ) [protected]
```

Update event.

Definition at line 27 of file AbstractModel.java.


References ene.interfaces.PartialView< CoreComponentType, ModelType >.update().

Referenced by ene.models.TrackListModel.add(), ene.models.TrackListModel.remove(), ene.models.TrackModel.  $\leftarrow$  setArtist(), ene.models.TrackModel.setFilename(), ene.models.TrackModel.setGenre(), ene.models.TrackModel.  $\leftarrow$  setTitle(), and ene.models.PlayerModel.update().

Here is the call graph for this function:



Here is the caller graph for this function:



#### 7.3.3 Member Data Documentation

## 7.3.3.1 views

List<PartialView> ene.models.AbstractModel.views = new ArrayList<>() [protected]

Related views.


Definition at line 17 of file AbstractModel.java.

The documentation for this class was generated from the following file:


• src/ene/models/AbstractModel.java

# 7.4 ene.AbstractObject Class Reference

Inheritance diagram for ene. Abstract Object:



#### Collaboration diagram for ene. Abstract Object:



## **Static Public Member Functions**

- static void enableDebugMode ()
- static void disableDebugMode ()
- static boolean isDebugModeEnabled ()
- static void debugInfoAbout (Object object)
- static void consoleOutput (String text)

## **Protected Member Functions**

· void delay (long milliseconds)

### **Static Protected Attributes**

• static boolean <a href="debugModeEnabled">debugModeEnabled</a> = false

# 7.4.1 Detailed Description

Abstract object class.

Since

0.4.0

Version

1.0.1

Definition at line 11 of file AbstractObject.java.

#### 7.4.2 Member Function Documentation

## 7.4.2.1 consoleOutput()

## Console output.


#### **Parameters**

text	Text.

Definition at line 53 of file AbstractObject.java.

Referenced by ene.AbstractObject.debugInfoAbout(), and ene.Application.processArguments().

Here is the caller graph for this function:



## 7.4.2.2 debugInfoAbout()

# Debug info.

# **Parameters**


object	Object instance to show information about.

Definition at line 43 of file AbstractObject.java.


References ene.AbstractObject.consoleOutput(), and ene.AbstractObject.isDebugModeEnabled().

Referenced by ene.models.PlayerModel.load(), ene.models.PlayerModel.pause(), ene.views.gui.partial.Player $\leftarrow$  View.render(), ene.models.PlayerModel.start(), ene.models.PlayerModel.update(), and ene.views.gui.partial. $\leftarrow$  AbstractTrackListView.valueChanged().

Here is the call graph for this function:



Here is the caller graph for this function:



#### 7.4.2.3 delay()

Let's wait for a while in the current thread.


#### **Parameters**

milliseconds	Wait time in milliseconds.
--------------	----------------------------

Definition at line 61 of file AbstractObject.java.

Referenced by ene.models.PlayerModel.getTrackLength(), and ene.models.PlayerModel.getTrackPosition().

Here is the caller graph for this function:



## 7.4.2.4 disableDebugMode()

static void ene.AbstractObject.disableDebugMode ( ) [static]

Disables debug mode.

Definition at line 27 of file AbstractObject.java.

References ene. Abstract Object. debug Mode Enabled.

## 7.4.2.5 enableDebugMode()

static void ene.AbstractObject.enableDebugMode ( ) [static]

Enables debug mode.

Definition at line 20 of file AbstractObject.java.

References ene. Abstract Object. debug Mode Enabled.

Referenced by ene. Application.process Arguments().

Here is the caller graph for this function:



#### 7.4.2.6 isDebugModeEnabled()

static boolean ene.AbstractObject.isDebugModeEnabled ( ) [static]

Returns debug mode state.

#### Returns


Returns TRUE, if the debug mode is enabled. Otherwise FALSE.

Definition at line 35 of file AbstractObject.java.

References ene. Abstract Object. debug Mode Enabled.

Referenced by ene.AbstractObject.debugInfoAbout().

Here is the caller graph for this function:



# 7.4.3 Member Data Documentation

#### 7.4.3.1 debugModeEnabled

boolean ene.AbstractObject.debugModeEnabled = false [static], [protected]

Debug mode state.

Definition at line 15 of file AbstractObject.java.


 $Referenced\ by\ ene. Abstract Object. disable Debug Mode(),\ ene. Abstract Object. enable Debug Mode(),\ and\ ene. \hookleftarrow Abstract Object. is Debug Mode Enabled().$ 

The documentation for this class was generated from the following file:


• src/ene/AbstractObject.java

7.5 ene.views.AbstractPartialView < CoreComponentType, ModelType > Class Template Reference

 $Inheritance\ diagram\ for\ ene.views. Abstract Partial View < Core Component Type,\ Model Type >:$ 



Collaboration diagram for ene.views.AbstractPartialView < CoreComponentType, ModelType >:



### **Public Member Functions**

- void setModel (Model model)
- ModelType getModel ()

## **Protected Attributes**

ModelType model

**Additional Inherited Members** 

7.5.1 Detailed Description

Abstract partial view.

Since

0.11.0

Version

1.0.0

Definition at line 12 of file AbstractPartialView.java.

#### 7.5.2 Member Function Documentation

#### 7.5.2.1 getModel()

ModelType ene.views.AbstractPartialView< CoreComponentType, ModelType >.getModel ( )

Returns the model instance.

#### Returns


Model instance.

Implements ene.interfaces.PartialView< CoreComponentType, ModelType >.

Definition at line 25 of file AbstractPartialView.java.

Referenced by ene.views.gui.partial.LibraryView.render(), ene.views.gui.partial.LibraryView.update(), ene.views.compartial.PlayerView.updateProgress(), and ene.views.gui.partial.compartia

Here is the caller graph for this function:



## 7.5.2.2 setModel()

```
void ene.views.AbstractPartialView< CoreComponentType, ModelType >.setModel (
```

Sets the model instance.

#### **Parameters**


model	Model instance.

 $Implements\ ene. interfaces. Partial View < Core Component Type,\ Model Type >.$ 

Definition at line 20 of file AbstractPartialView.java.

Referenced by ene.views.gui.partial.LibraryView.LibraryView(), and ene.views.gui.partial.PlayerView.PlayerView().

Here is the caller graph for this function:



#### 7.5.3 Member Data Documentation

# 7.5.3.1 model

ModelType ene.views.AbstractPartialView< CoreComponentType, ModelType >.model [protected]

Model instance.

Definition at line 16 of file AbstractPartialView.java.


Referenced by ene.views.AbstractPartialView< JPanel, TrackListModel >.getModel().

The documentation for this class was generated from the following file:


• src/ene/views/AbstractPartialView.java

# 7.6 ene.views.gui.partial.AbstractTrackListView Class Reference

Inheritance diagram for ene.views.gui.partial.AbstractTrackListView:



Collaboration diagram for ene.views.gui.partial.AbstractTrackListView:



# **Public Member Functions**

· void valueChanged (ListSelectionEvent event)

# **Protected Member Functions**

- void setTable (JTable table)
- JTable getTable ()
- void setTableContent (DefaultTableModel tableContent)
- DefaultTableModel getTableContent ()
- void setPlayerController (Controller playerController)
- PlayerController getPlayerController ()
- void hideColumn (JTable table, int columnIndex)
- String getSelectedFilename ()

# **Protected Attributes**

- JTable table
- DefaultTableModel tableContent
- PlayerController playerController

**Additional Inherited Members** 7.6.1 Detailed Description Track list view. Since 0.14.0 Version 2.0.0 Definition at line 19 of file AbstractTrackListView.java. 7.6.2 Member Function Documentation 7.6.2.1 getPlayerController() PlayerController ene.views.gui.partial.AbstractTrackListView.getPlayerController ( ) [protected] Returns the player controller instance. Returns Player controller instance. Definition at line 89 of file AbstractTrackListView.java.  $References\ ene. views. gui. partial. Abstract Track List View. player Controller.$ Referenced by ene.views.gui.partial.AbstractTrackListView.valueChanged().

Here is the caller graph for this function:

#### 7.6.2.2 getSelectedFilename()

 $String \ ene.views.gui.partial. Abstract Track List View.get Selected Filename \ (\ ) \quad [protected]$ 

Returns the selected filename.

# Returns

Selected filename or empty string, if nothing is selected.

Since

0.12.0

Definition at line 109 of file AbstractTrackListView.java.


References ene.views.gui.partial.AbstractTrackListView.getTable().

Referenced by ene.views.gui.partial.LibraryView.render(), and ene.views.gui.partial.AbstractTrackListView.value Changed().

Here is the call graph for this function:



Here is the caller graph for this function:



#### 7.6.2.3 getTable()

JTable ene.views.gui.partial.AbstractTrackListView.getTable ( ) [protected]

Returns the table instance.

Returns

Table instance.

Definition at line 57 of file AbstractTrackListView.java.

References ene.views.gui.partial.AbstractTrackListView.table.

 $Referenced \ by \ ene. views.gui.partial. Abstract TrackList View.get Selected Filename ().$ 

Here is the caller graph for this function:



#### 7.6.2.4 getTableContent()

 ${\tt DefaultTableModel \ ene.views.gui.partial.AbstractTrackListView.getTableContent \ (\ ) \quad [protected]}$ 

Returns the table content instance.

Returns


Table content instance.

Definition at line 73 of file AbstractTrackListView.java.

References ene.views.gui.partial.AbstractTrackListView.tableContent.

Referenced by ene.views.gui.partial.LibraryView.loadContent(), and ene.views.gui.partial.LibraryView.render().

Here is the caller graph for this function:



# 7.6.2.5 hideColumn()

Hide table column.


#### **Parameters**

table	Table instance.
columnIndex	Column index.

Definition at line 98 of file AbstractTrackListView.java.

Referenced by ene.views.gui.partial.LibraryView.render().

Here is the caller graph for this function:



# 7.6.2.6 setPlayerController()

Sets the player controller instance.


# **Parameters**

playerController	Player controller instance.
------------------	-----------------------------

Definition at line 81 of file AbstractTrackListView.java.

Referenced by ene.views.gui.partial.LibraryView.LibraryView().

Here is the caller graph for this function:



#### 7.6.2.7 setTable()

Sets the table instance.

#### **Parameters**


table Table instance.
-----------------------

Definition at line 49 of file AbstractTrackListView.java.

References ene.views.gui.partial.AbstractTrackListView.table.

Referenced by ene.views.gui.partial.LibraryView.render().

Here is the caller graph for this function:



# 7.6.2.8 setTableContent()

```
\begin{tabular}{ll} void ene.views.gui.partial.AbstractTrackListView.setTableContent ( \\ DefaultTableModel \begin{tabular}{ll} tableContent ( \\ tableContent ( ) & tableContent ( ) \\
```

Sets the table content instance.

#### **Parameters**

```
tableContent Table content instance.
```

Definition at line 65 of file AbstractTrackListView.java.

 $References\ ene. views. gui.partial. Abstract Track List View. table Content.$ 


# 7.6.2.9 valueChanged()

```
void ene.views.gui.partial.AbstractTrackListView.valueChanged ( {\tt ListSelectionEvent}\ event\ )
```

Definition at line 119 of file AbstractTrackListView.java.

References ene.AbstractObject.debugInfoAbout(), ene.views.AbstractPartialView< CoreComponentType, Model Type >.getModel(), ene.views.gui.partial.AbstractTrackListView.getPlayerController(), ene.views.gui.partial.AbstractTrackListView.getPlayerController.load().

Here is the call graph for this function:



#### 7.6.3 Member Data Documentation

# 7.6.3.1 playerController

PlayerController ene.views.gui.partial.AbstractTrackListView.playerController [protected]

Player controller instance.

Definition at line 43 of file AbstractTrackListView.java.

Referenced by ene.views.gui.partial.AbstractTrackListView.getPlayerController().

# 7.6.3.2 table

JTable ene.views.gui.partial.AbstractTrackListView.table [protected]

Table instance.

Definition at line 23 of file AbstractTrackListView.java.

Referenced by ene.views.gui.partial.AbstractTrackListView.getTable(), ene.views.gui.partial.LibraryView.render(), and ene.views.gui.partial.AbstractTrackListView.setTable().

#### 7.6.3.3 tableContent

DefaultTableModel ene.views.gui.partial.AbstractTrackListView.tableContent [protected]

#### Initial value:

```
= new DefaultTableModel() {
    private static final long serialVersionUID = 1L;
    @Override
    public boolean isCellEditable(int row, int column) {
        return false;
    }
}
```

Table content instance.

Definition at line 28 of file AbstractTrackListView.java.


Referenced by ene.views.gui.partial.AbstractTrackListView.getTableContent(), ene.views.gui.partial.LibraryView. $\leftarrow$  loadContent(), ene.views.gui.partial.LibraryView.render(), and ene.views.gui.partial.AbstractTrackListView.set $\leftarrow$  TableContent().

The documentation for this class was generated from the following file:


• src/ene/views/gui/partial/AbstractTrackListView.java

# 7.7 ene.views.AbstractView < CoreComponentType > Class Template Reference

Inheritance diagram for ene.views.AbstractView < CoreComponentType >:



Collaboration diagram for ene.views.AbstractView < CoreComponentType >:



#### **Public Member Functions**

- void setTitle (String title)
- String getTitle ()
- void setCoreComponent (CoreComponentType coreComponent)
- CoreComponentType getCoreComponent ()
- · void setLayoutPosition (String layoutPosition)
- String getLayoutPosition ()

#### **Protected Attributes**

- String title = ""
- CoreComponentType coreComponent
- · String layoutPosition

# **Additional Inherited Members**

# 7.7.1 Detailed Description

Abstract view.

Version

1.1.0

Definition at line 11 of file AbstractView.java.

#### 7.7.2 Member Function Documentation

#### 7.7.2.1 getCoreComponent()

CoreComponentType ene.views.AbstractView< CoreComponentType >.getCoreComponent ( )

Returns the core component instance.

#### Returns

Core component instance.


Implements ene.interfaces.View < CoreComponentType >.

Definition at line 43 of file AbstractView.java.

References ene.views.AbstractView < CoreComponentType >.coreComponent.

Referenced by ene.views.gui.WindowView.getTitle(), ene.views.gui.partial.LibraryView.render(), and ene.views.⇔ gui.WindowView.setTitle().

Here is the caller graph for this function:



#### 7.7.2.2 getLayoutPosition()

String ene.views.AbstractView< CoreComponentType >.getLayoutPosition ( )

Returns the layout position.

# Returns

Layout position.

Implements ene.interfaces.View < CoreComponentType >.

Definition at line 53 of file AbstractView.java.


 $References\ ene. views. Abstract View < Core Component Type >. layout Position.$ 

# 7.7.2.3 getTitle() String ene.views.AbstractView< CoreComponentType >.getTitle ( ) Returns the title. Returns Title. Since 0.13.0 $Implements\ ene. interfaces. View < CoreComponent Type >.$ Definition at line 33 of file AbstractView.java. References ene.views.AbstractView < CoreComponentType >.title. 7.7.2.4 setCoreComponent() void ene.views.AbstractView< CoreComponentType >.setCoreComponent ( CoreComponentType coreComponent ) Sets the core component instance. **Parameters** *coreComponent* | Core component instance. Implements ene.interfaces. View < CoreComponentType >. Definition at line 38 of file AbstractView.java. References ene.views.AbstractView < CoreComponentType >.coreComponent.

Referenced by ene.views.gui.partial.ContentView.render(), ene.views.gui.WindowView.render(), ene.views.gui.

partial.LibraryView.render(), and ene.views.gui.partial.PlayerView.render().

Here is the caller graph for this function:



# 7.7.2.5 setLayoutPosition()

Sets the layout position.

# **Parameters**

layoutPosition	Layout position.


Implements ene.interfaces. View < CoreComponentType >.

Definition at line 48 of file AbstractView.java.

 $References\ ene. views. Abstract View < Core Component Type >. layout Position.$ 

Referenced by ene.views.gui.partial.LibraryView.LibraryView(), and ene.views.gui.partial.PlayerView.PlayerView().

Here is the caller graph for this function:



#### 7.7.2.6 setTitle()

Sets the title.

**Parameters** 



Since

0.13.0

Implements ene.interfaces. View < CoreComponentType >.

Definition at line 28 of file AbstractView.java.

References ene.views.AbstractView < CoreComponentType >.title.

Referenced by ene.views.gui.partial.LibraryView.LibraryView().

Here is the caller graph for this function:



# 7.7.3 Member Data Documentation

#### 7.7.3.1 coreComponent

 $\texttt{CoreComponentType} \ \ \textbf{ene.views.AbstractView} < \ \ \texttt{CoreComponentType} \ \ \textbf{>}.\texttt{coreComponent} \quad \text{[protected]}$ 

Core component instance.

Definition at line 20 of file AbstractView.java.

# 7.7.3.2 layoutPosition

String ene.views.AbstractView< CoreComponentType >.layoutPosition [protected]

Layout position.

Definition at line 25 of file AbstractView.java.

Referenced by ene.views.AbstractView< CoreComponentType >.getLayoutPosition(), and ene.views.Abstract ← View < CoreComponentType >.setLayoutPosition().

# 7.7.3.3 title

String ene.views.AbstractView< CoreComponentType >.title = "" [protected]

Title.

Definition at line 15 of file AbstractView.java.


Referenced by ene.views. Abstract View < CoreComponent Type > .get Title(), ene.views.gui.partial. Library View .  $\leftarrow$  render(), and ene.views. Abstract View < CoreComponent Type > .set Title().

The documentation for this class was generated from the following file:


• src/ene/views/AbstractView.java

# 7.8 ene. Application Class Reference

Inheritance diagram for ene. Application:



Collaboration diagram for ene. Application:



# **Static Public Member Functions**

• static void main (String args[])

# **Static Protected Member Functions**

- static void processArguments (String arguments[])
- static void run ()

# **Static Protected Attributes**

• static final String LIBRARY\_DATABASE\_FILE = "library.db"

**Additional Inherited Members** 

#### 7.8.1 Detailed Description

Bootstrap class.

Since

0.8.0

Version

1.2.0

Definition at line 21 of file Application.java.

#### 7.8.2 Member Function Documentation

# 7.8.2.1 main()

Entry point.

**Parameters** 

```
args Arguments.
```


Version

1.0.0

Definition at line 33 of file Application.java.

References ene.Application.processArguments(), and ene.Application.run().

Here is the call graph for this function:



# 7.8.2.2 processArguments()

Processes arguments.

#### **Parameters**

arguments	Arguments.
-----------	------------

Version


1.0.0

Definition at line 43 of file Application.java.


References ene. AbstractObject.consoleOutput(), and ene. AbstractObject.enableDebugMode().

Referenced by ene.Application.main().

Here is the call graph for this function:



Here is the caller graph for this function:



# 7.8.2.3 run()

static void ene.Application.run ( ) [static], [protected]

Runs application.

Version

1.1.0

Definition at line 64 of file Application.java.

References ene.interfaces.View< CoreComponentType >.render().

Referenced by ene.Application.main().

Here is the call graph for this function:



Here is the caller graph for this function:



# 7.8.3 Member Data Documentation

#### 7.8.3.1 LIBRARY\_DATABASE\_FILE

```
final String ene.Application.LIBRARY_DATABASE_FILE = "library.db" [static], [protected]
```

Library database file name.


Definition at line 25 of file Application.java.

The documentation for this class was generated from the following file:


src/ene/Application.java

# 7.9 ene.views.gui.partial.ContentView Class Reference

Inheritance diagram for ene.views.gui.partial.ContentView:



Collaboration diagram for ene.views.gui.partial.ContentView:



# **Public Member Functions**

- ContentView (View ... views)
- void render ()

**Additional Inherited Members** 

7.9.1 Detailed Description

Content view.

Version

4.1.0

Since

0.13.0

Definition at line 13 of file ContentView.java.

#### 7.9.2 Constructor & Destructor Documentation

# 7.9.2.1 ContentView()

Constructor.


#### **Parameters**

views	View instances.
-------	-----------------

Definition at line 18 of file ContentView.java.

References ene.views.AbstractMasterView< CoreComponentType >.addView().

Here is the call graph for this function:



# 7.9.3 Member Function Documentation

#### 7.9.3.1 render()

```
void ene.views.gui.partial.ContentView.render ( )
```


Renders the view.

 $Implements\ ene. interfaces. View < CoreComponent Type >.$ 

Definition at line 25 of file ContentView.java.

References ene.views.AbstractMasterView< CoreComponentType >.getAllViews(), and ene.views.AbstractView< CoreComponentType >.setCoreComponent().

Here is the call graph for this function:




The documentation for this class was generated from the following file:

• src/ene/views/gui/partial/ContentView.java

# 7.10 ene.interfaces.Controller < ModelType > Interface Template Reference

Inheritance diagram for ene.interfaces.Controller< ModelType >:



Collaboration diagram for ene.interfaces.Controller< ModelType >:

```
ene.interfaces.Controller

< ModelType >

+ setModel()

+ getModel()
```

# **Public Member Functions**

- void setModel (Model model)
- ModelType getModel ()

# 7.10.1 Detailed Description

Controller.

Version

1.0.0

Definition at line 9 of file Controller.java.

7.10.2 Member Function Documentation

```
7.10.2.1 getModel()
```

```
ModelType ene.interfaces.Controller< ModelType >.getModel ( )
```

Returns the model instance.

Returns

Model instance.

Implemented in ene.controllers.AbstractController< ModelType >.

```
7.10.2.2 setModel()
```

Sets the model instance.

#### **Parameters**

model	Model instance.
-------	-----------------


Implemented in ene.controllers.AbstractController< ModelType >.

The documentation for this interface was generated from the following file:

• src/ene/interfaces/Controller.java

# 7.11 ene.interfaces.DatabaseConnection Interface Reference

Inheritance diagram for ene.interfaces.DatabaseConnection:



Collaboration diagram for ene.interfaces.DatabaseConnection:

# ene.interfaces.DatabaseConnection + execute() + query()

#### **Public Member Functions**

- int execute (String statement) throws Exception
- List< Map< String, String > > query (String statement) throws Exception

# 7.11.1 Detailed Description

Database connection.

Since

0.9.0

Version

1.0.0

Definition at line 11 of file DatabaseConnection.java.

7.11.2 Member Function Documentation

# 7.11.2.1 execute()

```
int ene.interfaces.DatabaseConnection.execute ( {\tt String} \ statement \ ) \ {\tt throws} \ {\tt Exception}
```

Executes statement.

#### **Parameters**

statement Statement.

#### Returns

Number of affected rows.

Implemented in ene.databases.SQLDatabase.

Referenced by ene.controllers.LibraryController.saveToFile().

Here is the caller graph for this function:



# 7.11.2.2 query()

```
\label{list-Map-String} List<{\tt Map-String}, {\tt String} > {\tt ene.interfaces.DatabaseConnection.query} \ ( {\tt String} \ statement \ ) \ throws \ {\tt Exception}
```

Query statement.

#### **Parameters**

statement	Statement.
-----------	------------

# Returns

Returns a list of maps of rows.

Implemented in ene.databases.SQLDatabase.

 $Referenced\ by\ ene. controllers. Library Controller. load From File().$ 

Here is the caller graph for this function:




The documentation for this interface was generated from the following file:


• src/ene/interfaces/DatabaseConnection.java

# 7.12 ene.controllers.LibraryController Class Reference

Inheritance diagram for ene.controllers.LibraryController:



Collaboration diagram for ene.controllers.LibraryController:



#### **Public Member Functions**

- LibraryController (Model model)
- LibraryController (Model model, String databaseFilename)
- boolean loadFromFile (String filename)
- boolean saveToFile (String filename)
- boolean add (String filename)
- boolean remove (String filename)

# **Protected Member Functions**

- void setDatabaseFilename (String filename)
- String getDatabaseFilename ()
- boolean addFile (File file, String ... genre)
- boolean addDirectoryContent (File directory)
- int scan (File path, String ... genre)

# **Protected Attributes**

• String databaseFilename

#### **Static Protected Attributes**

- static final int DATABASE\_TIMEOUT = 30
- static final String DATABASE\_TABLE = "tracks"

# 7.12.1 Detailed Description

Library controller.

Version

3.1.0

Definition at line 17 of file LibraryController.java.

# 7.12.2 Constructor & Destructor Documentation

```
7.12.2.1 LibraryController() [1/2]
```

```
ene.controllers.LibraryController.LibraryController ( {\tt Model\ model\ })
```

Contructor.

**Parameters** 

```
model Library model instance.
```


Version

1.0.0

Definition at line 56 of file LibraryController.java.

 $References\ ene. controllers. Abstract Controller < Library Model > .set Model ().$ 

Here is the call graph for this function:



# **7.12.2.2** LibraryController() [2/2]

#### Contructor.

#### **Parameters**

model	Library model instance.
databaseFilename	Database file path.

#### Since

0.16.0


### Version

1.0.0

Definition at line 67 of file LibraryController.java.

References ene.controllers.LibraryController.loadFromFile(), ene.controllers.LibraryController.setDatabase  $\leftarrow$  Filename(), and ene.controllers.AbstractController< LibraryModel >.setModel().

Here is the call graph for this function:



#### 7.12.3 Member Function Documentation

# 7.12.3.1 add()

```
boolean ene.controllers.LibraryController.add ( {\tt String} \ \textit{filename} \ )
```

# Adds a file to the library.

#### **Parameters**

#### Returns

Returns TRUE, if successful. Otherwise FALSE.

#### Since

0.12.0

# Version


1.1.0

Definition at line 153 of file LibraryController.java.

References ene.controllers.LibraryController.addDirectoryContent(), ene.controllers.LibraryController.addFile(), ene.controllers.LibraryController.getDatabaseFilename(), and ene.controllers.LibraryController.saveToFile().

Referenced by ene.views.gui.partial.LibraryView.render().

Here is the call graph for this function:



Here is the caller graph for this function:



# 7.12.3.2 addDirectoryContent()

```
boolean ene.controllers.LibraryController.addDirectoryContent ( \label{eq:controllers} \mbox{File } \mbox{\it directory} \mbox{\it )} \mbox{\it [protected]}
```

Adds the files of a whole directory to the library.

#### **Parameters**

directory	File instance of the directory.
-----------	---------------------------------

# Returns


Returns TRUE, if successful. Otherwise FALSE.

Definition at line 210 of file LibraryController.java.

References ene.controllers.LibraryController.scan().

Referenced by ene.controllers.LibraryController.add().

Here is the call graph for this function:



Here is the caller graph for this function:



# 7.12.3.3 addFile()

# Adds a file to the library.

#### **Parameters**

file	File instance.
genre	Given track genre (Optional, for internal usage only).

#### Returns


Returns TRUE, if successful. Otherwise FALSE.

Definition at line 189 of file LibraryController.java.

References ene.models.TrackModel.detectArtist(), ene.models.TrackModel.detectTitle(), and ene.controllers. 
AbstractController< LibraryModel > .getModel().

Referenced by ene.controllers.LibraryController.add(), and ene.controllers.LibraryController.scan().

Here is the call graph for this function:



Here is the caller graph for this function:



# 7.12.3.4 getDatabaseFilename()

String ene.controllers.LibraryController.getDatabaseFilename ( ) [protected]

Returns the database file path.

#### Returns

Database file path.

Since

0.16.0

Definition at line 47 of file LibraryController.java.

References ene.controllers.LibraryController.databaseFilename.

Referenced by ene.controllers.LibraryController.add(), and ene.controllers.LibraryController.remove().

Here is the caller graph for this function:



# 7.12.3.5 loadFromFile()

```
boolean ene.controllers.LibraryController.loadFromFile ( {\tt String} \ \textit{filename} \ )
```

Loads the model from a file.

# **Parameters**

```
filename File path.
```

### Returns

Returns TRUE if successful. Otherwise FALSE.

Since

0.16.0

Version


1.0.0

Definition at line 80 of file LibraryController.java.


 $References \ ene. controllers. Abstract Controller < \ Library Model > .get Model (), \ and \ ene. interfaces. Database \leftarrow Connection. query ().$ 

Referenced by ene.controllers.LibraryController.LibraryController().

Here is the call graph for this function:



Here is the caller graph for this function:



### 7.12.3.6 remove()

```
boolean ene.controllers.LibraryController.remove ( {\tt String} \ filename \ )
```

Removes a file from the library.

### **Parameters**

filename	File path.

## Returns

Returns TRUE, if successful. Otherwise FALSE.

Since

0.10.0


Version

1.1.0

Definition at line 175 of file LibraryController.java.

 $References\ ene. controllers. Library Controller. get Database Filename (),\ ene. controllers. Abstract Controller < Library \leftarrow Model > .get Model (),\ and\ ene. controllers. Library Controller. save To File ().$ 

Here is the call graph for this function:



### 7.12.3.7 saveToFile()

```
boolean ene.controllers.LibraryController.saveToFile ( String \ \textit{filename} \ )
```

Save the model to a file.

Parameters

filename	File path.

Returns

Returns TRUE if successful. Otherwise FALSE.

Since

0.16.0

Version


1.0.0

Definition at line 123 of file LibraryController.java.


References ene.interfaces.DatabaseConnection.execute(), ene.models.TrackModel.getArtist(), ene.models.TrackModel.getFilename(), ene.models.TrackModel.getGenre(), and ene.models.TrackModel.getTitle().

Referenced by ene.controllers.LibraryController.add(), and ene.controllers.LibraryController.remove().

Here is the call graph for this function:



Here is the caller graph for this function:



### 7.12.3.8 scan()

Scans and adds files recursively.

## **Parameters**

path	File instance of the path.
genre	Given track genre (Optional, for internal usage only).

### Returns

Returns the amount of added files.

Definition at line 224 of file LibraryController.java.

References ene.controllers.LibraryController.addFile().

Referenced by ene.controllers.LibraryController.addDirectoryContent().

Here is the call graph for this function:



Here is the caller graph for this function:

```
ene.controllers.LibraryController.scan ene.controllers.LibraryController.add ene.controllers.LibraryController.add ene.controllers.LibraryController.add ene.controllers.LibraryController.add ene.controllers.LibraryController.add
```

## 7.12.3.9 setDatabaseFilename()

```
\begin{tabular}{ll} \begin{tabular}{ll} void ene.controllers. Library Controller. set Database Filename ( \\ String & filename ) & [protected] \end{tabular}
```

Sets the database file path.

### **Parameters**

filename	Database file path.
Illerianie	Dalabase IIIe palii.


Since

0.16.0

Definition at line 38 of file LibraryController.java.

Referenced by ene.controllers.LibraryController.LibraryController().

Here is the caller graph for this function:



### 7.12.4 Member Data Documentation

## 7.12.4.1 DATABASE\_TABLE

final String ene.controllers.LibraryController.DATABASE\_TABLE = "tracks" [static], [protected]

Database table name.

Definition at line 26 of file LibraryController.java.

## 7.12.4.2 DATABASE\_TIMEOUT

final int ene.controllers.LibraryControllers.DATABASE\_TIMEOUT = 30 [static], [protected]

Database connection timeout in seconds.

Definition at line 21 of file LibraryController.java.

## 7.12.4.3 databaseFilename

String ene.controllers.LibraryController.databaseFilename [protected]

Database file path.

Definition at line 31 of file LibraryController.java.


Referenced by ene.controllers.LibraryController.getDatabaseFilename().

The documentation for this class was generated from the following file:


• src/ene/controllers/LibraryController.java

# 7.13 ene.models.LibraryModel Class Reference

Inheritance diagram for ene.models.LibraryModel:



Collaboration diagram for ene.models.LibraryModel:



## **Public Member Functions**

- Map< String, TrackModel > getByArtist (String artist)
- Map< String, TrackModel > getByTitle (String title)
- Map< String, TrackModel > getByGenre (String genre)
- Map< String, TrackModel > search (String title, String artist, String genre)

## **Additional Inherited Members**

### 7.13.1 Detailed Description

Library model.

Version

4.1.0

Definition at line 12 of file LibraryModel.java.

### 7.13.2 Member Function Documentation

# 7.13.2.1 getByArtist()

Returns all tracks by an particular artist.

#### **Parameters**

```
artist Artist.
```

Returns

Tracks.


Since

0.10.0

Definition at line 19 of file LibraryModel.java.

 $References\ ene. models. Track Model. get Artist(),\ ene. models. Track Model. get Filename(),\ and\ ene. models. Track List \longleftrightarrow Model. tracks.$ 

Here is the call graph for this function:



## 7.13.2.2 getByGenre()

Returns all tracks from a particular genre.

### **Parameters**

genre Genre.

Returns

Tracks.


Since

0.10.0

Definition at line 53 of file LibraryModel.java.

 $References\ ene.models. Track Model. get Genre(),\ and\ ene.models. Track Model. get Genre(),\ and\ ene.models. Track List Model. tracks.$ 

Here is the call graph for this function:



# 7.13.2.3 getByTitle()

Returns all tracks with a particular title.

### **Parameters**

title Title.

## Returns

Tracks.


Since

0.10.0

Definition at line 36 of file LibraryModel.java.

 $References\ ene. models. Track Model. get Filename (),\ ene. models. Track Model. get Title (),\ and\ ene. models. Track List {\it constant} Model. tracks.$ 

Here is the call graph for this function:



## 7.13.2.4 search()

Returns all matching tracks.

### **Parameters**

title	Title.
artist	Artist.
genre	Genre.

## Returns

Map of tracks and it's absolute file path.

Since

0.15.0


Version

1.0.0

Definition at line 73 of file LibraryModel.java.

 $References\ ene.models. TrackModel. getArtist(),\ ene.models. TrackModel. getFilename(),\ ene.models. TrackModel. getGenre(),\ ene.models. TrackModel. getTitle(),\ and\ ene.models. TrackListModel. tracks.$ 

Here is the call graph for this function:




The documentation for this class was generated from the following file:


• src/ene/models/LibraryModel.java

# 7.14 ene.views.gui.partial.LibraryView Class Reference

Inheritance diagram for ene.views.gui.partial.LibraryView:



Collaboration diagram for ene.views.gui.partial.LibraryView:



### **Public Member Functions**

- LibraryView (Model model, Controller libraryController, Controller playerController)
- void update ()
- void render ()

## **Protected Member Functions**

- void setLibraryController (Controller libraryController)
- LibraryController getLibraryController ()
- void loadContent (Map< String, TrackModel > tracks)

## **Protected Attributes**

LibraryController libraryController

**Additional Inherited Members** 

7.14.1 Detailed Description

Library view.

Version

2.2.0

Since

0.13.0

Definition at line 32 of file LibraryView.java.

7.14.2 Constructor & Destructor Documentation

## 7.14.2.1 LibraryView()

Constructor.

### **Parameters**

model	Library model instance.
libraryController	Library controller instance.
playerController	Player controller instance.


Version

1.1.0

Definition at line 61 of file LibraryView.java.

References ene.interfaces.Model.addView(), ene.interfaces.Localization.getString(), ene.views.AbstractView < CoreComponentType >.setLayoutPosition(), ene.views.gui.partial.LibraryView.setLibraryController(), ene.views.coreComponentType, ModelType >.setModel(), ene.views.gui.partial.AbstractTrackListcoreComponentType >.setTitle().

Here is the call graph for this function:



# 7.14.3 Member Function Documentation

## 7.14.3.1 getLibraryController()

LibraryController ene.views.gui.partial.LibraryView.getLibraryController ( ) [protected]

Returns the library controller instance.

## Returns


Library controller instance.

Definition at line 50 of file LibraryView.java.

References ene.views.gui.partial.LibraryView.libraryController.

Referenced by ene.views.gui.partial.LibraryView.render().

Here is the caller graph for this function:



## 7.14.3.2 loadContent()

```
void ene.views.gui.partial.LibraryView.loadContent ( {\tt Map} < {\tt String, TrackModel} > tracks \;) \quad [{\tt protected}]
```

Loads the table content from the model.

#### **Parameters**


tracks	Map of Tracks.
--------	----------------

Definition at line 74 of file LibraryView.java.

References ene.models.TrackModel.getArtist(), ene.models.TrackModel.getFilename(), ene.models.TrackModel. $\leftarrow$  getGenre(), ene.views.gui.partial.AbstractTrackListView.getTableContent(), ene.models.TrackModel.getTitle(), and ene.views.gui.partial.AbstractTrackListView.tableContent.

Referenced by ene.views.gui.partial.LibraryView.render(), and ene.views.gui.partial.LibraryView.update().

Here is the call graph for this function:



Here is the caller graph for this function:



#### 7.14.3.3 render()

```
void ene.views.gui.partial.LibraryView.render ( )
```


Renders the view.

Implements ene.interfaces.View < CoreComponentType >.

Definition at line 89 of file LibraryView.java.

References ene.controllers.LibraryController.add(), ene.views.AbstractView< CoreComponentType >.getCore Component(), ene.views.gui.partial.LibraryView.getLibraryController(), ene.views.AbstractPartialView< Core ComponentType, ModelType >.getModel(), ene.views.gui.partial.AbstractTrackListView.getSelectedFilename(), ene.interfaces.Localization.getString(), ene.views.gui.partial.AbstractTrackListView.getTableContent(), ene.componentInterfaces.Localization.getString(), ene.views.gui.partial.AbstractTrackListView.hideColumn(), ene.views.gui.partial.LibraryView.loadContent(), ene.componentInterfaces.Localization.getString(), ene.component(), ene.views.gui.partial.AbstractTrackListView.component(), ene.views.gui.partial.AbstractTrackListView.component(), ene.views.gui.partial.AbstractTrackListView.tablecontent(), ene.views.gui.partial.Abstr

Here is the call graph for this function:



## 7.14.3.4 setLibraryController()

Sets the library controller instance.


#### **Parameters**

libraryController	Library controller instance.
-------------------	------------------------------

Definition at line 42 of file LibraryView.java.

Referenced by ene.views.gui.partial.LibraryView.LibraryView().

Here is the caller graph for this function:



## 7.14.3.5 update()

void ene.views.gui.partial.LibraryView.update ( )

Request update.


 $Implements\ ene. interfaces. Partial View < Core Component Type,\ Model Type >.$ 

Definition at line 84 of file LibraryView.java.


 $References\ ene. views. Abstract Partial View < Core Component Type,\ Model Type > .get Model (),\ and\ ene. views. gui. \leftarrow partial. Library View. load Content ().$ 

Referenced by ene.views.gui.partial.LibraryView.render().

Here is the call graph for this function:



Here is the caller graph for this function:



### 7.14.4 Member Data Documentation

## 7.14.4.1 libraryController

LibraryController ene.views.gui.partial.LibraryView.libraryController [protected]

Library controller instance.

Definition at line 36 of file LibraryView.java.


Referenced by ene.views.gui.partial.LibraryView.getLibraryController().

The documentation for this class was generated from the following file:


• src/ene/views/gui/partial/LibraryView.java

### 7.15 ene.interfaces.Localization Interface Reference

Inheritance diagram for ene.interfaces.Localization:



Collaboration diagram for ene.interfaces.Localization:



### **Public Member Functions**

• default String getString (String stringName)

# **Static Public Attributes**

• static final String DEFAULT\_LOCALE = "en\_US"

# 7.15.1 Detailed Description

Localization.

Version

1.0.1

Definition at line 10 of file Localization.java.

## 7.15.2 Member Function Documentation

# 7.15.2.1 getString()

```
default String ene.interfaces.Localization.getString ( {\tt String} \ string{\tt Name} \ )
```

Get the localized string.

#### **Parameters**

stringName	String name.
------------	--------------


### Returns

Localized string.

Definition at line 21 of file Localization.java.

Referenced by ene.views.gui.partial.LibraryView.LibraryView(), ene.views.gui.WindowView.render(), ene.views.cui.partial.LibraryView.render(), ene.views.gui.partial.PlayerView.render(), and ene.views.gui.partial.PlayerView.cupdate().

Here is the caller graph for this function:



## 7.15.3 Member Data Documentation

## 7.15.3.1 DEFAULT\_LOCALE

final String ene.interfaces.Localization.DEFAULT\_LOCALE = "en\_US" [static]

Default locale.


Definition at line 14 of file Localization.java.

The documentation for this interface was generated from the following file:


src/ene/interfaces/Localization.java

7.16 ene.interfaces.MasterView < CoreComponentType > Interface Template Reference

Inheritance diagram for ene.interfaces.MasterView < CoreComponentType >:



 $Collaboration\ diagram\ for\ ene. interfaces. Master View < Core Component Type >:$ 



## **Public Member Functions**

- void addView (View view)
- void setAllViews (List< View > views)
- List< View > getAllViews ()

# 7.16.1 Detailed Description

Master view.

Since

0.3.0

Version

2.0.0

Definition at line 11 of file MasterView.java.

#### 7.16.2 Member Function Documentation

## 7.16.2.1 addView()

Adds view instance.

#### **Parameters**

view View instance.

 $Implemented \ in \ ene.views. Abstract Master View < Core Component Type >.$ 

### 7.16.2.2 getAllViews()

```
List<View> ene.interfaces.MasterView< CoreComponentType >.getAllViews ( )
```

Returns all contained view instances.

## Returns

List of view instaces.

 $Implemented \ in \ ene. views. Abstract Master View < Core Component Type >.$ 

# 7.16.2.3 setAllViews()

```
void ene.interfaces.MasterView<br/>< CoreComponentType >.setAllViews ( List<br/>< View > views )
```

Sets all contained view instances.

### **Parameters**

views	List of view instaces.


Implemented in ene.views.AbstractMasterView< CoreComponentType >.

The documentation for this interface was generated from the following file:


• src/ene/interfaces/MasterView.java

## 7.17 ene.interfaces.Model Interface Reference

Inheritance diagram for ene.interfaces.Model:



Collaboration diagram for ene.interfaces.Model:



**Public Member Functions** 

• void addView (PartialView view)

## 7.17.1 Detailed Description

Model.

Version

2.0.0

Definition at line 9 of file Model.java.

#### 7.17.2 Member Function Documentation

### 7.17.2.1 addView()

Add related view.


**Parameters** 



Implemented in ene.models.AbstractModel.

Referenced by ene.views.gui.partial.LibraryView.LibraryView(), and ene.views.gui.partial.PlayerView.PlayerView().

Here is the caller graph for this function:




The documentation for this interface was generated from the following file:


src/ene/interfaces/Model.java

7.18 ene.interfaces.PartialView < CoreComponentType, ModelType > Interface Template Reference

Inheritance diagram for ene.interfaces.PartialView< CoreComponentType, ModelType >:



 $Collaboration\ diagram\ for\ ene. interfaces. Partial View < Core Component Type,\ Model Type >:$ 



## **Public Member Functions**

- void setModel (Model model)
- ModelType getModel ()
- void update ()

# 7.18.1 Detailed Description

Partial view.

Since

0.11.0

Version

1.0.0

Definition at line 11 of file PartialView.java.

#### 7.18.2 Member Function Documentation

## 7.18.2.1 getModel()

```
ModelType ene.interfaces.PartialView< CoreComponentType, ModelType >.getModel ()
```

Returns the model instance.

### Returns

Model instance.

 $Implemented \ in \ ene. views. Abstract Partial View < Core Component Type, \ Model Type > .$ 

### 7.18.2.2 setModel()

Sets the model instance.

### **Parameters**

model	Model instance.
-------	-----------------

Implemented in ene.views.AbstractPartialView< CoreComponentType, ModelType >.

## 7.18.2.3 update()


```
void ene.interfaces.PartialView< CoreComponentType, ModelType >.update ( )
```

Request update.

Implemented in ene.views.gui.partial.PlayerView, and ene.views.gui.partial.LibraryView.

Referenced by ene.models.AbstractModel.changed().

Here is the caller graph for this function:




The documentation for this interface was generated from the following file:


• src/ene/interfaces/PartialView.java

# 7.19 ene.controllers.PlayerController Class Reference

Inheritance diagram for ene.controllers.PlayerController:



Collaboration diagram for ene.controllers.PlayerController:



# **Public Member Functions**

- PlayerController (Model model)
- void changeTrackPosition (int newPosition)
- boolean load (TrackModel track)
- void togglePlayback ()

**Additional Inherited Members** 

7.19.1 Detailed Description

Player controller.

Version

1.0.0

Definition at line 13 of file PlayerController.java.

7.19.2 Constructor & Destructor Documentation

# 7.19.2.1 PlayerController()

```
ene.controllers.PlayerController.PlayerController ( {\tt Model\ model\ })
```

Constructor.

**Parameters** 

model Player model instance.

Definition at line 18 of file PlayerController.java.

 $References\ ene. controllers. Abstract Controller < Player Model > .set Model ().$ 

Here is the call graph for this function:



## 7.19.3 Member Function Documentation

# 7.19.3.1 changeTrackPosition()

Changes the current track position.

### **Parameters**


newPosition New track	position in seconds.
-----------------------	----------------------

Definition at line 26 of file PlayerController.java.


References ene.controllers.AbstractController< PlayerModel >.getModel().

Referenced by ene.views.gui.partial.PlayerView.render(), and ene.views.gui.partial.PlayerView.resetProgress().

Here is the call graph for this function:



Here is the caller graph for this function:



## 7.19.3.2 load()

Load track.

### **Parameters**

|--|

# Returns

Returns TRUE, if successful. Otherwise FALSE.

Definition at line 35 of file PlayerController.java.

References ene.controllers.AbstractController< PlayerModel >.getModel().

Referenced by ene.views.gui.partial.AbstractTrackListView.valueChanged().

Here is the call graph for this function:



Here is the caller graph for this function:



## 7.19.3.3 togglePlayback()

```
void ene.controllers.PlayerController.togglePlayback ( )
```

Toggle playback.

Definition at line 42 of file PlayerController.java.

References ene.controllers.AbstractController< PlayerModel >.getModel().

Referenced by ene.views.gui.partial.PlayerView.render().

Here is the call graph for this function:





Here is the caller graph for this function:




The documentation for this class was generated from the following file:


• src/ene/controllers/PlayerController.java

# 7.20 ene.models.PlayerModel Class Reference

Inheritance diagram for ene.models.PlayerModel:



Collaboration diagram for ene.models.PlayerModel:



### **Public Member Functions**

- Clip getClip ()
- LineEvent getLastEvent ()
- int getTrackLength ()
- void setTrackPosition (int position)
- int getTrackPosition ()
- boolean load (TrackModel track)
- boolean start ()
- boolean pause ()
- void update (LineEvent event)

# **Protected Member Functions**

- void setClip (Clip clip)
- void setLastEvent (LineEvent event)

## **Package Attributes**

- Clip clip
- LineEvent lastEvent
- int trackLength

**Additional Inherited Members** 

7.20.1 Detailed Description

Player model.

Version

1.0.0

Definition at line 18 of file PlayerModel.java.

7.20.2 Member Function Documentation

7.20.2.1 getClip()

Clip ene.models.PlayerModel.getClip ( )

Returns the clip.

Returns


Clip instance.

Definition at line 46 of file PlayerModel.java.

References ene.models.PlayerModel.clip.

 $Referenced\ by\ ene. models. Player Model. get Track Length(),\ ene. models. Player Model. get Track Position(),\ ene. models. Player Model. get Track Position(),\ ene. models. Player Model. get Track Position(),\ and\ ene. models. Player Model. set Track Position(),\ and\ ene. models. Player Model. set Track Position().$ 

Here is the caller graph for this function:



### 7.20.2.2 getLastEvent()

LineEvent ene.models.PlayerModel.getLastEvent ( )

Returns the last event.

Returns

Line event instance.

Definition at line 62 of file PlayerModel.java.

References ene.models.PlayerModel.lastEvent.

### 7.20.2.3 getTrackLength()

int ene.models.PlayerModel.getTrackLength ( )

Returns the track length.

Returns


Track length in seconds.

Definition at line 70 of file PlayerModel.java.


References ene.AbstractObject.delay(), and ene.models.PlayerModel.getClip().

Referenced by ene.views.gui.partial.PlayerView.update().

Here is the call graph for this function:



Here is the caller graph for this function:



### 7.20.2.4 getTrackPosition()

```
int ene.models.PlayerModel.getTrackPosition ( )
```

Returns the current track position.

### Returns


Current track position in seconds.

Definition at line 87 of file PlayerModel.java.


 $References\ ene. Abstract Object. delay (),\ and\ ene. models. Player Model. get Clip ().$ 

Referenced by ene.models.PlayerModel.setTrackPosition(), and ene.views.gui.partial.PlayerView.update().

Here is the call graph for this function:



Here is the caller graph for this function:



### 7.20.2.5 load()

Load track. Implementation inpired by: https://www.tutorials.de/threads/kontinuierlich-laufende-hinte 359029

#### **Parameters**


### Returns

Returns TRUE, if successful. Otherwise FALSE.

Definition at line 98 of file PlayerModel.java.

References ene. Abstract Object. debug Info About (), ene. models. Player Model. get Clip (), ene. models. Player Model.  $\leftarrow$  get Filename (), and ene. models. Player Model. set Clip ().

Here is the call graph for this function:



### 7.20.2.6 pause()

boolean ene.models.PlayerModel.pause ( )

## Pause playing.


### Returns

Returns TRUE, if successful. Otherwise FALSE.

Definition at line 140 of file PlayerModel.java.

 $References\ ene. Abstract Object. debug Info About (),\ and\ ene. models. Player Model. get Clip ().$ 

Here is the call graph for this function:



### 7.20.2.7 setClip()

```
void ene.models.PlayerModel.setClip ( {\tt Clip}~clip~)~[{\tt protected}]
```

Sets the clip.

### **Parameters**

clip Clip instance.

Definition at line 38 of file PlayerModel.java.

References ene.models.PlayerModel.clip.

Referenced by ene.models.PlayerModel.load().

Here is the caller graph for this function:



# 7.20.2.8 setLastEvent()

Sets the last event.

#### **Parameters**

event Line event instance.

Definition at line 54 of file PlayerModel.java.

Referenced by ene.models.PlayerModel.update().

Here is the caller graph for this function:



### 7.20.2.9 setTrackPosition()

```
void ene.models.PlayerModel.setTrackPosition ( int\ position\ )
```

Sets the current track position.

## **Parameters**

position	Track position in seconds.

Definition at line 79 of file PlayerModel.java.

 $References\ ene. models. Player Model. get Clip(),\ and\ ene. models. Player Model. get Track Position().$ 

Here is the call graph for this function:



# 7.20.2.10 start()

```
boolean ene.models.PlayerModel.start ( )
```

# Start playing.


#### Returns

Returns TRUE, if successful. Otherwise FALSE.

Definition at line 126 of file PlayerModel.java.

References ene. AbstractObject.debugInfoAbout(), and ene. models. PlayerModel.getClip().

Here is the call graph for this function:




### 7.20.2.11 update()

Definition at line 151 of file PlayerModel.java.

 $References\ ene. models. Abstract Model. changed (),\ ene. Abstract Object. debug Info About (),\ and\ ene. models. Player \leftarrow Model. set Last Event ().$ 

Here is the call graph for this function:



### 7.20.3 Member Data Documentation

#### 7.20.3.1 clip

Clip ene.models.PlayerModel.clip [package]

Clip instance.


Definition at line 22 of file PlayerModel.java.

 $Referenced \ by \ ene. models. Player Model. get Clip (), \ and \ ene. models. Player Model. set Clip ().$ 


7.20.3.2 lastEvent
LineEvent ene.models.PlayerModel.lastEvent [package]
Line event instance.
Definition at line 27 of file PlayerModel.java.
Referenced by ene.models.PlayerModel.getLastEvent().
7.20.3.3 trackLength
<pre>int ene.models.PlayerModel.trackLength [package]</pre>
Track length.
Definition at line 32 of file PlayerModel.java.
The documentation for this class was generated from the following file:
src/ene/models/PlayerModel.java

# 7.21 ene.views.gui.partial.PlayerView Class Reference

Inheritance diagram for ene.views.gui.partial.PlayerView:



Collaboration diagram for ene.views.gui.partial.PlayerView:



# **Public Member Functions**

- PlayerView (Model model, Controller playerController)
- void update ()
- void render ()

## **Protected Member Functions**

- void setPlayerController (Controller playerController)
- PlayerController getPlayerController ()
- void enablePlayerControls ()
- void disablePlayerControls ()
- void updateProgress ()
- void resetProgress ()
- String formatTimeToString (int timeInSeconds)

### **Protected Attributes**

- PlayerController playerController
- JButton playButton
- JSlider progressSlider
- · JLabel progressLabel

### **Package Attributes**

- Timer progressTimer
- SimpleDateFormat trackTimeFormat

**Additional Inherited Members** 

7.21.1 Detailed Description

Player view.

Version

2.1.1

Definition at line 26 of file PlayerView.java.

7.21.2 Constructor & Destructor Documentation

## 7.21.2.1 PlayerView()

### Constructor.

## **Parameters**

model	Player model instance.
playerController	Player controller instance.


Version

1.1.0

Definition at line 79 of file PlayerView.java.

References ene.interfaces.Model.addView(), ene.views.AbstractView< CoreComponentType >.setLayout $\leftarrow$  Position(), ene.views.AbstractPartialView< CoreComponentType, ModelType >.setModel(), and ene.views. $\leftarrow$  gui.partial.PlayerView.setPlayerController().

Here is the call graph for this function:



### 7.21.3 Member Function Documentation

# 7.21.3.1 disablePlayerControls()


void ene.views.gui.partial.PlayerView.disablePlayerControls ( ) [protected]

Disables player controls.

Definition at line 98 of file PlayerView.java.

Referenced by ene.views.gui.partial.PlayerView.render(), and ene.views.gui.partial.PlayerView.update().

Here is the caller graph for this function:



### 7.21.3.2 enablePlayerControls()

void ene.views.gui.partial.PlayerView.enablePlayerControls ( ) [protected]

Enables player controls.

Definition at line 89 of file PlayerView.java.

Referenced by ene.views.gui.partial.PlayerView.update().

Here is the caller graph for this function:



## 7.21.3.3 formatTimeToString()

```
String ene.views.gui.partial.PlayerView.formatTimeToString ( int \ timeInSeconds \ ) \quad [protected]
```

Returns a string representation of the time.

## **Parameters**

timeInSeconds	Time in seconds.

# Returns

String representation of the time.

Definition at line 132 of file PlayerView.java.

Referenced by ene.views.gui.partial.PlayerView.updateProgress().

Here is the caller graph for this function:



### 7.21.3.4 getPlayerController()

PlayerController ene.views.gui.partial.PlayerView.getPlayerController ( ) [protected]

Returns the player controller instance.

### Returns


Player controller instance.

Definition at line 69 of file PlayerView.java.

 $References\ ene. views. gui. partial. Player View. player Controller.$ 

Referenced by ene.views.gui.partial.PlayerView.render(), and ene.views.gui.partial.PlayerView.resetProgress().

Here is the caller graph for this function:



## 7.21.3.5 render()

```
void ene.views.gui.partial.PlayerView.render ( )
```


Renders the view.

Implements ene.interfaces. View < CoreComponentType >.

Definition at line 162 of file PlayerView.java.

References ene.controllers.PlayerController.changeTrackPosition(), ene.AbstractObject.debugInfoAbout(), ene. views.gui.partial.PlayerView.disablePlayerControls(), ene.views.gui.partial.PlayerView.getPlayerController(), ene. views.gui.partial.PlayerView.getPlayerController(), ene. views.abstractView CoreComponentType >.setCoreComponent(), ene. controllers.PlayerController.togglePlayback(), and ene.views.gui.partial.PlayerView.updateProgress().

Here is the call graph for this function:



# 7.21.3.6 resetProgress()

void ene.views.gui.partial.PlayerView.resetProgress ( ) [protected]


Resets the track progress.

Definition at line 122 of file PlayerView.java.


References ene.controllers.PlayerController.changeTrackPosition(), ene.views.gui.partial.PlayerView.getPlayer  $\leftarrow$  Controller(), and ene.views.gui.partial.PlayerView.updateProgress().

Referenced by ene.views.gui.partial.PlayerView.update().

Here is the call graph for this function:



Here is the caller graph for this function:



## 7.21.3.7 setPlayerController()

Sets the player controller instance.


#### **Parameters**

er controller instance.
-------------------------

Definition at line 61 of file PlayerView.java.

Referenced by ene.views.gui.partial.PlayerView.PlayerView().

Here is the caller graph for this function:



# 7.21.3.8 update()

```
void ene.views.gui.partial.PlayerView.update ( )
```


Request update.

Implements ene.interfaces.PartialView< CoreComponentType, ModelType >.

Definition at line 137 of file PlayerView.java.

References ene.views.gui.partial.PlayerView.disablePlayerControls(), ene.views.gui.partial.PlayerView.enable  $\leftarrow$  PlayerControls(), ene.views.AbstractPartialView < CoreComponentType, ModelType >.getModel(), ene. $\leftarrow$  interfaces.Localization.getString(), ene.models.PlayerModel.getTrackLength(), ene.models.PlayerModel.getTrackLength(), ene.models.PlayerModel.getTrackLength(), and ene.views.gui.partial.PlayerView.resetProgress().

Here is the call graph for this function:



### 7.21.3.9 updateProgress()

void ene.views.gui.partial.PlayerView.updateProgress ( ) [protected]


Updates the progress slider and label.

Definition at line 107 of file PlayerView.java.


References ene.views.gui.partial.PlayerView.formatTimeToString(), and ene.views.AbstractPartialView < Core  $\leftarrow$  ComponentType, ModelType >.getModel().

Referenced by ene.views.gui.partial.PlayerView.render(), and ene.views.gui.partial.PlayerView.resetProgress().

Here is the call graph for this function:



Here is the caller graph for this function:



#### 7.21.4 Member Data Documentation

### 7.21.4.1 playButton

JButton ene.views.gui.partial.PlayerView.playButton [protected]

Play/Stop button.

Definition at line 35 of file PlayerView.java.

## 7.21.4.2 playerController

PlayerController ene.views.gui.partial.PlayerView.playerController [protected]

Player controller instance.

Definition at line 30 of file PlayerView.java.

Referenced by ene.views.gui.partial.PlayerView.getPlayerController().

### 7.21.4.3 progressLabel

JLabel ene.views.gui.partial.PlayerView.progressLabel [protected]

Progress label.

Definition at line 45 of file PlayerView.java.

# 7.21.4.4 progressSlider

JSlider ene.views.gui.partial.PlayerView.progressSlider [protected]


Progress slider.

Definition at line 40 of file PlayerView.java.


7.21.4.5 progressTimer
Timer ene.views.gui.partial.PlayerView.progressTimer [package]
Timer ene.views.gui.partiai.Playerview.progressiimer [package]
Progress refresh timer.
Definition at line 50 of file PlayerView.java.
7.21.4.6 trackTimeFormat
SimpleDateFormat ene.views.gui.partial.PlayerView.trackTimeFormat [package]
Track time format instance.
Definition at line 55 of file PlayerView.java.
The documentation for this class was generated from the following file:
src/ene/views/gui/partial/PlayerView.java

# 7.22 ene.models.PlaylistModel Class Reference

Inheritance diagram for ene.models.PlaylistModel:



Collaboration diagram for ene.models.PlaylistModel:



# **Public Member Functions**

- void setName (String name)
- String getName ()

# Package Attributes

• String name

**Additional Inherited Members** 

7.22.1 Detailed Description

Playlist model.

Since

0.14.0

Version

1.0.0

Definition at line 10 of file PlaylistModel.java.

7.22.2 Member Function Documentation

# 7.22.2.1 getName()

```
String ene.models.PlaylistModel.getName ( )
```

Returns the playlist name.

Returns

Playlist name.

Definition at line 28 of file PlaylistModel.java.

References ene.models.PlaylistModel.name.

# 7.22.2.2 setName()

Sets the playlist name.

# **Parameters**

name	Playlist name.

Definition at line 20 of file PlaylistModel.java.

References ene.models.PlaylistModel.name.

### 7.22.3 Member Data Documentation

### 7.22.3.1 name

String ene.models.PlaylistModel.name [package]

Playlist name.

Definition at line 14 of file PlaylistModel.java.


Referenced by ene.models.PlaylistModel.getName(), and ene.models.PlaylistModel.setName().

The documentation for this class was generated from the following file:


• src/ene/models/PlaylistModel.java

### 7.23 ene.databases.SQLDatabase Class Reference

Inheritance diagram for ene.databases.SQLDatabase:



Collaboration diagram for ene.databases.SQLDatabase:



# **Public Member Functions**

- SQLDatabase (String url, int statementTimeout) throws Exception
- SQLDatabase (String url, int statementTimeout, Properties properties) throws Exception
- int execute (String statement) throws Exception
- List< Map< String, String >> query (String statement) throws Exception

#### **Protected Member Functions**

- void setConnection (Connection connection)
- Connection getConnection ()
- · void setStatement (Statement statement)
- Statement getStatement ()

### **Protected Attributes**

- Connection connection = null
- Statement statement = null

# **Additional Inherited Members**

7.23.1 Detailed Description

JDBC SQL database.

Version

1.1.0

Definition at line 20 of file SQLDatabase.java.

### 7.23.2 Constructor & Destructor Documentation

### 7.23.2.1 SQLDatabase() [1/2]

```
ene.databases.SQLDatabase.SQLDatabase ( String \ url, int \ statementTimeout \ ) \ throws \ Exception
```

### Constructor.

#### **Parameters**

url	A database url of the form jdbc:subprotocol:subname.
statementTimeout	Statement timeout in seconds.


#### Version

1.0.0

Definition at line 69 of file SQLDatabase.java.

References ene.databases.SQLDatabase.getConnection(), ene.databases.SQLDatabase.getStatement(), ene. $\leftarrow$  databases.SQLDatabase.setConnection(), and ene.databases.SQLDatabase.setStatement().

Here is the call graph for this function:



# 7.23.2.2 SQLDatabase() [2/2]

## Constructor.

### **Parameters**

url	A database url of the form jdbc:subprotocol:subname.
statementTimeout	Statement timeout in seconds.
properties	Properties instance.

Since

0.16.0


Version

1.0.0

Definition at line 83 of file SQLDatabase.java.

References ene.databases.SQLDatabase.getConnection(), ene.databases.SQLDatabase.getStatement(), ene. $\leftarrow$  databases.SQLDatabase.setConnection(), and ene.databases.SQLDatabase.setStatement().

Here is the call graph for this function:



#### 7.23.3 Member Function Documentation

### 7.23.3.1 execute()

```
int ene.databases.SQLDatabase.execute ( String \ statement \ ) \ throws \ Exception
```

Executes statement.

### **Parameters**

statement Statement.

## Returns

Number of affected rows.

Implements ene.interfaces.DatabaseConnection.

Definition at line 90 of file SQLDatabase.java.

References ene.databases.SQLDatabase.getStatement().

Here is the call graph for this function:



## 7.23.3.2 getConnection()

Connection ene.databases.SQLDatabase.getConnection ( ) [protected]

Returns the connection instance.

## Returns


Connection instance.

Definition at line 43 of file SQLDatabase.java.

References ene.databases.SQLDatabase.connection.

 $Referenced\ by\ ene. databases. SQLD at abase. SQLD at abase().$ 

Here is the caller graph for this function:



### 7.23.3.3 getStatement()

Statement ene.databases.SQLDatabase.getStatement ( ) [protected]

Returns the statement instance.

### Returns


Statement instance.

Definition at line 59 of file SQLDatabase.java.

References ene.databases.SQLDatabase.statement.

Referenced by ene.databases.SQLDatabase.execute(), ene.databases.SQLDatabase.query(), and ene.  $\leftarrow$  databases.SQLDatabase.SQLDatabase().

Here is the caller graph for this function:



### 7.23.3.4 query()

Query statement.

#### **Parameters**

statement	Statement.

# Returns


Returns a list of maps of rows.

Implements ene.interfaces.DatabaseConnection.

Definition at line 95 of file SQLDatabase.java.

References ene.databases.SQLDatabase.getStatement().

Here is the call graph for this function:



### 7.23.3.5 setConnection()

```
\begin{tabular}{ll} \begin{tabular}{ll} void ene.databases.SQLDatabase.setConnection ( \\ & Connection \ connection ) \ \ [protected] \end{tabular}
```

Sets the connection instance.

#### **Parameters**


connection	Connection instance.
------------	----------------------

Definition at line 35 of file SQLDatabase.java.

References ene.databases.SQLDatabase.connection.

Referenced by ene.databases.SQLDatabase.SQLDatabase().

Here is the caller graph for this function:



# 7.23.3.6 setStatement()

```
\begin{tabular}{ll} \begin{tabular}{ll} void ene.databases.SQLDatabase.setStatement ( \\ Statement \ statement ) & [protected] \end{tabular}
```

Sets the statement instance.

### **Parameters**


Statement instance.

Definition at line 51 of file SQLDatabase.java.

References ene.databases.SQLDatabase.statement.

Referenced by ene.databases.SQLDatabase.SQLDatabase().

Here is the caller graph for this function:



### 7.23.4 Member Data Documentation

# 7.23.4.1 connection

Connection ene.databases.SQLDatabase.connection = null [protected]

Connection instance.

Definition at line 24 of file SQLDatabase.java.

Referenced by ene.databases.SQLDatabase.getConnection(), and ene.databases.SQLDatabase.setConnection().

# 7.23.4.2 statement

 ${\tt Statement\ ene.databases.SQLDatabase.statement\ =\ null\ [protected]}$ 

Statement instance.

Definition at line 29 of file SQLDatabase.java.


 $Referenced \ by \ ene. databases. SQLD at abase. get Statement (), \ and \ ene. databases. SQLD at abase. set Statement ().$ 

The documentation for this class was generated from the following file:


• src/ene/databases/SQLDatabase.java

## 7.24 ene.models.TrackListModel Class Reference

Inheritance diagram for ene.models.TrackListModel:



Collaboration diagram for ene.models.TrackListModel:



# **Public Member Functions**

- void add (TrackModel track)
- boolean remove (String filename)
- TrackModel get (String filename)
- Map< String, TrackModel > getAll ()

## **Protected Attributes**

Map< String, TrackModel > tracks = new HashMap<>()

### **Additional Inherited Members**

### 7.24.1 Detailed Description

Track list model.

Since

0.11.0

Version

1.0.0

Definition at line 12 of file TrackListModel.java.

### 7.24.2 Member Function Documentation

# 7.24.2.1 add()

```
\begin{tabular}{ll} \beg
```

Adds a track.

#### **Parameters**

Definition at line 22 of file TrackListModel.java.

 $References\ ene. models. Abstract Model. changed (),\ and\ ene. models. Track Model. get Filename ().$ 


Here is the call graph for this function:



### 7.24.2.2 get()

Returns track.

**Parameters** 



Returns

Track.

Definition at line 46 of file TrackListModel.java.

### 7.24.2.3 getAll()

```
Map<String, TrackModel> ene.models.TrackListModel.getAll ( )
```

Returns all tracks.

Returns

Tracks.

Definition at line 54 of file TrackListModel.java.

References ene.models.TrackListModel.tracks.

### 7.24.2.4 remove()

Removes a track.

#### **Parameters**

filename File path.

## Returns

Returns TRUE, if successful. Otherwise FALSE.

Definition at line 32 of file TrackListModel.java.

References ene.models.AbstractModel.changed().

Here is the call graph for this function:




## 7.24.3 Member Data Documentation


7.24.3.1 tracks	
Map <string, trackmodel=""> ene.models.TrackListModel.tracks = new HashMap&lt;&gt;() [protected]</string,>	
All tracks.	
Definition at line 16 of file TrackListModel.java.	
Referenced by ene.models.TrackListModel.getAll(), ene.models.LibraryModel.getByArtist(), ene.models.LibraryModel.getByGenre(), ene.models.LibraryModel.getByTitle(), and ene.models.LibraryModel.search().	/←
The documentation for this class was generated from the following file:	
src/ene/models/TrackListModel.java	
of or other model of maintain order gave	

#### 7.25 ene.models.TrackModel Class Reference

Inheritance diagram for ene.models.TrackModel:



Collaboration diagram for ene.models.TrackModel:



#### **Public Member Functions**

- String getFilename ()
- void setFilename (String filename)
- String getArtist ()
- void setArtist (String artist)
- String getTitle ()
- void setTitle (String title)
- String getGenre ()
- void setGenre (String genre)
- TrackModel (String filename, String artist, String title, String genre)
- String toString ()

#### **Static Public Member Functions**

- static String detectArtist (String filename)
- static String detectTitle (String filename)

#### **Protected Attributes**

- String filename
- · String artist
- String title
- String genre

#### **Additional Inherited Members**

#### 7.25.1 Detailed Description

Track model.

Version

2.0.1

Definition at line 9 of file TrackModel.java.

#### 7.25.2 Constructor & Destructor Documentation

## 7.25.2.1 TrackModel()

#### Constructor.

### **Parameters**

filename	Filename.
artist	Artist.
title	Title.
genre	Genre.


Since

0.10.0

Definition at line 106 of file TrackModel.java.

References ene.models. TrackModel. setArtist(), ene.models. TrackModel. setFilename(), ene.models. TrackModel.  $\leftarrow$  setGenre(), and ene.models. TrackModel. setTitle().

Here is the call graph for this function:



#### 7.25.3 Member Function Documentation

## 7.25.3.1 detectArtist()

Detects the artist by the filenme.

## Parameters

filename The filename.
------------------------

#### Returns

Returns the artist or a empty string.

Since

0.10.1

Definition at line 132 of file TrackModel.java.

 $Referenced\ by\ ene. controllers. Library Controller. add File().$ 

Here is the caller graph for this function:



#### 7.25.3.2 detectTitle()

```
static String ene.models.TrackModel.detectTitle ( String \ filename \ ) \quad [static]
```

Detects the title by the filenme.

#### **Parameters**

#### Returns

Returns the title or a empty string.

Since

0.10.1

Definition at line 147 of file TrackModel.java.

Referenced by ene.controllers.LibraryController.addFile().

Here is the caller graph for this function:



## 7.25.3.3 getArtist()

String ene.models.TrackModel.getArtist ( )

Get the artist.

Returns


Artist.

Definition at line 51 of file TrackModel.java.

References ene.models.TrackModel.artist.

Referenced by ene.models.LibraryModel.getByArtist(), ene.views.gui.partial.LibraryView.loadContent(), ene.  $\leftarrow$  controllers.LibraryController.saveToFile(), ene.models.LibraryModel.search(), and ene.models.TrackModel.to  $\leftarrow$  String().

Here is the caller graph for this function:



#### 7.25.3.4 getFilename()

String ene.models.TrackModel.getFilename ( )

Get the filename.

#### Returns


Filename.

Definition at line 34 of file TrackModel.java.

References ene.models.TrackModel.filename.

Referenced by ene.models.TrackListModel.add(), ene.models.LibraryModel.getByArtist(), ene.models.Library $\leftarrow$  Model.getByGenre(), ene.models.LibraryModel.getByTitle(), ene.models.PlayerModel.load(), ene.views.gui. $\leftarrow$  partial.LibraryView.loadContent(), ene.controllers.LibraryController.saveToFile(), ene.models.LibraryModel. $\leftarrow$  search(), and ene.models.TrackModel.toString().

Here is the caller graph for this function:



#### 7.25.3.5 getGenre()

String ene.models.TrackModel.getGenre ( )

Get the genre.

Returns


Genre.

Definition at line 85 of file TrackModel.java.

References ene.models.TrackModel.genre.

Referenced by ene.models.LibraryModel.getByGenre(), ene.views.gui.partial.LibraryView.loadContent(), ene. $\leftarrow$  controllers.LibraryController.saveToFile(), ene.models.LibraryModel.search(), and ene.models.TrackModel.to $\leftarrow$  String().

Here is the caller graph for this function:



#### 7.25.3.6 getTitle()

String ene.models.TrackModel.getTitle ( )

Get the title.

Returns


Title.

Definition at line 68 of file TrackModel.java.

References ene.models.TrackModel.title.

Referenced by ene.models.LibraryModel.getByTitle(), ene.views.gui.partial.LibraryView.loadContent(), ene. $\leftarrow$  controllers.LibraryController.saveToFile(), ene.models.LibraryModel.search(), and ene.models.TrackModel.to $\leftarrow$  String().


Here is the caller graph for this function:



#### 7.25.3.7 setArtist()

Set the artist.

#### **Parameters**



Definition at line 59 of file TrackModel.java.

 $References\ ene. models. Track Model. artist,\ and\ ene. models. Abstract Model. changed ().$ 

Referenced by ene.models.TrackModel.TrackModel().

Here is the call graph for this function:



Here is the caller graph for this function:



#### 7.25.3.8 setFilename()

```
\begin{tabular}{ll} \beg
```

Set the filename.

#### **Parameters**



Definition at line 42 of file TrackModel.java.


 $References\ ene. models. Abstract Model. changed (),\ and\ ene. models. Track Model. file name.$ 

Referenced by ene.models.TrackModel.TrackModel().

Here is the call graph for this function:




Here is the caller graph for this function:



#### 7.25.3.9 setGenre()

Set the genre

**Parameters** 



Definition at line 93 of file TrackModel.java.


References ene.models.AbstractModel.changed(), and ene.models.TrackModel.genre.

Referenced by ene.models.TrackModel.TrackModel().

Here is the call graph for this function:



Here is the caller graph for this function:



#### 7.25.3.10 setTitle()

Set the title.

#### **Parameters**



Definition at line 76 of file TrackModel.java.


 $References\ ene. models. Abstract Model. changed (),\ and\ ene. models. Track Model. title.$ 

 $Referenced \ by \ ene. models. Track Model. Track Model().$ 

Here is the call graph for this function:



Here is the caller graph for this function:



#### 7.25.3.11 toString()

String ene.models.TrackModel.toString ( )

Returns a string representation of the object.


#### Returns

String representation of the object.

Definition at line 117 of file TrackModel.java.

 $References\ ene.models. TrackModel. getArtist(),\ ene.models. TrackModel. getFilename(),\ ene.models. TrackModel. getGenre(),\ and\ ene.models. TrackModel. getTitle().$ 

Here is the call graph for this function:



#### 7.25.4 Member Data Documentation

## 7.25.4.1 artist

String ene.models.TrackModel.artist [protected]

Artist.

Definition at line 18 of file TrackModel.java.

Referenced by ene.models.TrackModel.getArtist(), and ene.models.TrackModel.setArtist().

#### 7.25.4.2 filename

String ene.models.TrackModel.filename [protected]

Filename.

Definition at line 13 of file TrackModel.java.

Referenced by ene.models.TrackModel.getFilename(), and ene.models.TrackModel.setFilename().

#### 7.25.4.3 genre

String ene.models.TrackModel.genre [protected]

Genre.

Definition at line 28 of file TrackModel.java.

 $Referenced \ by \ ene. models. Track Model. get Genre (), \ and \ ene. models. Track Model. set Genre ().$ 

#### 7.25.4.4 title

String ene.models.TrackModel.title [protected]

Title.

Definition at line 23 of file TrackModel.java.


Referenced by ene.models.TrackModel.getTitle(), and ene.models.TrackModel.setTitle().

The documentation for this class was generated from the following file:


• src/ene/models/TrackModel.java

## 7.26 ene.interfaces.View < CoreComponentType > Interface Template Reference

Inheritance diagram for ene.interfaces. View < CoreComponentType >:



Collaboration diagram for ene.interfaces. View < CoreComponentType >:



#### **Public Member Functions**

- void setTitle (String title)
- String getTitle ()
- void setCoreComponent (CoreComponentType coreComponent)
- CoreComponentType getCoreComponent ()
- void setLayoutPosition (String layoutPosition)
- String getLayoutPosition ()
- void render ()

```
7.26.1 Detailed Description
View.
Version
     2.1.0
Definition at line 7 of file View.java.
7.26.2 Member Function Documentation
7.26.2.1 getCoreComponent()
{\tt CoreComponentType} \ \ \underline{\tt ene.interfaces.View} < \ \ \\ {\tt CoreComponentType} \ \ \\ {\tt >.getCoreComponent} \ \ (\ )
Returns the core component instance.
Returns
      Core component instance.
Implemented in ene.views.AbstractView< CoreComponentType >.
7.26.2.2 getLayoutPosition()
String ene.interfaces.View< CoreComponentType >.getLayoutPosition ( )
Returns the layout position.
Returns
     Layout position.
Implemented in ene.views.AbstractView < CoreComponentType >.
7.26.2.3 getTitle()
String ene.interfaces.View< CoreComponentType >.getTitle ( )
Returns the title.
Returns
     Title.
Since
     0.13.0
```

 $Implemented \ in \ ene.views. Abstract View < Core Component Type >, \ and \ ene.views. gui. Window View.$ 

Generated on Sat Aug 10 2019 16:06:04 for Ene by Doxygen

#### 7.26.2.4 render()

```
void ene.interfaces.View< CoreComponentType >.render ( )
```

Renders the view.

Implemented in ene.views.gui.partial.PlayerView, ene.views.gui.partial.LibraryView, ene.views.gui.WindowView, and ene.views.gui.partial.ContentView.

Referenced by ene.Application.run().

Here is the caller graph for this function:



#### 7.26.2.5 setCoreComponent()

```
\begin{tabular}{lll} \begin{tabular}{lll} void & ene.interfaces. View & CoreComponent Type & >.setCoreComponent & \\ & CoreComponent Type & coreComponent & ) \end{tabular}
```

Sets the core component instance.

#### Parameters

coreComponent	Core component instance.

Implemented in ene.views.AbstractView < CoreComponentType >.

## 7.26.2.6 setLayoutPosition()

Sets the layout position.

#### **Parameters**


layoutPosition	Layout position.

Implemented in ene.views.AbstractView < CoreComponentType >.


# 7.26.2.7 setTitle() void ene.interfaces.View< CoreComponentType >.setTitle ( String title ) Sets the title. **Parameters** title Title. Since 0.13.0 $Implemented \ in \ ene.views. Abstract View < Core Component Type >, \ and \ ene.views. gui. Window View.$ The documentation for this interface was generated from the following file: • src/ene/interfaces/View.java

## 7.27 ene.views.gui.WindowView Class Reference

Inheritance diagram for ene.views.gui.WindowView:



Collaboration diagram for ene.views.gui.WindowView:



#### **Public Member Functions**

- void setTitle (String title)
- String getTitle ()
- WindowView (View ... views)
- void render ()

## **Additional Inherited Members**

## 7.27.1 Detailed Description

Window view.

Version

1.2.0

Definition at line 15 of file WindowView.java.

#### 7.27.2 Constructor & Destructor Documentation

#### 7.27.2.1 WindowView()

```
ene.views.gui.WindowView.WindowView (  \begin{tabular}{ll} View ... & views \end{tabular} \label{table_view} \end{tabular}
```

Constructor.


**Parameters** 



Definition at line 30 of file WindowView.java.

References ene.views.AbstractMasterView < CoreComponentType >.addView().

Here is the call graph for this function:



#### 7.27.3 Member Function Documentation

```
7.27.3.1 getTitle()
```

```
String ene.views.gui.WindowView.getTitle ( )
```

Returns the title.

Returns

Title.

Since


0.13.0

 $Implements\ ene. interfaces. View < CoreComponent Type >.$ 

Definition at line 22 of file WindowView.java.

 $References\ ene. views. Abstract View < CoreComponent Type > .getCoreComponent ().$ 

Here is the call graph for this function:



#### 7.27.3.2 render()

```
void ene.views.gui.WindowView.render ( )
```


Renders the view.

 $Implements\ ene. interfaces. View < CoreComponent Type >.$ 

Definition at line 37 of file WindowView.java.

References ene.views.AbstractMasterView < CoreComponentType >.getAllViews(), ene.interfaces.Localization.  $\leftarrow$  getString(), ene.views.AbstractView < CoreComponentType >.setCoreComponent(), and ene.views.gui.Window  $\leftarrow$  View.setTitle().

Here is the call graph for this function:



## 7.27.3.3 setTitle()

```
void ene.views.gui.WindowView.setTitle ( String \ title \ )
```

Sets the title.

#### **Parameters**

Since

0.13.0


Implements ene.interfaces.View < CoreComponentType >.

Definition at line 17 of file WindowView.java.


 $References\ ene. views. Abstract View < CoreComponent Type > .getCoreComponent().$ 

Referenced by ene.views.gui.WindowView.render().

Here is the call graph for this function:



Here is the caller graph for this function:



The documentation for this class was generated from the following file:

• src/ene/views/gui/WindowView.java

#### 8 File Documentation

- 8.1 README.md File Reference
- 8.2 src/ene/AbstractObject.java File Reference

Classes

class ene.AbstractObject

#### **Packages**

•	package	ene

## 8.3 src/ene/Application.java File Reference

#### Classes

· class ene.Application

#### **Packages**

- package ene
- 8.4 src/ene/controllers/AbstractController.java File Reference

#### Classes

class ene.controllers.AbstractController< ModelType >

#### **Packages**

- package ene.controllers
- 8.5 src/ene/controllers/LibraryController.java File Reference

#### Classes

• class ene.controllers.LibraryController

#### **Packages**

- package ene.controllers
- 8.6 src/ene/controllers/package-info.java File Reference

#### **Packages**

- package ene.controllers
- 8.7 src/ene/databases/package-info.java File Reference

#### **Packages**

package ene.databases

8.8 src/ene/interfaces/package-info.java File Reference
Packages
• package ene.interfaces
8.9 src/ene/models/package-info.java File Reference
Packages
• package ene.models
8.10 src/ene/package-info.java File Reference
Packages
• package ene
8.11 src/ene/views/gui/package-info.java File Reference
Packages
package ene.views.gui
8.12 src/ene/views/gui/partial/package-info.java File Reference
Packages
package ene.views.gui.partial
8.13 src/ene/views/package-info.java File Reference
Packages
• package ene.views
8.14 src/ene/controllers/PlayerController.java File Reference
Classes
class ene.controllers.PlayerController

**Packages** 

• package ene.controllers

## 8.15 src/ene/databases/SQLDatabase.java File Reference

#### Classes

· class ene.databases.SQLDatabase

#### **Packages**

- · package ene.databases
- 8.16 src/ene/interfaces/Controller.java File Reference

#### Classes

interface ene.interfaces.Controller< ModelType >

#### **Packages**

- package ene.interfaces
- 8.17 src/ene/interfaces/DatabaseConnection.java File Reference

### Classes

• interface ene.interfaces.DatabaseConnection

## **Packages**

- · package ene.interfaces
- 8.18 src/ene/interfaces/Localization.java File Reference

## Classes

· interface ene.interfaces.Localization

#### **Packages**

- package ene.interfaces
- 8.19 src/ene/interfaces/MasterView.java File Reference

#### Classes

interface ene.interfaces.MasterView < CoreComponentType >

Pa	cl	(a	a	е	s

• package ene.interfaces

## 8.20 src/ene/interfaces/Model.java File Reference

#### Classes

• interface ene.interfaces.Model

#### **Packages**

• package ene.interfaces

## 8.21 src/ene/interfaces/PartialView.java File Reference

#### Classes

interface ene.interfaces.PartialView< CoreComponentType, ModelType >

## **Packages**

• package ene.interfaces

## 8.22 src/ene/interfaces/View.java File Reference

## Classes

interface ene.interfaces.View< CoreComponentType >

#### **Packages**

• package ene.interfaces

## 8.23 src/ene/models/AbstractModel.java File Reference

## Classes

· class ene.models.AbstractModel

#### **Packages**

package ene.models

## 8.24 src/ene/models/LibraryModel.java File Reference

#### Classes

• class ene.models.LibraryModel

#### **Packages**

- · package ene.models
- 8.25 src/ene/models/PlayerModel.java File Reference

#### Classes

· class ene.models.PlayerModel

#### **Packages**

- package ene.models
- 8.26 src/ene/models/PlaylistModel.java File Reference

### Classes

• class ene.models.PlaylistModel

## **Packages**

- · package ene.models
- 8.27 src/ene/models/TrackListModel.java File Reference

## Classes

· class ene.models.TrackListModel

#### **Packages**

- package ene.models
- 8.28 src/ene/models/TrackModel.java File Reference

#### Classes

• class ene.models.TrackModel

<b>Packages</b>
-----------------

· package ene.models

## 8.29 src/ene/views/AbstractMasterView.java File Reference

#### Classes

class ene.views.AbstractMasterView< CoreComponentType >

#### **Packages**

• package ene.views

## 8.30 src/ene/views/AbstractPartialView.java File Reference

#### Classes

class ene.views.AbstractPartialView< CoreComponentType, ModelType >

## **Packages**

· package ene.views

## 8.31 src/ene/views/AbstractView.java File Reference

#### Classes

class ene.views.AbstractView< CoreComponentType >

#### **Packages**

· package ene.views

## 8.32 src/ene/views/gui/partial/AbstractTrackListView.java File Reference

## Classes

• class ene.views.gui.partial.AbstractTrackListView

#### **Packages**

• package ene.views.gui.partial

8.33 src/ene/views/gui/partial/Conte	entView.java File Reference
--------------------------------------	-----------------------------

#### Classes

• class ene.views.gui.partial.ContentView

#### **Packages**

- package ene.views.gui.partial
- 8.34 src/ene/views/gui/partial/LibraryView.java File Reference

#### Classes

• class ene.views.gui.partial.LibraryView

## **Packages**

- package ene.views.gui.partial
- 8.35 src/ene/views/gui/partial/PlayerView.java File Reference

## Classes

• class ene.views.gui.partial.PlayerView

## **Packages**

- · package ene.views.gui.partial
- 8.36 src/ene/views/gui/WindowView.java File Reference

#### Classes

• class ene.views.gui.WindowView

#### **Packages**

• package ene.views.gui

# Index

add	ene::views::gui::partial::PlayerView, 116
ene::controllers::LibraryController, 63	ene, 7
ene::models::TrackListModel, 137	ene.AbstractObject, 21
addDirectoryContent	ene.Application, 45
ene::controllers::LibraryController, 64	ene.controllers, 7
addFile	ene.controllers.AbstractController< ModelType >, 11
ene::controllers::LibraryController, 64	ene.controllers.LibraryController, 59
addView	ene.controllers.PlayerController, 97
ene::interfaces::MasterView, 90	ene.databases, 8
ene::interfaces::Model, 92	ene.databases.SQLDatabase, 127
ene::models::AbstractModel, 20	ene.interfaces, 8
ene::views::AbstractMasterView, 16	ene.interfaces.Controller< ModelType >, 54
artist	ene.interfaces.DatabaseConnection, 56
ene::models::TrackModel, 150	ene.interfaces.Localization, 85
	ene.interfaces.MasterView< CoreComponentType >
changeTrackPosition	88
ene::controllers::PlayerController, 99	ene.interfaces.Model, 91
changed	ene.interfaces.PartialView< CoreComponentType
ene::models::AbstractModel, 20	ModelType >, 93
clip	ene.interfaces.View< CoreComponentType >, 152
ene::models::PlayerModel, 111	ene.models, 8
connection	ene.models.AbstractModel, 18
ene::databases::SQLDatabase, 134	
consoleOutput	ene.models.LibraryModel, 72
ene::AbstractObject, 23	ene.models.PlayerModel, 103
ContentView	ene.models.PlaylistModel, 124
ene::views::gui::partial::ContentView, 52	ene.models.TrackListModel, 135
coreComponent	ene.models.TrackModel, 140
ene::views::AbstractView, 44	ene.views, 9
,	ene.views.AbstractMasterView< CoreComponentType
DATABASE_TABLE	>, 14
ene::controllers::LibraryController, 71	ene.views.AbstractPartialView< CoreComponentType
DATABASE_TIMEOUT	ModelType >, 27
ene::controllers::LibraryController, 71	ene.views.AbstractView< CoreComponentType >, 39
DEFAULT_LOCALE	ene.views.gui, 9
ene::interfaces::Localization, 87	ene.views.gui.partial, 10
databaseFilename	ene.views.gui.partial.AbstractTrackListView, 31
ene::controllers::LibraryController, 71	ene.views.gui.partial.ContentView, 50
debugInfoAbout	ene.views.gui.partial.LibraryView, 78
ene::AbstractObject, 23	ene.views.gui.partial.PlayerView, 113
debugModeEnabled	ene.views.gui.WindowView, 156
ene::AbstractObject, 26	ene::AbstractObject
delay	consoleOutput, 23
ene::AbstractObject, 24	debugInfoAbout, 23
detectArtist	debugModeEnabled, 26
ene::models::TrackModel, 143	delay, 24
detectTitle	disableDebugMode, 25
ene::models::TrackModel, 143	enableDebugMode, 25
disableDebugMode	isDebugModeEnabled, 25
ene::AbstractObject, 25	ene::Application
disablePlayerControls	LIBRARY_DATABASE_FILE, 49
ene::views::gui::partial::PlayerView, 116	main, 47
ononviewongampartialm layer view, 110	processArguments, 48
enableDebugMode	run, 48
ene::AbstractObject, 25	ene::controllers::AbstractController
enablePlayerControls	getModel, 13
•	<i>'</i>

model, 13	ene::models::AbstractModel
setModel, 13	addView, 20
ene::controllers::LibraryController	changed, 20
add, 63	views, 21
addDirectoryContent, 64	ene::models::LibraryModel
addFile, 64	getByArtist, 74
DATABASE_TABLE, 71	getByGenre, 74
DATABASE_TIMEOUT, 71	getByTitle, 75
databaseFilename, 71	search, 76
getDatabaseFilename, 65	ene::models::PlayerModel
LibraryController, 61, 62	clip, 111
loadFromFile, 66	getClip, 105
remove, 67	getLastEvent, 105
saveToFile, 68	getTrackLength, 106
scan, 69	getTrackPosition, 106
setDatabaseFilename, 70	lastEvent, 111
ene::controllers::PlayerController	load, 107
changeTrackPosition, 99	pause, 108
load, 100	setClip, 108
PlayerController, 99	setLastEvent, 109
togglePlayback, 101	setTrackPosition, 110
ene::databases::SQLDatabase	start, 110
connection, 134	trackLength, 112
execute, 130	update, 111
getConnection, 131	ene::models::PlaylistModel
getStatement, 131	getName, 126
query, 132	name, 126
SQLDatabase, 129	setName, 126 ene::models::TrackListModel
setConnection, 133 setStatement, 133	add, 137
statement, 134 ene::interfaces::Controller	get, 137
getModel, 55	getAll, 137 remove, 138
setModel, 55	tracks, 138
ene::interfaces::DatabaseConnection	ene::models::TrackModel
execute, 57	artist, 150
query, 58	detectArtist, 143
ene::interfaces::Localization	detectTitle, 143
DEFAULT_LOCALE, 87	filename, 151
getString, 86	genre, 151
ene::interfaces::MasterView	getArtist, 144
addView, 90	getFilename, 145
getAllViews, 90	getGenre, 145
setAllViews, 90	getTitle, 146
ene::interfaces::Model	setArtist, 147
addView, 92	setFilename, 147
ene::interfaces::PartialView	setGenre, 148
getModel, 95	setTitle, 149
setModel, 95	title, 151
update, 95	toString, 150
ene::interfaces::View	TrackModel, 142
getCoreComponent, 153	ene::views::AbstractMasterView
getLayoutPosition, 153	addView, 16
getTitle, 153	getAllViews, 16
render, 153	setAllViews, 17
setCoreComponent, 154	views, 17
setLayoutPosition, 154	ene::views::AbstractPartialView
setTitle, 154	getModel, 29

model, 30	execute
setModel, 29	ene::databases::SQLDatabase, 130
ene::views::AbstractView	ene::interfaces::DatabaseConnection, 57
coreComponent, 44	
getCoreComponent, 41	filename
getLayoutPosition, 41	ene::models::TrackModel, 151
getTitle, 41	formatTimeToString
layoutPosition, 44	ene::views::gui::partial::PlayerView, 117
setCoreComponent, 42	
setLayoutPosition, 43	genre
setTitle, 44	ene::models::TrackModel, 151
title, 45	get
ene::views::gui::WindowView	ene::models::TrackListModel, 137
getTitle, 158	getAll
render, 159	ene::models::TrackListModel, 137
setTitle, 159	getAllViews
WindowView, 157	ene::interfaces::MasterView, 90
ene::views::gui::partial::AbstractTrackListView	ene::views::AbstractMasterView, 16
getPlayerController, 33	getArtist
getSelectedFilename, 33	ene::models::TrackModel, 144
getTable, 34	getByArtist
getTableContent, 35	ene::models::LibraryModel, 74
hideColumn, 35	getByGenre
playerController, 38	ene::models::LibraryModel, 74
setPlayerController, 36	getByTitle
setTable, 36	ene::models::LibraryModel, 75
setTableContent, 37	getClip
table, 38	ene::models::PlayerModel, 105
	getConnection
tableContent, 38	ene::databases::SQLDatabase, 131
valueChanged, 37	getCoreComponent
ene::views::gui::partial::ContentView	ene::interfaces::View, 153
ContentView, 52	ene::views::AbstractView, 41
render, 52	getDatabaseFilename
ene::views::gui::partial::LibraryView	ene::controllers::LibraryController, 65
getLibraryController, 81	getFilename
libraryController, 85	ene::models::TrackModel, 145
LibraryView, 80	getGenre
loadContent, 82	ene::models::TrackModel, 145
render, 83	getLastEvent
setLibraryController, 83	ene::models::PlayerModel, 105
update, 84	getLayoutPosition
ene::views::gui::partial::PlayerView	ene::interfaces::View, 153
disablePlayerControls, 116	ene::views::AbstractView, 41
enablePlayerControls, 116	getLibraryController
formatTimeToString, 117	ene::views::gui::partial::LibraryView, 81
getPlayerController, 117	getModel
playButton, 122	ene::controllers::AbstractController, 13
playerController, 122	ene::interfaces::Controller, 55
PlayerView, 115	ene::interfaces::PartialView, 95
progressLabel, 122	ene::views::AbstractPartialView, 29
progressSlider, 122	getName
progressTimer, 122	ene::models::PlaylistModel, 126
render, 118	getPlayerController
resetProgress, 119	ene::views::gui::partial::AbstractTrackListView, 33
setPlayerController, 120	ene::views::gui::partial::PlayerView, 117
trackTimeFormat, 123	getSelectedFilename
update, 120	ene::views::gui::partial::AbstractTrackListView, 33
updateProgress, 121	getStatement

ene::databases::SQLDatabase, 131 getString	ene::views::gui::partial::PlayerView, 122 PlayerView
ene::interfaces::Localization, 86	ene::views::gui::partial::PlayerView, 115
getTable	processArguments
ene::views::gui::partial::AbstractTrackListView, 34	ene::Application, 48
getTableContent	progressLabel
ene::views::gui::partial::AbstractTrackListView, 35	ene::views::gui::partial::PlayerView, 122
getTitle	progressSlider
ene::interfaces::View, 153	ene::views::gui::partial::PlayerView, 122
ene::models::TrackModel, 146	progressTimer
ene::views::AbstractView, 41	ene::views::gui::partial::PlayerView, 122
ene::views::gui::WindowView, 158	one menengampartia mayer nen, 122
getTrackLength	query
ene::models::PlayerModel, 106	ene::databases::SQLDatabase, 132
getTrackPosition	ene::interfaces::DatabaseConnection, 58
ene::models::PlayerModel, 106	
,	README.md, 160
hideColumn	remove
ene::views::gui::partial::AbstractTrackListView, 35	ene::controllers::LibraryController, 67
	ene::models::TrackListModel, 138
isDebugModeEnabled	render
ene::AbstractObject, 25	ene::interfaces::View, 153
LIDDADY DATABASE EILE	ene::views::gui::WindowView, 159
LIBRARY_DATABASE_FILE	ene::views::gui::partial::ContentView, 52
ene::Application, 49 lastEvent	ene::views::gui::partial::LibraryView, 83
	ene::views::gui::partial::PlayerView, 118
ene::models::PlayerModel, 111	resetProgress
layoutPosition ene::views::AbstractView, 44	ene::views::gui::partial::PlayerView, 119
LibraryController	run
ene::controllers::LibraryController, 61, 62	ene::Application, 48
libraryController	
ene::views::gui::partial::LibraryView, 85	SQLDatabase
LibraryView	ene::databases::SQLDatabase, 129
ene::views::gui::partial::LibraryView, 80	saveToFile
load	ene::controllers::LibraryController, 68
ene::controllers::PlayerController, 100	scan
ene::models::PlayerModel, 107	ene::controllers::LibraryController, 69
loadContent	search
ene::views::gui::partial::LibraryView, 82	ene::models::LibraryModel, 76
loadFromFile	setAllViews
ene::controllers::LibraryController, 66	ene::interfaces::MasterView, 90
	ene::views::AbstractMasterView, 17
main	setArtist
ene::Application, 47	ene::models::TrackModel, 147
model	setClip
ene::controllers::AbstractController, 13	ene::models::PlayerModel, 108
ene::views::AbstractPartialView, 30	setConnection
	ene::databases::SQLDatabase, 133
name	setCoreComponent
ene::models::PlaylistModel, 126	ene::interfaces::View, 154
	ene::views::AbstractView, 42
pause	setDatabaseFilename
ene::models::PlayerModel, 108	ene::controllers::LibraryController, 70
playButton	setFilename
ene::views::gui::partial::PlayerView, 122	ene::models::TrackModel, 147
PlayerController	setGenre
ene::controllers::PlayerController, 99 playerController	ene::models::TrackModel, 148 setLastEvent
ene::views::gui::partial::AbstractTrackListView, 38	ene::models::PlayerModel, 109
zzgapaanooiiaotiiaoniiiotiioti,	5

setLayoutPosition	src/ene/views/gui/partial/AbstractTrackListView.java,
ene::interfaces::View, 154	166
ene::views::AbstractView, 43	src/ene/views/gui/partial/ContentView.java, 167
setLibraryController	src/ene/views/gui/partial/LibraryView.java, 167
ene::views::gui::partial::LibraryView, 83	src/ene/views/gui/partial/PlayerView.java, 167
setModel	src/ene/views/gui/partial/package-info.java, 162
ene::controllers::AbstractController, 13	src/ene/views/package-info.java, 162
ene::interfaces::Controller, 55	start
ene::interfaces::PartialView, 95	ene::models::PlayerModel, 110
ene::views::AbstractPartialView, 29	statement
setName	ene::databases::SQLDatabase, 134
ene::models::PlaylistModel, 126	table
setPlayerController	ene::views::gui::partial::AbstractTrackListView, 38
ene::views::gui::partial::AbstractTrackListView, 36	tableContent
ene::views::gui::partial::PlayerView, 120	ene::views::gui::partial::AbstractTrackListView, 38
setStatement	title
ene::databases::SQLDatabase, 133	ene::models::TrackModel, 151
setTable	ene::views::AbstractView, 45
ene::views::gui::partial::AbstractTrackListView, 36	toString
setTableContent	ene::models::TrackModel, 150
ene::views::gui::partial::AbstractTrackListView, 37	togglePlayback
setTitle	ene::controllers::PlayerController, 101
ene::interfaces::View, 154	trackLength
ene::models::TrackModel, 149	ene::models::PlayerModel, 112
ene::views::AbstractView, 44	TrackModel
ene::views::gui::WindowView, 159	ene::models::TrackModel, 142
setTrackPosition	trackTimeFormat
ene::models::PlayerModel, 110	ene::views::gui::partial::PlayerView, 123
src/ene/AbstractObject.java, 160	tracks
src/ene/Application.java, 161	ene::models::TrackListModel, 138
src/ene/controllers/AbstractController.java, 161	
src/ene/controllers/LibraryController.java, 161	update
src/ene/controllers/PlayerController.java, 162	ene::interfaces::PartialView, 95
src/ene/controllers/package-info.java, 161	ene::models::PlayerModel, 111
src/ene/databases/SQLDatabase.java, 163	ene::views::gui::partial::LibraryView, 84 ene::views::gui::partial::PlayerView, 120
src/ene/databases/package-info.java, 161	•
src/ene/interfaces/Controller.java, 163	updateProgress ene::views::gui::partial::PlayerView, 121
src/ene/interfaces/DatabaseConnection.java, 163	eneviewsguipartiair layer view, 121
src/ene/interfaces/Localization.java, 163	valueChanged
src/ene/interfaces/MasterView.java, 163	ene::views::gui::partial::AbstractTrackListView, 37
src/ene/interfaces/Model.java, 164	views
src/ene/interfaces/PartialView.java, 164	ene::models::AbstractModel, 21
src/ene/interfaces/View.java, 164	ene::views::AbstractMasterView, 17
src/ene/interfaces/package-info.java, 162	
src/ene/models/AbstractModel.java, 164	WindowView
src/ene/models/LibraryModel.java, 165	ene::views::gui::WindowView, 157
src/ene/models/PlayerModel.java, 165	
src/ene/models/PlaylistModel.java, 165	
src/ene/models/TrackListModel.java, 165	
src/ene/models/TrackModel.java, 165	
src/ene/models/package-info.java, 162	
src/ene/package-info.java, 162	
src/ene/views/AbstractMasterView.java, 166	
src/ene/views/AbstractPartialView.java, 166	
src/ene/views/AbstractView.java, 166	
src/ene/views/gui/WindowView.java, 167	
src/ene/views/qui/package-info.iava, 162	