

Eurasian Hoopoe

 $F_{\text{Welch}}(2, 37.09) = 14.21, p = 2.61e-05, \widehat{\omega_p^2} = 0.40, Cl_{95\%}[0.18, 1.00], n_{\text{obs}} = 60$



Jungle Bush-Quail


 $F_{\text{Welch}}(2, 35.52) = 52.14, p = 2.70e-11, \widehat{\omega_p^2} = 0.73, \text{Cl}_{95\%}[0.59, 1.00], n_{\text{obs}} = 60$



 $log_e(BF_{01}) = -19.27, \widehat{R^2}_{Bayesian}^{posterior} = 0.54, Cl_{95\%}^{HDI} [0.41, 0.65], r_{Cauchy}^{JZS} = 0.71$


Long-tailed Shrike

 $F_{\text{Welch}}(2, 27.66) = 12.45, p = 1.39e-04, \widehat{\omega_p^2} = 0.43, \text{Cl}_{95\%}[0.18, 1.00], n_{\text{obs}} = 60$




Malabar Lark

 $F_{\text{Welch}}(2, 32.72) = 52.16, p = 6.66e-11, \widehat{\omega_p^2} = 0.74, \text{Cl}_{95\%}[0.60, 1.00], n_{\text{obs}} = 60$




Nilgiri Pipit

 $F_{\text{Welch}}(2, 27.05) = 25.12, p = 6.81e-07, \widehat{\omega_p^2} = 0.62, \text{Cl}_{95\%} [0.40, 1.00], n_{\text{obs}} = 60$




Oriental Skylark

 $F_{\text{Welch}}(2, 33.55) = 47.58, p = 1.60e-10, \widehat{\omega_p^2} = 0.72, \text{Cl}_{95\%}[0.57, 1.00], n_{\text{obs}} = 60$




Pied Bushchat



Plain Prinia

 $F_{\text{Welch}}(2, 35.2) = 65.96, p = 1.24e-12, \widehat{\omega_p^2} = 0.77, \text{Cl}_{95\%}[0.65, 1.00], n_{\text{obs}} = 60$



Red Avadavat

 $F_{\text{Welch}}(2, 32.72) = 50.33, p = 1.04e-10, \widehat{\omega_p^2} = 0.73, \text{Cl}_{95\%}[0.59, 1.00], n_{\text{obs}} = 60$

