



Brown-cheeked Fulvetta $r_{sq} = -0.0044$ slope = 0.03067



Little Spiderhunter $r_{sq} = 0.26$ slope = 0.1059

Abundance (from point count data)



Great Hornbill $r_{sq} = 0$ slope = NA

Abundance (from point count data)

2.025

2.000

1.975

1.950

-0.050

-0.025

0.000

0.025


0.050

Acoustic Detections (from acoustic data)




Golden-fronted Leafbird $r_{sq} = 0.5$ slope = -1.083

Abundance (from point count data)




Malabar Flameback $r_{sq} = 0.16$ slope = 0.02491

Abundance (from point count data)




Purple Sunbird $r_{sq} = 0.33$ slope = 0.4286

Abundance (from point count data)



Large-billed Crow $r_{sq} = 0.78$ slope = 0.04375



White-bellied Blue Flycatcher $r_{sq} = 0$ slope = NA


Abundance (from point count data)



Acoustic Detections (from acoustic data)

White-bellied Treepie $r_sq = 0$ slope = NA


Abundance (from point count data)



Acoustic Detections (from acoustic data)


Nilgiri Flowerpecker $r_{sq} = 0.077$ slope = 0.06489

Abundance (from point count data)




Greater Racket-tailed Drongo $r_{sq} = 0.14$ slope = 0.04703

Abundance (from point count data)




Southern Hill Myna $r_{sq} = 0.035$ slope = 0.03442

Abundance (from point count data)




White-throated Kingfisher $r_{sq} = 0.28$ slope = $-5.439e-17$

Abundance (from point count data)




Acoustic Detections (from acoustic data)

Malabar Trogon $r_{sq} = -0.11$ slope = 0.004931



Heart-spotted Woodpecker $r_{sq} = 0$ slope = NA


Abundance (from point count data)



Acoustic Detections (from acoustic data)


Square-tailed Bulbul $r_{sq} = -0.012$ slope = 0.2156

Abundance (from point count data)




Yellow-browed Bulbul $r_{sq} = 0.1$ slope = 0.03696

Abundance (from point count data)




Asian Fairy-bluebird $r_{sq} = -0.025$ slope = 0.009271

Abundance (from point count data)




Crimson-backed Sunbird $r_{sq} = -0.009$ slope = 0.03913

Abundance (from point count data)




Vernal Hanging-Parrot $r_{sq} = 0.092$ slope = 0.1412

Abundance (from point count data)




Indian Yellow Tit $r_{sq} = 0.42$ slope = 0.9286




Asian Brown Flycatcher $r_{sq} = 1$ slope = 1

Abundance (from point count data)




Acoustic Detections (from acoustic data)

Malabar Whistling-Thrush $r_{sq} = -0.0011$ slope = 0.009297



Common Tailorbird $r_{sq} = 0$ slope = NA


Abundance (from point count data)



Acoustic Detections (from acoustic data)

Indian Peafowl $r_{sq} = 0.37$ slope = $-8.972e-17$


Abundance (from point count data)



Acoustic Detections (from acoustic data)


Stork-billed Kingfisher $r_{sq} = 0.68$ slope = -1.333

Abundance (from point count data)




Puff-throated Babbler $r_{sq} = -0.1$ slope = $-1.72e-16$

Abundance (from point count data)




Small Minivet $r_{sq} = 0.29$ slope = -0.5625

Abundance (from point count data)




Orange Minivet $r_{sq} = 0.16$ slope = 0.4088

Abundance (from point count data)




Large-billed Leaf Warbler $r_{sq} = -0.018$ slope = 0.0009935

Abundance (from point count data)




Greenish Warbler $r_{sq} = -0.011$ slope = -0.0102

Abundance (from point count data)




Indian Scimitar-Babbler $r_{sq} = 0.0032$ slope = 0.01487

Abundance (from point count data)




Malabar Barbet $r_{sq} = -0.036$ slope = 0.005147




White-cheeked Barbet $r_{sq} = 0.005$ slope = 0.02311

Abundance (from point count data)




Malabar Parakeet $r_{sq} = -0.93$ slope = -0.07143

Abundance (from point count data)




Plum-headed Parakeet $r_{sq} = 0.64$ slope = 0.8333

Abundance (from point count data)




Red-whiskered Bulbul $r_{sq} = -0.0077$ slope = -0.5645

Abundance (from point count data)




Velvet-fronted Nuthatch $r_{sq} = 0.016$ slope = 0.03949

Abundance (from point count data)



Spotted Dove $r_{sq} = 0$ slope = NA


Abundance (from point count data)



Acoustic Detections (from acoustic data)


Malabar Woodshrike $r_{sq} = -0.0055$ slope = 0.07692

Abundance (from point count data)




Eurasian Hoopoe $r_{sq} = \text{NaN}$ slope = $3.14\text{e-}16$

Abundance (from point count data)




Brown-capped Pygmy Woodpecker $r_{sq} = -0.2$ slope = -0.04



Indian White-eye $r_{sq} = 0.35$ slope = 0.8124

Abundance (from point count data)



Acoustic Detections (from acoustic data)