

Great Hornbill $r_{sq} = 0.04$ slope = 0.007881

Abundance (from point count data)

2.5
2.0
1.5
1.0
0.5
0.0


0

20


40

60

Acoustic Detections (from acoustic data)




Malabar Flameback $r_{sq} = -0.056$ slope = 0.0354




Large-billed Crow $r_{sq} = 0.08$ slope = 0.05862

Abundance (from point count data)




White-bellied Treepie $r_{sq} = -0.0072$ slope = 0.03928

Abundance (from point count data)




Nilgiri Flowerpecker $r_{sq} = 0.31$ slope = 0.1341

Abundance (from point count data)




Greater Racket-tailed Drongo $r_{sq} = 0.25$ slope = 0.06435

Abundance (from point count data)




Southern Hill Myna $r_{sq} = 0.14$ slope = 0.0955

Abundance (from point count data)



White-throated Kingfisher $r_{sq} = 0.47$ slope = $-6.259e-18$


Abundance (from point count data)




Acoustic Detections (from acoustic data)

Yellow-browed Bulbul $r_{sq} = 0.18$ slope = 0.04649

Abundance (from point count data)




Asian Fairy-bluebird $r_{sq} = 0.2$ slope = 0.04844




Malabar Whistling-Thrush $r_{sq} = 0.087$ slope = 0.02889


Abundance (from point count data)



Indian Scimitar-Babbler $r_{sq} = 0.0055$ slope = 0.01984




Malabar Barbet $r_{sq} = -0.02$ slope = 0.004127




White-cheeked Barbet $r_{sq} = 0.031$ slope = 0.01669

Abundance (from point count data)



Red-whiskered Bulbul $r_{sq} = 0.44$ slope = 0.4509

Abundance (from point count data)



Acoustic Detections (from acoustic data)