



Brown-cheeked Fulvetta $r_{sq} = -0.0044$ slope = 0.03067

Abundance (from point count data)



Little Spiderhunter $r_{sq} = 0.26$ slope = 0.1059

Abundance (from point count data)



Great Hornbill $r_{sq} = 0$ slope = NA

Abundance (from point count data)

2.025

2.000

1.975

1.950

-0.050

-0.025

0.000


0.025

0.050


Acoustic Detections (from acoustic data)

Malabar Flameback $r_{sq} = 0.16$ slope = 0.02491

Abundance (from point count data)




Large-billed Crow $r_{sq} = 0.78$ slope = 0.04375



White-bellied Treepie $r_{sq} = 0$ slope = NA


Abundance (from point count data)



Acoustic Detections (from acoustic data)


Nilgiri Flowerpecker $r_{sq} = 0.077$ slope = 0.06489

Abundance (from point count data)




Greater Racket-tailed Drongo $r_{sq} = 0.14$ slope = 0.04703

Abundance (from point count data)




Southern Hill Myna $r_{sq} = 0.035$ slope = 0.03442

Abundance (from point count data)




White-throated Kingfisher $r_{sq} = 0.28$ slope = $-5.439e-17$

Abundance (from point count data)




Malabar Trogon $r_{sq} = -0.11$ slope = 0.004931




Square-tailed Bulbul $r_{sq} = -0.012$ slope = 0.2156

Abundance (from point count data)




Yellow-browed Bulbul $r_{sq} = 0.1$ slope = 0.03696

Abundance (from point count data)




Asian Fairy-bluebird $r_{sq} = -0.025$ slope = 0.009271

Abundance (from point count data)




Crimson-backed Sunbird $r_{sq} = -0.009$ slope = 0.03913

Abundance (from point count data)




Vernal Hanging-Parrot $r_{sq} = 0.092$ slope = 0.1412

Abundance (from point count data)




Malabar Whistling-Thrush $r_{sq} = -0.0011$ slope = 0.009297



Common Tailorbird $r_{sq} = 0$ slope = NA


Abundance (from point count data)



Acoustic Detections (from acoustic data)


Stork-billed Kingfisher $r_{sq} = 0.68$ slope = -1.333

Abundance (from point count data)




Puff-throated Babbler $r_{sq} = -0.1$ slope = $-1.72e-16$

Abundance (from point count data)




Small Minivet $r_{sq} = 0.29$ slope = -0.5625

Abundance (from point count data)




Orange Minivet $r_{sq} = 0.16$ slope = 0.4088

Abundance (from point count data)




Large-billed Leaf Warbler $r_{sq} = -0.018$ slope = 0.0009935




Greenish Warbler $r_{sq} = -0.011$ slope = -0.0102

Abundance (from point count data)




Indian Scimitar-Babbler $r_{sq} = 0.0032$ slope = 0.01487

Abundance (from point count data)




Malabar Barbet $r_{sq} = -0.036$ slope = 0.005147




White-cheeked Barbet $r_{sq} = 0.005$ slope = 0.02311

Abundance (from point count data)




Red-whiskered Bulbul $r_{sq} = -0.0077$ slope = -0.5645

Abundance (from point count data)




Velvet-fronted Nuthatch $r_{sq} = 0.016$ slope = 0.03949

Abundance (from point count data)




Malabar Woodshrike $r_{sq} = -0.0055$ slope = 0.07692

Abundance (from point count data)



Indian White-eye $r_{sq} = 0.35$ slope = 0.8124

Abundance (from point count data)



Acoustic Detections (from acoustic data)