



Brown-cheeked Fulvetta  $r_{sq} = -0.0044$  slope = 0.03067

Abundance (from point count data)



Little Spiderhunter  $r_{sq} = 0.26$  slope = 0.1059

Abundance (from point count data)



Great Hornbill  $r_{sq} = 0$  slope = NA

Abundance (from point count data)

2.025

2.000

1.975

1.950

-0.050

-0.025

0.000

0.025


0.050

Acoustic Detections (from acoustic data)




Golden-fronted Leafbird  $r_{sq} = 0.5$  slope = -1.083

Abundance (from point count data)




Malabar Flameback  $r_{sq} = 0.16$  slope = 0.02491

Abundance (from point count data)




Purple Sunbird  $r_{sq} = 0.33$  slope = 0.4286

Abundance (from point count data)




Large-billed Crow  $r_{sq} = 0.78$  slope = 0.04375



White-bellied Blue Flycatcher  $r_{sq} = 0$  slope = NA

Abundance (from point count data)




Acoustic Detections (from acoustic data)



White-bellied Treepie  $r\_sq = 0$  slope = NA


Abundance (from point count data)



Acoustic Detections (from acoustic data)


Nilgiri Flowerpecker  $r_{sq} = 0.077$  slope = 0.06489

Abundance (from point count data)




Greater Racket-tailed Drongo  $r_{sq} = 0.14$  slope = 0.04703

Abundance (from point count data)




Southern Hill Myna  $r_{sq} = 0.035$  slope = 0.03442

Abundance (from point count data)




White-throated Kingfisher  $r_{sq} = 0.28$  slope =  $-5.439e-17$

Abundance (from point count data)




Acoustic Detections (from acoustic data)

Malabar Trogon  $r_{sq} = -0.11$  slope = 0.004931



Heart-spotted Woodpecker  $r_{sq} = 0$  slope = NA


Abundance (from point count data)



Acoustic Detections (from acoustic data)

Square-tailed Bulbul  $r_{sq} = -0.012$  slope = 0.2156


Abundance (from point count data)






Yellow-browed Bulbul  $r_{sq} = 0.1$  slope = 0.03696

Abundance (from point count data)




Asian Fairy-bluebird  $r_{sq} = -0.025$  slope = 0.009271

Abundance (from point count data)




Crimson-backed Sunbird  $r_{sq} = -0.009$  slope = 0.03913

Abundance (from point count data)




Vernal Hanging-Parrot  $r_{sq} = 0.092$  slope = 0.1412

Abundance (from point count data)



Indian Yellow Tit  $r_{sq} = 0.42$  slope = 0.9286


Abundance (from point count data)




Acoustic Detections (from acoustic data)

Asian Brown Flycatcher  $r_{sq} = 1$  slope = 1

Abundance (from point count data)




Malabar Whistling-Thrush  $r_{sq} = -0.0011$  slope = 0.009297



Common Tailorbird  $r_{sq} = 0$  slope = NA

Abundance (from point count data)




Acoustic Detections (from acoustic data)



Indian Peafowl  $r_{sq} = 0.37$  slope =  $-8.972e-17$


Abundance (from point count data)



Acoustic Detections (from acoustic data)


Stork-billed Kingfisher  $r_{sq} = 0.68$  slope = -1.333

Abundance (from point count data)




Puff-throated Babbler  $r_{sq} = -0.1$  slope =  $-1.72e-16$

Abundance (from point count data)




Small Minivet  $r_{sq} = 0.29$  slope = -0.5625

Abundance (from point count data)




Orange Minivet  $r_{sq} = 0.16$  slope = 0.4088

Abundance (from point count data)




Large-billed Leaf Warbler  $r_{sq} = -0.018$  slope = 0.0009935




Greenish Warbler  $r_{sq} = -0.011$  slope = -0.0102

Abundance (from point count data)




Indian Scimitar-Babbler  $r_{sq} = 0.0032$  slope = 0.01487

Abundance (from point count data)






Malabar Barbet  $r_{sq} = -0.036$  slope = 0.005147




White-cheeked Barbet  $r_{sq} = 0.005$  slope = 0.02311

Abundance (from point count data)




Malabar Parakeet  $r_{sq} = -0.93$  slope =  $-0.07143$

Abundance (from point count data)




Plum-headed Parakeet  $r_{sq} = 0.64$  slope = 0.8333




Red-whiskered Bulbul  $r_{sq} = -0.0077$  slope = -0.5645

Abundance (from point count data)




Velvet-fronted Nuthatch  $r_{sq} = 0.016$  slope = 0.03949

Abundance (from point count data)



Spotted Dove  $r_{sq} = 0$  slope = NA


Abundance (from point count data)



Acoustic Detections (from acoustic data)

Malabar Woodshrike  $r_{sq} = -0.0055$  slope = 0.07692


Abundance (from point count data)






Eurasian Hoopoe  $r_{sq} = \text{NaN}$  slope =  $3.14\text{e-}16$

Abundance (from point count data)




**Brown-capped Pygmy Woodpecker  $r_{sq} = -0.2$  slope = -0.04**



Indian White-eye  $r_{sq} = 0.35$  slope = 0.8124

Abundance (from point count data)



Acoustic Detections (from acoustic data)