



**Brown-cheeked Fulvetta  $r_{sq} = 0.34$  slope = 11.15**

**Abundance (from point count data)**




Gray-headed Canary-Flycatcher  $r_{sq} = 0.26$  slope = 8.945

Abundance (from point count data)




Nilgiri Flowerpecker  $r_{sq} = 0.28$  slope = 12.41

Abundance (from point count data)




Bronzed Drongo  $r_{sq} = 0.19$  slope = -66.84

Abundance (from point count data)




## Greater Racket-tailed Drongo $r_{sq} = 0.61$ slope = 14.01




Mountain Imperial-Pigeon  $r_{sq} = 0.29$  slope = 7.231

Abundance (from point count data)




Gray Junglefowl  $r_{sq} = -0.0025$  slope = 1.928

Abundance (from point count data)



Orange-headed Thrush  $r_{sq} = 0.023$  slope = 1.738


Abundance (from point count data)






Southern Hill Myna  $r_{sq} = 0.088$  slope = 9.43

Abundance (from point count data)




Square-tailed Bulbul  $r_{sq} = 0.62$  slope = 11.68

Abundance (from point count data)




Yellow-browed Bulbul  $r_{sq} = 0.16$  slope = 7.652

Abundance (from point count data)




Asian Fairy-bluebird  $r_{sq} = 0.22$  slope = 16.33

Abundance (from point count data)




**Crimson-backed Sunbird**  $r_{sq} = 0.41$  slope = 4.349

Abundance (from point count data)



Vernal Hanging-Parrot  $r_{sq} = 0.43$  slope = 32.49


Abundance (from point count data)



Acoustic detection rates (from acoustic data)


Malabar Whistling-Thrush  $r_{sq} = 0.1$  slope = 4.373

Abundance (from point count data)



Puff-throated Babbler  $r_{sq} = 0.064$  slope = 5.033

Abundance (from point count data)




Acoustic detection rates (from acoustic data)




Orange Minivet  $r_{sq} = -0.024$  slope = 1.1

Abundance (from point count data)



Large-billed Leaf Warbler  $r_{sq} = 0.44$  slope = 17.26


Abundance (from point count data)



Acoustic detection rates (from acoustic data)


Green Warbler  $r_{sq} = 0.21$  slope = 35.2

Abundance (from point count data)



Greenish Warbler  $r_{sq} = 0.016$  slope = 5.937


Abundance (from point count data)



Acoustic detection rates (from acoustic data)


Indian Scimitar-Babbler  $r_{sq} = 0.072$  slope = 6.369

Abundance (from point count data)




White-cheeked Barbet  $r_{sq} = 0.012$  slope = 3.599

Abundance (from point count data)




Velvet-fronted Nuthatch  $r_{sq} = 0.23$  slope = 18.9

Abundance (from point count data)



Indian Paradise-Flycatcher  $r_{sq} = 0.022$  slope = -31.6


Abundance (from point count data)






Indian White-eye  $r_{sq} = 0.066$  slope = 4.177

Abundance (from point count data)




Little Spiderhunter  $r_{sq} = 0.45$  slope = 20.71

Abundance (from point count data)




Asian Emerald Dove  $r_{sq} = 0.087$  slope = 7.308

Abundance (from point count data)




Malabar Trogon  $r_{sq} = 0.092$  slope = 16.67

Abundance (from point count data)




Acoustic detection rates (from acoustic data)

**Black-naped Monarch**  $r_{sq} = 0.27$  slope = 16.24




Indian Blue Robin  $r_{sq} = -0.017$  slope = -10.56

Abundance (from point count data)




Brown-breasted Flycatcher  $r_{sq} = 0.044$  slope = -13.09

Abundance (from point count data)



Malabar Barbet  $r_{sq} = 0.073$  slope = 5.947


Abundance (from point count data)






Greater Coucal  $r_{sq} = -0.01$  slope = 5.287

Abundance (from point count data)




Greater Flameback  $r_{sq} = -0.0075$  slope = -8.562

Abundance (from point count data)




Large-billed Crow  $r_{sq} = 0.035$  slope = 7.669

Abundance (from point count data)




Chestnut-headed Bee-eater  $r_{sq} = -0.027$  slope = -3.462

Abundance (from point count data)




Malabar Parakeet  $r_{sq} = -0.025$  slope = 4.234

Abundance (from point count data)




White-bellied Treepie  $r_{sq} = 0.13$  slope = 22.94

Abundance (from point count data)




Ashy Drongo  $r_{sq} = -0.025$  slope = 2.156

Abundance (from point count data)



Malabar Gray Hornbill  $r_{sq} = -0.026$  slope = -0.4064


Abundance (from point count data)






Red-whiskered Bulbul  $r_{sq} = 0.54$  slope = 11.31

Abundance (from point count data)




Acoustic detection rates (from acoustic data)

**Blyth's Reed Warbler**  $r_{sq} = 0.44$  slope = 14.02




Purple Sunbird  $r_{sq} = -0.0021$  slope = 7.201

Abundance (from point count data)




Acoustic detection rates (from acoustic data)

**Spotted Dove**  $r_{sq} = 0.37$  slope = 11.17



Plum-headed Parakeet  $r_{sq} = 0.55$  slope = 24.78

Abundance (from point count data)



Common Tailorbird  $r_{sq} = 0.41$  slope = 35.64

Abundance (from point count data)

