Package 'ECTTDNN'

October 12, 2022

Type Package
Title Cointegration Based Timedelay Neural Network Model
Version 0.1.0
Author Pankaj Das [aut, cre], Achal Lama [aut], Girish Kumar Jha [aut]
Maintainer Pankaj Das <pankaj.das2@icar.gov.in></pankaj.das2@icar.gov.in>
Depends R (>= 3.3.0),urca,forecast,vars
Description This cointegration based Time Delay Neural Network Model hybrid model allows the researcher to make use of the information extracted by the cointegrating vector as an input in the neural network model.
Encoding UTF-8
LazyData true
License GPL-3
NeedsCompilation no
Repository CRAN
Date/Publication 2021-01-22 11:20:02 UTC
R topics documented:
ECTTDNN
Index 3
ECTTDNN Cointegration Based Time Delay Neural Network Model
Description
This cointegration based Time Delay Neural Network Model hybrid model allows the researcher to make use of the information extracted by the cointegrating vector as an input in the neural network model.

2 ECTTDNN

Usage

```
ECTTDNN(data,type,t,lag_ann,hidden_nodes_ann,r)
```

Arguments

data A Multivariate data

type Type of cointegration test to be used. Either "trace" or "eigen" value based

t Partition value for spliting the data set into training and testing

lag_ann Number of lags used for the Time Delay Neural Network Model fitting

hidden_nodes_ann

Number of hidden nodes used in the Time Delay Neural Network Model

r Number of repeats for the Time Delay Neural Network Model

Details

ECTTDNN uses cointegration based Timedelay Neural network model proposed by Das (2019). First the cointegration of the data series is identified by Johansen cointegration test. Then Error correction model is fitted for the estimation of parameters i.e. Beta and Error correction term (ECT). The estimated ECT is used as a auxiliary information in neural network fitting. Then the neural network model is used foresting of data series.

Value

It returns the accuracy measures of the fitted cointegration based TDNN model.

Author(s)

Pankaj Das, Achal Lama, Girish Kumar Jha

References

Das (2019)http://krishikosh.egranth.ac.in/handle/1/5810147805

See Also

vars,urca, nnfor

Examples

```
data(finland)
data_example<-finland[,1:2]
ECTTDNN(data_example,"trace",0.8,1,5,5)</pre>
```

Index

```
* Cointegration
ECTTDNN, 1

* ECT
ECTTDNN, 1

* Machine Learning
ECTTDNN, 1

* TDNN
ECTTDNN, 1

ECTTDNN, 1
```