# Package 'geonames'

October 13, 2022

2 geonames

	GNfindNearby	6
	GNfindNearbyPlaceName	7
	GNfindNearbyPostalCodes	8
	GNfindNearbyStreets	
	GNfindNearByWeather	
	GNfindNearbyWikipedia	
	GNfindNearestAddress	11
	GNfindNearestIntersection	11
	GNgtopo30	
	GNneighbourhood	
	GNpostalCodeCountryInfo	
	GNpostalCodeLookup	
	GNpostalCodeSearch	15
	GNsearch	
	GNsrtm3	
	GNtimezone	
	GNweather	18
	GNweatherIcao	18
	GNwikipediaBoundingBox	
	GNwikipediaSearch	
	hierarchy	
Index		22
geon	ames Query the geonames web API for geographic data	

# **Description**

www.geonames.org is a service where you can query for global geographic data such as administrative areas, populated places, weather data etc.

#### **Details**

The functions in this package are mostly thin wrappers to the API calls documented at the geonames web services overview http://www.geonames.org/export/ws-overview.html.

A set of example calls are supplied in a file with the package. Once you have set your geonames username with options(geonamesUsername="myusernamehere") you can run this with source(system.file("tests","testing.R",package="geonames"),echo=TRUE)

GNcities 3

GNcities find cities

# Description

Search for cities

# Usage

```
GNcities(north, east, south, west, lang = "en", maxRows = 10)
```

# Arguments

north north bound
east east bound
south south bound
west west bount
lang language code

maxRows max number of records to return

#### **Details**

find cities

 $API\ doc\ for\ GN cities\ is\ at\ http://www.geonames.org/export/JSON-webservices.html\#citiesJSON-webservices.html$ 

# Value

city records

# Author(s)

Barry Rowlingson

GNcountryCode country code for location

# Description

Get country code

# Usage

```
GNcountryCode(lat, lng, lang = "", radius = "")
```

4 GNcountryInfo

#### **Arguments**

latlatitudelnglongitudelanglanguage coderadiusradius size

# **Details**

country code for location

API doc for GNcountryCode is at http://www.geonames.org/export/web-services.html#countrycode

#### Value

country record

#### Author(s)

Barry Rowlingson

GNcountryInfo country info

# Description

Get country info

# Usage

```
GNcountryInfo(country = "", lang = "")
```

# **Arguments**

country code language code

# **Details**

country info

API doc for GNcountryInfo is at http://www.geonames.org/export/web-services.html#countryInfo

#### Value

country record info

# Author(s)

GNcountry Subdivision 5

GNcountrySubdivision country code and subdivision

# Description

country code and admin subdivision

# Usage

```
GNcountrySubdivision(lat, lng, lang = "en", radius = "",
   maxRows = 10)
```

# Arguments

lat latitude
lng longitude
lang language code
radius search radius

maxRows max number of returned records

#### **Details**

looks up country and admin subdivisions

 $API\ doc\ for\ GN country Subdivision\ is\ at\ http://www.geonames.org/export/web-services. html \# country Subdivision\ is\ at\ http://www.geonames.org/export/web-services. html # c$ 

# Value

iso country code

#### Author(s)

Barry Rowlingson

GNearthquakes recent earthquakes

# Description

recent earthquakes

# Usage

```
GNearthquakes(north, east, south, west, date, minMagnitude, maxRows = 10)
```

6 GNfindNearby

#### **Arguments**

north north bound
east east bound
south south bound
west west bound
date optional date

minMagnitude optional minimal magnitude

maxRows max records to return

# **Details**

```
get recent earthquakes in a region
```

 $API\ doc\ for\ GN earth quakes\ is\ at\ http://www.geonames.org/export/JSON-webservices.html \#earth quakes\ JSON$ 

#### Value

earthquake records

# Author(s)

Barry Rowlingson

# **Examples**

```
## Not run:
GNearthquakes(north=44.1,south=-9.9,east=-22.4,west=55.2)
## End(Not run)
```

 ${\tt GNfindNearby}$ 

nearby search

# Description

find nearby entities

# Usage

```
GNfindNearby(...)
```

# **Arguments**

... search parameters

# **Details**

```
nearby search
```

API doc for GNfindNearby is at http://www.geonames.org/export/web-services.html#findNearby

#### Value

matched records

#### Author(s)

Barry Rowlingson

 ${\tt GNfindNearbyPlaceName} \ \ populated \ place \ search$ 

#### **Description**

find nearby populated place

# Usage

```
GNfindNearbyPlaceName(lat, lng, radius = "", maxRows = "10",
    style = "MEDIUM")
```

# Arguments

latlatitudelongituderadiussearch radius

maxRows max records returned style verbosity of record

#### Details

search for populated places

 $API\ doc\ for\ GN find Nearby Place Name\ is\ at\ http://www.geonames.org/export/web-services. \\ html \#find Nearby Place Name$ 

#### Value

nearby populated place records

# Author(s)

8 GNfindNearbyStreets

```
{\tt GNfindNearbyPostalCodes}
```

find postal code

# Description

find postal code by lat long or code

# Usage

```
GNfindNearbyPostalCodes(...)
```

# **Arguments**

... search parameters, see geonames web docs for details

#### **Details**

find postal code

 $API\ doc\ for\ GN find Nearby Postal Codes\ is\ at\ http://www.geonames.org/export/web-services. html \#find Nearby Postal Codes$ 

# Value

postal code records

# Author(s)

Barry Rowlingson

GNfindNearbyStreets nearby street finding

# Description

```
find nearby streets (US only)
```

# Usage

```
GNfindNearbyStreets(lat, lng)
```

# Arguments

lat latitude lng longitude

# **Details**

for a lat-long, find nearby US streets

 $API\ doc\ for\ GN find Nearby Streets\ is\ at\ http://www.geonames.org/maps/us-reverse-geocoder.\ html\#find Nearby Streets$ 

#### Value

street records

# Author(s)

Barry Rowlingson

 ${\tt GNfindNearByWeather}$ 

weather at location

# **Description**

get weather at location

# Usage

GNfindNearByWeather(lat, lng)

# **Arguments**

lat latitude lng longitude

# **Details**

get weather

 $API\ doc\ for\ GN find Near By Weather\ is\ at\ http://www.geonames.org/export/JSON-webservices.html \# find Near By Weather JSON$ 

# Value

weather record

# Note

check capitalisation of 'NearBy'

# Author(s)

# **Examples**

```
## Not run:
GNfindNearByWeather(57,-2)
## End(Not run)
```

GNfindNearbyWikipedia nearby wikipedia entries

# Description

find nearby wikipedia entries

# Usage

```
GNfindNearbyWikipedia(...)
```

# **Arguments**

. . . see geonames.org documentation

# **Details**

search wikipedia entries by lat/lng or location name parameters

 $API \ doc \ for \ GN find Nearby Wikipedia \ is \ at \ http://www.geonames.org/export/wikipedia-webservice. \ html \# find Nearby Wikipedia$ 

#### Value

wikipedia entries

#### Author(s)

Barry Rowlingson

# **Examples**

```
## Not run:
GNfindNearbyWikipedia(postalcode=8775,country="CH",radius=10)
## End(Not run)
```

GNfindNearestAddress 11

GNfindNearestAddress nearest address

# **Description**

find nearest street and address

# Usage

```
GNfindNearestAddress(lat, lng)
```

# Arguments

lat latitude
lng longitude

#### **Details**

search US for nearest street and address

 $API\ doc\ for\ GN find Nearest Address\ is\ at\ http://www.geonames.org/maps/us-reverse-geocoder.\ html\#find Nearest Address$ 

# Value

address record

#### Author(s)

Barry Rowlingson

 ${\tt GNfindNearestIntersection}$ 

nearest intersection

# Description

search US for nearest intersection

# Usage

GNfindNearestIntersection(lat, lng)

# Arguments

lat latitudelng longitude

GNgtopo30

# **Details**

finds nearest intersection

 $API\ doc\ for\ GN find Nearest Intersection\ is\ at\ http://www.geonames.org/maps/us-reverse-geocoder.\ html \#find Nearest Intersection$ 

#### Value

intersection record

#### Author(s)

Barry Rowlingson

GNgtopo30

topo30 height

# **Description**

height from topo30

# Usage

```
GNgtopo30(lat, lng)
```

# **Arguments**

lat latitude lng longitude

#### **Details**

get height from topo30 data

API doc for GNgtopo30 is at http://www.geonames.org/export/web-services.html#gtopo30

# Value

height record

# Author(s)

Barry Rowlingson

# **Examples**

```
## Not run:
GNgtopo30(lat=54,lng=-1)
## End(Not run)
```

GNneighbourhood 13

GNneighbourhood

neighbourhood

# Description

find neighbourhood

# Usage

GNneighbourhood(lat, lng)

# Arguments

lat latitudelng longitude

#### **Details**

find neighbourhood

API doc for GNneighbourhood is at http://www.geonames.org/export/web-services.html#neighbourhood

#### Value

neighbourhood records

# Author(s)

Barry Rowlingson

 ${\tt GNpostalCodeCountryInfo}$ 

postal code info

# Description

countries with postal code info

# Usage

GNpostalCodeCountryInfo()

# **Details**

list countries with postal code info

 $API\ doc\ for\ GN postal Code Country Info\ is\ at\ http://www.geonames.org/export/web-services. html \#postal Code Country Info$ 

# Value

list of countries with postal codes on geonames

# Author(s)

Barry Rowlingson

GNpostalCodeLookup

postal code lookup

# **Description**

postal code lookup

# Usage

```
GNpostalCodeLookup(...)
```

# **Arguments**

... parameters

#### **Details**

postal code lookup

 $API\ doc\ for\ GN postal Code Look up\ is\ at\ http://www.geonames.org/export/web-services.html \#postal Code Look up JSON$ 

# Value

list of places for a given input postal code

# Author(s)

GNpostalCodeSearch 15

 ${\tt GNpostalCodeSearch}$ 

postal code search

# Description

search for postal code

#### Usage

```
GNpostalCodeSearch(...)
```

# Arguments

.. search parameters

#### **Details**

full text search for postal codes

 $API\ doc\ for\ GN postal Code Search\ is\ at\ http://www.geonames.org/export/web-services.html \#postal Code Search$ 

#### Value

postal code record

# Author(s)

Barry Rowlingson

GNsearch

search geonames

# Description

search geonames

# Usage

```
GNsearch(...)
```

# **Arguments**

... search parameters

16 GNsrtm3

# **Details**

```
general search call

API doc for GNsearch is at http://www.geonames.org/export/geonames-search.html
```

#### Value

matched records

# Author(s)

Barry Rowlingson

# **Examples**

```
## Not run:
# Find places called Lancaster and 'geocode' the result
(lanc_df <- GNsearch(name = "Lancaster", country = "UK"))
lanc_coords <- lanc_df[1, c("lng", "lat")]
## End(Not run)</pre>
```

GNsrtm3

srtm3 height

# Description

height from srtm3 data

#### Usage

```
GNsrtm3(lat, lng)
```

# **Arguments**

lat latitude lng longitude

#### **Details**

```
get srtm3 height
```

API doc for GNsrtm3 is at http://www.geonames.org/export/web-services.html#srtm3

#### Value

height record

GNtimezone 17

# Author(s)

Barry Rowlingson

# **Examples**

```
## Not run:
GNsrtm3(lat=54,lng=-1)
## End(Not run)
```

GNtimezone

timezone for location

# Description

get timezone

# Usage

```
GNtimezone(lat, lng, radius = 0)
```

# Arguments

latlnglongituderadiussesarch radius

# **Details**

timezone for location

 $API \ doc \ for \ GN timezone \ is \ at \ http://www.geonames.org/export/web-services.html \# timezone$ 

# Value

time zone record

# Author(s)

18 GNweatherIcao

GNweather

weather stations in box

# Description

weather stations in region

# Usage

```
GNweather(north, east, south, west, maxRows = 10)
```

# Arguments

north north bound
east east bound
south south bound
west west bound

maxRows max records to return

# **Details**

get weather stations in region with latest readings

#### Value

weather records

# Author(s)

Barry Rowlingson

 ${\tt GNweatherIcao}$ 

ICAO weather station data

# **Description**

weather record from ICAO station

# Usage

GNweatherIcao(ICAO)

# Arguments

ICA0

ICAO code

# **Details**

```
get most recent ICAO station data

API doc for GNweatherIcao is at http://www.geonames.org/export/JSON-webservices.html#
weatherIcaoJSON
```

# Value

weather record

#### Author(s)

Barry Rowlingson

 ${\tt GNwikipediaBoundingBox}$ 

wikipedia articles in a box

# Description

wikipedia articles in bounding box

# Usage

```
GNwikipediaBoundingBox(...)
```

#### **Arguments**

```
... parameters (north, south, east, west etc.)
```

#### **Details**

find articles in a box

 $API\ doc\ for\ GN wikipedia Bounding Box\ is\ at\ http://www.geonames.org/export/wikipedia-webservice. html \#wikipedia Bounding Box$ 

#### Value

wikipedia records

# Author(s)

Barry Rowlingson

# **Examples**

```
## Not run:
GNwikipediaBoundingBox(north=44.1,south=-9.9,east=-22.4,west=55.2)
## End(Not run)
```

20 GNwikipediaSearch

 ${\tt GNwikipediaSearch}$ 

search wikipedia

# Description

wikipedia fulltext search

# Usage

```
GNwikipediaSearch(q, maxRows = 10)
```

# Arguments

q search string

maxRows maximum returned records

#### **Details**

find geolocated articles in wikipedia

 $API\ doc\ for\ GN wikipedia Search\ is\ at\ http://www.geonames.org/export/wikipedia-webservice.\ html \#wikipedia Search$ 

# Value

wikipedia entries

# Author(s)

Barry Rowlingson

# Examples

```
## Not run:
GNwikipediaSearch("london")
## End(Not run)
```

hierarchy 21

hierarchy

Admin area hierarchy

# **Description**

See http://www.geonames.org/export/ws-overview.html for a full description of valid arguments and return values

# Usage

```
GNchildren(geonameId, ...)
GNhierarchy(geonameId, ...)
GNsiblings(geonameId, ...)
GNneighbours(geonameId, ...)
```

# **Arguments**

```
geonameId a geonames ID value
... other parameters to pass to geonames
```

#### **Details**

API doc for GNchildren is at http://www.geonames.org/export/place-hierarchy.html#children API doc for GNhierarchy is at http://www.geonames.org/export/place-hierarchy.html#hierarchy API doc for GNsiblings is at http://www.geonames.org/export/place-hierarchy.html#siblings API doc for GNneighbours is at http://www.geonames.org/export/place-hierarchy.html#neighbours

# **Index**

```
geonames, 2
geonames-package (geonames), 2
GNchildren (hierarchy), 21
GNcities, 3
GNcountryCode, 3
GNcountryInfo, 4
GNcountrySubdivision, 5
GNearthquakes, 5
GNfindNearby, 6
GNfindNearbyPlaceName, 7
GNfindNearbyPostalCodes, 8
GNfindNearbyStreets, 8
GNfindNearByWeather, 9
GNfindNearbyWikipedia, 10
GNfindNearestAddress, 11
GNfindNearestIntersection, 11
GNgtopo30, 12
GNhierarchy (hierarchy), 21
GNneighbourhood, 13
GNneighbours (hierarchy), 21
GNpostalCodeCountryInfo, 13
GNpostalCodeLookup, 14
GNpostalCodeSearch, 15
GNsearch, 15
GNsiblings (hierarchy), 21
GNsrtm3, 16
GNtimezone, 17
GNweather, 18
GNweatherIcao, 18
GNwikipediaBoundingBox, 19
GNwikipediaSearch, 20
hierarchy, 21
```