Package 'scientoText'

October 14, 2022

Type Package

Version 0.1

Title Text & Scientometric Analytics

Date 2016-07-20
Author Ashraf Uddin
Maintainer Ashraf Uddin <mdaakib18@gmail.com></mdaakib18@gmail.com>
Description It involves bibliometric indicators calculation from bibliometric data. It also deals pattern analysis using the text part of bibliometric data. The bibliometric data are obtained from mainly Web of Science and Scopus.
License GPL-3
LazyData TRUE
Imports stringr, tm, utils
RoxygenNote 5.0.1
NeedsCompilation no
Repository CRAN
Date/Publication 2016-07-20 23:55:39
R topics documented: authorship_pattern author_info citation_info country_pattern g_index highly_cited h_index international_col international_colmat term_freq
Index 1

2 author_info

authorship_pattern Co-authorship Matrix and Average co-authorship

Description

It finds year-wise co-authorship matrix and average co-authorship values

Usage

```
authorship_pattern(authors, pub_years, sep)
```

Arguments

authors A character vector containing author names pub_years A numeric vector containing publication years A character pattern separating author names sep

Value

A list with co-authorship matrix and average co-authorship values

Examples

```
authors<-c("Wolf W.R., Lele S.K.",
"Shin D., Yeh X., Khatib O.",
"Aukes D., Heyneman B., Duchaine V., Cutkosky M.R.")
years<-c(2011,2012,2012)
authorship_pattern(authors,years,',')
```

author_info

Authors' Information

Description

It finds top author names and their different performance indicators

Usage

```
author_info(authors, citations, sep, top = 10, only_first_author = F)
```

Arguments

authors A character vector containing author names citations A numeric vector containing citations A character pattern separating author names sep The number of top authors top

only_first_author

Logical. If to find the author list by the first authors

citation_info 3

Value

A list consisting of author names, total instances, total citations, h index, g index, i10 index, max citation

See Also

```
g index h index
```

Examples

```
authors<-c("Wolf W.R., Lele S.K.",
"Shin D., Yeh X., Khatib O.",
"Aukes D., Heyneman B., Duchaine V., Cutkosky M.R.")
author_info(authors,c(3,4,1),',')</pre>
```

citation_info

Citations and Cited Instances

Description

Citations and Cited Instances

Usage

```
citation_info(citations, pub_years)
```

Arguments

citations A numeric vector containing citations

pub_years A numeric vector containing publication years

Value

return year-wise total instances (tp), cited instances and total citations (tc)

```
citation_info(c(1,3,0,4,2,3,1,0),c(2012,2012,2012,2013,2012,2011,2014,2014))
```

4 country_pattern

country_pattern

Country Instances

Description

Country-wise and year-wise output for a defined period.

Usage

```
country_pattern(affiliations, pub_years = NULL, countries = NULL,
  only_first_author = F)
```

Arguments

affiliations A text vector containing affiliation (country) information

pub_years A numeric vector containing publication years

countries A list of countries (optional)

only_first_author

Logical. If to find the author list by the first authors

Details

The function returns year and country-wise output matrix if the publication years are provided. If only affliation data is provided the country-wise output is returned as a single vector instead of a matrix.

Value

A list containing country output and other details.

```
affiliations<-c("Stanford University, Stanford, CA, United States; Montreal, QC, Canada", "Stanford University, United States; Google Inc., United States", "University of Michigan, Ann Arbor, MI 48109-2122, United States; Tsinghua University, Beijing 100084, China", "Imperial College London, London, SW7 2BZ, United Kingdom; ENSTA, Ecole Polytechnique, Palaiseau, 91761, France")

pub_years<-c(2012,2012,2013,2014)

country_pattern( affiliations, pub_years)
country_pattern(affiliations)
```

g_index 5

g_index g index

Description

g index

Usage

g_index(citations)

Arguments

citations

A numeric vector containing citations

Value

return the g index for the given citations

See Also

h index

Examples

```
g_{index}(c(1,2,5,0,3,11))
```

highly_cited

Highly Cited Instances

Description

It finds the number of highly cited instances year-wise.

Usage

```
highly_cited(citations, pub_years, ref_citations = NULL,
  ref_pub_years = NULL, top = NULL, year_lim = list())
```

Arguments

citations A numeric vector containing citations

pub_years A numeric vector containing publication years

ref_citations The citations of reference instances

ref_pub_years The publication years of reference instances

top An integer which defines top percent highly cited instances

year_lim A list conating years and year-wise citation threshold. If not mentioned these

values are calculated from ref_citations, ref_pub_years & top.

h_index

Value

Returns a list containing number of top highly cited instances with other details

Examples

h_index

h index

Description

Find h index for a given set of documents

Usage

```
h_index(citations)
```

Arguments

citations

A numeric vector containing citations

Value

return the h index for the given citations

References

Hirsch, J. E. (2005). An index to quantify an individual's scientific research output. Proceedings of the National academy of Sciences of the United States of America, 102(46), 16569-16572.

See Also

```
g_index
```

```
h_{index}(c(1,2,5,0,3,11))
```

international_col 7

international_col

International Collaboration

Description

Calculate the number of Internationally Collaborated Papers

Usage

```
international_col(affiliations, pub_years = NULL, countries = NULL)
```

Arguments

affiliations A text vector containing affiliation (country) information

pub_years A numeric vector containing publication years

countries A list of countries (optional)

Details

It finds if there is any International Collaboration so affiliation fields must have country information

Value

Collaboration count or a list (collaboration counts year-wise)

```
affiliations<-c("Stanford University, Stanford, CA, United States; Montreal, QC, Canada", "Stanford University, United States; Google Inc., United States", "University of Michigan, Ann Arbor, MI 48109-2122, United States; Tsinghua University, Beijing 100084, China", "Imperial College London, London, SW7 2BZ, United Kingdom; ENSTA, Ecole Polytechnique, Palaiseau, 91761, France")

pub_years<-c(2012,2012,2013,2014)

international_col(affiliations, pub_years)
international_col(affiliations)
```

8 international_colmat

Description

Calculate Internationally Collaborated Matrix(es)

Usage

```
international_colmat(affiliations, pub_years = NULL, countries = NULL)
```

Arguments

affiliations A text vector containing affiliation (country) information

pub_years A numeric vector containing publication years

countries A list of countries (optional)

Details

It finds the collaboration network at international level in terms of adjacent matrix so affiliation fields must have country information

Value

Collaboration adjacent matrix(es)

```
affiliations<-c("Stanford University, Stanford, CA, United States; Montreal, QC, Canada", "Stanford University, United States; Google Inc., United States", "University of Michigan, Ann Arbor, MI 48109-2122, United States; Tsinghua University, Beijing 100084, China", "Imperial College London, London, SW7 2BZ, United Kingdom; ENSTA, Ecole Polytechnique, Palaiseau, 91761, France")

pub_years<-c(2012,2012,2013,2014)

international_colmat( affiliations, pub_years)
international_colmat(affiliations)
```

term_freq 9

term_freq	Term Frequency

Description

Term Frequency

Usage

```
term_freq(text, pub_years = NULL, sep = NULL, top = NULL)
```

Arguments

text A character vector

pub_years A numeric vector containing publication years

sep A character value which separates the terms (optional)

top The number of terms to return

Value

Term frequencey vector or matrix (for year-wise)

Index

```
author_info, 2
authorship_pattern, 2

citation_info, 3
country_pattern, 4

g_index, 5, 6

h_index, 6
highly_cited, 5

international_col, 7
international_colmat, 8

term_freq, 9
```