

**TCS Ninja questions: 2<sup>nd</sup> September 2018, Slot 1**

**English**

We were not able to obtain options, but answers are highlighted.

Technology has **revolutionized** our lives and influenced nearly **every** industry, including fitness. From apps to wearables, technology is constantly **changing** the way **the** fitness industry functions. Mobile technology, fitness wearables and data, and smart equipment **are** shaping the way health clubs **and** equipment manufacturers operate today. Engaging members via mobile with digital fitness challenges, reward programs, push notifications and wearable integration not only **allows** fitness operators to **foster** existing relationships with clients **but** also build **on** them.

**Quantitative Aptitude**

1. **Advanced:** In how many ways can we give change for rs 100 using 1 rupee and 2 rupee coins? For example for 5 rs we can give three ways

(1,1,1,1) (1,1,1,2) (1,2,2)

**Answer: 51**

2. We are driving along a highway at a constant speed of 55 miles per hour (mph). You observe a car one half mile behind you. The car is moving fast and zooms past you exactly one minute later. How fast is this car traveling (mph) if its speed is constant?

a. 80

b. 70

c. 72

d. 85

**Answer: 85**

3. What is the next number in the series

70,54,45,41? a. 40

b. 35

c. 45

d. 54

**Answer: 40**

4. George can do some work in 8 hours. Paul can do the same work in 10 hours while Hari can do the same work in 12 hours. All the three of them start working at 9 AM. while George stops work at 11 am, the remaining two complete the work, approximately when will the work be finished?

- a. 11:30 AM
- b. 12 noon
- c. 12.30 PM
- d. 1 PM

**Answer:** 1 PM

5. A certain sum of money is sufficient to pay either George's wages for 15 days or mark's wages for 10 days, for how long will it suffice if both George and mark work together?

- a. 9
- b. 8
- c. 6
- d. 5

**Answer:** 6

6. **Advanced:** a, b, c are positive numbers such that  $a+b+ab=8$ ,  $b+c+bc=15$  and  $c+a+ca=35$

What is the value of  $a+b+c+abc$ ?

**Answer:** 36

7. The 260th term of the series

a, b, b, c, c, c, d, d, d, d, e, e, e, e, f, f, f, f, f, ... is:


- a. U
- b. W
- c. T
- d. V

**Answer:** W

8. **Advanced:** It is possible to pair up all the numbers from 1 to 70 so that the positive difference of the numbers in each pair is always the same. For example, one such pairing up is (1,2), (3,4), (5,6), ..., (69,70). Here the common difference is 1. What is the sum of all such common differences.

**Answer:** 1680

9. **Advanced:** A regular polygon with 12 sides (dodecagon) is inscribed in a square of area 24 square units as shown in the figure where four of the vertices are mid points of the sides of the square. The area of the dodecagon in square units is.



**Answer:** 19.26

10. **Advanced:**

In how many ways can we give change for 100 using 1 rupee and 2 rupee coins? For example for 5 rs, we can give in three ways : (1,1,1,1,1) (1,1,1,2) (1,2,2)

**Answer:** 51

11. **Advanced:** In the figure shown, a triangle is divided into nine stripes of equal height each parallel to the same side of the triangle. The shaded stripes have a total area of 135 square units. What is the area of the triangle in square units.




**Answer:** 243

12. In the IT department of backrub, the administrator password is changed every month. The team of administrator, spread across the globe, receive an 8 digits number via email. This number is to be prefixed with a single digit number and suffixed with a single digit number to get the actual password. The password is divisible by 11 and 8. If the team received 54218345 this month. Then which of the following pairs give valid prefix and suffix respectively?

- a. 3,7
- b. 1,6
- c. 2,4
- d. 4,2

**Answer:** 1,6

13. In the diagram below, the areas of the triangles are as follows:  $A_1=1024$ ,  $A_2=1016$ ,  $A_3=1057$ . What is the area of  $A_4$ ?



- a. 1032
- b. 1036
- c. 1020
- d. 1065

**Answer:** 1065

14. The people of the land of unsymmetrix to ensure that there is very little symmetry in life. Even their unit of length (no one knows what it is) is called as unsym. It is their pride that the front wheel and the rear wheels of their bikes are of different sizes but are made so that they will not slip on the road. In a certain model of bike the radius of the front wheel is 28 unsyms and that of the back wheels is 14 unsyms after driving a certain distance if front wheel had revolution 54 times how many revolution would the back wheel have undergone?

- a. 136

- b. 122
- c. 108
- d. 94

**Answer:** 108

15. Rs. 3000 is distributed among A, B and C such that A gets  $\frac{2}{3}$ rd of what B and C together get and C gets  $\frac{1}{2}$  of what A and B together get. Find C's share.

- a. 1500
- b. 1000
- c. 1200
- d. 1800

**Answer:** 1000

16. Given that  $1 < a < b < c$

- a.  $\exp(a^d)/\exp(b^c)$  b.
- $\exp(b^d)/\exp(a^c)$  c.
- $\exp(c^d)/\exp(a^b)$  d.
- $\exp(b^c)/\exp(a^d)$

**Answer:**  $\exp(c^d)/\exp(a^b)$

17. 32 times of a two digit number is 23 times the number obtained by reversing its digit. The sum of its digit is 15 Find the number:

- a. 96
- b. 69
- c. 87
- d. Insufficient information

**Answer:** 69

18. Let N be the greatest number that will divide 148, 246 and 623 leaving remainders 4, 6 and 11 respectively. What is the remainder if N is divided by 7?

- a. 0

- b. 1
- c. 5
- d. 6

**Answer: 5**

19. A store is selling a jacket on sale at 30% off the marked price. A matching pair of pants is on sale at 40% off the marked price. If the marked price of the pants is Rs. 8500 less than the marked price of the jacket and the total sale price of both items is Rs. 23500, then what is the marked price of the jacket?

- a. 21700
- b. 21800
- c. 22000
- d. 22100

**Answer: 22000**

20. Initially, when Sona and Tina left for a shopping expedition, Sona had three times the money than Tina had. They bought things amounting to Rs. 480 altogether, out of which Tina's share was 65%. At the end of shopping, Sona was left with 4 times the amount that Tina had. What was the amount with Tina at the beginning?

- a. 1080
- b. 1248
- c. 768
- d. 936

**Answer: 1080**

21. In a group of 5 families, every family has a certain number of children, such that the number of children forms an arithmetic progression with a common difference of one, starting with two children in the first family. Despite the objection of their parents every child in a family has three times as many pets to look after as the number of offspring in the family. What is the total number of pets in the entire group of five families.

- a. 270
- b. 99
- c. 165

d. 27

**Answer:** 270

### Programming Concepts

1. Eesha was in a wonderland where she saw a treasure trove of seven items of various items (in lakhs) and weights (in kgs) as per the table given below.

Value - Weight

12	4
10	6
8	5
11	7
14	3
5	10
5	12

She wanted to bring back maximum value of items but she was not able to carry more than 10 kgs. Using dynamic programming, what is the maximum value of the items that she could carry back with her.

**Answer:** 26

2. In c language, if a function return type is not explicitly defined then it defaults to what data type?

**Answer:** Int

3. Which of the following syntax is correct for command -line

arguments? a. `int main (char *argv[], int argc)`

b. none of the three

options c. `int main ()`

{

`int argv, char *argc[];`

}

d. `int main(int var, char *varg[])`

**Answer:** `int main (int var,char *varg[])`

4. **Advanced** The figure depicts a search space in which the nodes are labelled with names like A,B,A1,B1. Node S is the start node. The goal are drawn as square boxes and the other noted in circle Enter answer as a sequence of node separated by a comma, please DO NOT enter any blanks anywhere in the response

For example, If the answer (order of nodes) is a followed by c, followed by A1, followed by D, the answer should be A,C,A1,D

Starting with the node start node,list the order in which the depth first search algorithm explore the graph till termination, searching from right to left until it reaches one of the goal nodes.

[gallery ids="1695"]

**Answer:** S,C,J,T,I1

5.

The full set of operations allowed on a stack are

- a. Push ,pop
- b. Push,pop,remove
- c. Push,pop, add,remove
- d. Push,pop,add,remove,substitute

**Answer:** push,pop

6. `Realloc ()` function is used to:

- a. Get back the memory that was released earlier using `dree()`
- funcion b. Reallocate a file pointer when switching between files
- c. Change the size of an array
- d. Change the size of dynamically allocated memory

**Answer:** change the size of dynamically allocated memory

7. **Advanced** Consider a hash function that distributes keys uniformly. The hash table size is 20. After hashing of how many keys will the probability that any new key hashed collides with an existing one exceed 0.5.

- a. 10
- b. 7



c. 6

d. 5

**Answer:** 5

8.

Which of the below is NOT a data type in C language:

a. Signed int

b. Big int

c. Short int

d. Long int

**Answer:** Big int

9. Eesha wants to implement an image viewer application to view images in a given folder. The application will be able to display an image and will also know what its next and previous images are at any given point of time so that the user can so that the user can view next/previous image by pressing right/left keys on the keyboard. Which data structure is appropriate for Esha to use?

a. Tree


b. Queue

c. Linked list

d. Stack

**Answer:** Linked list

10. The pseudo code below sorts an array using bubble sort. Here A is the array and the "n" is the number of element in it. Function swap exchanges the value of 2 given value.



```
1  Function bubbleSort(A, n)
2  {
3      For i = 0 to n-2 step 1
4          For j = 0 to n-i-2 step 1
5              If (A(j) > A(j+1))
6                  swap(A(j), A(j+1))
7  }
```

This function is called with A and 7 as parameter where the array a initially contains the element 64, 34, 25, 12, 22, 11, 9

- a. 34 25 12 22 11 9 64
- b. 25 12 22 11 9 34 64
- c. 11 9 12 22 25 34 64
- d. 12 11 9 22 25 34 64

**Answer:**25 12 22 11 9 34 64

## Coding

Consider the following series: 1,1,2,3,4,9,8,27,16,81,32,243,64,729,128,2187...

This series is a mixture of 2 series - all the odd terms in this series form a geometric series and all the even terms form yet another geometric series. Write a program to find the Nth term in the series.

The value N in a positive integer that should be read from STDIN. The Nth term that is calculated by the program should be written to STDOUT. Other than value of n th term, no other character / string or message should be written to STDOUT. For example , if N=16, the 16th term in the series is 2187, so only value 2187 should be printed to STDOUT.

You can assume that N will not exceed 30.

**Answer:**

```
#include
#include

int main()

{
//code
int n;
scanf("%d", &n);
if(n % 2 == 1)
{
int a = 1;
int r = 2;
int term_in_series = (n+1)/2;
int res = pow(2, term_in_series - 1);
printf("%d ", res);
}
else
{
int a = 1;
int r = 3;
```

```
int term_in_series = n/2;  
int res = pow(3, term_in_series - 1);  
printf("%d ", res);  
}  
  
return 0;  
}
```

**TCS Ninja questions: 2<sup>nd</sup> September 2018, Slot 2**

**Quantitative Aptitude**

1. How many number plates can be made if the number plates have two letters of the English alphabet (A-Z) followed by two digits (0-9) if the repetition of digits or alphabets is not allowed?

- a. 56800
- b. 56500
- c. 52500
- d. 58500

**Answer:** 58500

2. A,B and C can together do some work in 72 days.A and B together do two times as much work as C alone, and A and C together can do our times as much word as B alone. Find the time taken by C alone to do the whole work.

- a. 144 days
- b. 360 days
- c. 216 days
- d. 180 days

**Answer:** 216 days

3. In a cricket tournament, 16 school teams participated. A sum of Rs.8000 is to be awarded among them as prize money. If the team placed last is award Rs.275 as prize money and the award increases by the same amount for successive finishing places, how much will the team placed first receive?

- a. 1000
- b. 500

c. 1250

d. 725

**Answer:** 725

4. A and B completed a work together in 5 days. Had A worked at twice his own speed and B half his own speed, it would have taken them 4 days to complete the job. How much time would it take for A alone to do the job?

a. 10 days

b. 20 days

c. 25 days

d. 15 days

**Answer:** 10 days

5. Eesha's father was 34 years of age when she was born. her younger brother, Shashank, now that he is 13, is very proud of the fact that he is as tall as her, even though he is three years younger than her. Eesha's mother, who is shorter than Eesha, was only 29 when Shashank was born. what is the sum of the ages of Eesha's parents now?

a. 92

b. 76

c. 66

d. 89

**Answer:** 92

6. A sum of Rs 2387 is divided into three parts in such a way that one fifth of the first part, one half of the second part and four times the third part are equal. Find the sum of five times the first part, three times the second part and four times the third part (in rupees).

a. 9982

b. 7812

c. 9114

d. 10199

**Answer:** 10199

7. Apples cost L rupees per kilogram for the first 30 kilograms and Q rupees per kilogram for each additional kilogram. If the price paid for 33 kilograms of apples is Rs. 1167 and for 36 kilograms of apples is Rs. 1284, then the cost of the first 10 kgs of apples is:

- a. Rs.117
- b. Rs.1053
- c. Rs.350
- d. Rs.281

**Answer:** Rs.350

8. A, B and C can together do some work in 72 days. A and B together do two times as much work as C alone, and A and C together can do four times as much work as B alone. Find the time taken by C alone to do the work.

- a. 144 days
- b. 360 days
- c. 216 days
- d. 180 days

**Answer:** 216 days

9. A and B are traveling in the same direction. B is traveling at a constant speed of 55kmph and the distance between A and B is 1.5 km. If A crosses B within 1 minute, what is the speed of A?

**Answer:** 145 kmph

10. In a test with 26 questions, five points were deducted for each wrong answer and eight points were added for every correct answer. How many were answered correctly if the score was zero?

- a. 11
- b. 10
- c. 13
- d. 12

**Answer:** 10

11. In a week in July the average daily temperature of Monday to Wednesday was 27 degrees and of Tuesday to Thursday was 24 degrees. If the temperature remained constant throughout in any given day.

- a. 20
- b. 22
- c. 18
- d. 16

**Answer:** 18

12. In this question  $x^y$  stands for  $x$  raised to the power  $y$ . For example,  $2^3=8$  and  $4^{1.5}=8$ . If  $a, b$  are real numbers such that  $a+b=3$ ,  $a^2+b^2=7$ , the value of  $a^4+b^4$  is?

- a. 49
- b. 45
- c. 51
- d. 47

**Answer:** 47

13. The air conditioned bus service from Siruseri industry park runs at regular intervals throughout the day. It is now 3:12 pm and it has arrived 1 minute ago but it was 2 minutes late. The next bus is due 3:18 pm. When is the next bus due?

- a. 3:27 pm
- b. 3:29 pm
- c. 3:24 pm
- d. 3:25 pm

**Answer:** 3:27 pm

14. A road network covers some cities. City  $c$  can be reached only from city  $a$  or city  $b$ . The distance from  $a$  to  $c$  is 65 kms and that from  $B$  to  $C$  is 30 kms. The shortest distance from  $a$  to  $b$  is 58 kms. The shortest distance from city  $P$  to  $A$  is 420 kms and the shortest distance from city  $P$  to  $B$  is 345 kms. The shortest distance from city  $P$  to city  $C$  in kms is:

- a. 153
- b. 478

c. 403

d. 375

**Answer:** 375

15. A 70 foot pole stands vertically in a horizontal plane supported by three 490 foot wires, all attached to the top of the pole. Pulled and anchored to three equally spaced points in the plane. How many feet apart are any two of those anchor points?

**Answer:** 149.61


16. **Advanced:** The set  $A(0)$  is  $(1,2,3,4)$ . For  $n > 0$ ,  $A(n+1)$  contains all possible sums that can be obtained by adding two different numbers from what is the number of integers in  $A(10)$ .

**Answer:** 67

17. **Advanced** What is the number of positive integers less than or equal to 2017 that have at least one pair of adjacent digits that are both even. For example 24,564 are two examples of such numbers while 1276 does not satisfy the required property.

**Answer:** 738

18. In the following star, the numbers on each straight line are in arithmetic progression. What is  $H+K+L$ ?



a. -8

b. 11

c. 5

**Answer:** -8

19. Considering a hash table with 100 slots. Collisions are resolved using chaining. Assuming simple uniform hashing, what is the probability that the first 3 slots are unfilled after the first 3 insertions? (NOTE:  $100^3$  means 100 raised to the power 3)



- a.  $(97 * 96 * 95) / 100^3$
- b.  $(97 * 96 * 95) / (6 * 100^3)$
- c.  $(97 * 97 * 97) / 100^3$
- d.  $(99 * 98 * 97) / 100^3$

**Answer:**  $(97 * 97 * 97) / 100^3$

20. **Advanced** In this question  $x^y$  stands for x raised to the power y .for example  $2^3=8$  and  $4^{1.5}=8$

Find the number of positive integers  $n > 2000$  which can be expressed as  $n = 2^m + 2^n$  where m and n are integers (for example,  $33 = 2^0 + 2^5$ )

**Answer:** 65

21. Fishing is a serious environmental issue. It has been determined by the scientists that if the net of a trawler has mesh size x cm by x (square mesh) then the percentage of fish entering the net that are caught in the net is  $(100 - 0.02x^2 - 0.05x)$ . for example if the mesh size is zero 100% of the fish that enter the net will be caught. The trawler with net with a square mesh that was suspected of using an illegal size net dropped its net to the ocean floor near the damans and coast guard officials arrested the crew. the scientists later looked at the size of the fish caught and estimated that the net used by the trawler at least 97.93% of the fish entering the net would be caught. What is the maximum value of x for the net by the trawler?

- a. 8.5
- b. 9
- c. 11
- d. None of the answers

**Answer:** 9

## Programming Concepts

1. **Advanced** Consider a hash function that distributes keys uniformly. The hash table size is 20. After hashing of how many keys will the probability that any new key hashed collides with an existing one exceed 0.5.

- a. 10
- b. 7
- c. 6
- d. 5

**Answer:** 5

2. #define is used to

a. Define a variable

b. Define a macro c.

Define a function d.

Define a constant

**Answer:** Define a macro

3. What type of data structures are

queues? a. First in last out

b. First in first out

c. Last in first out

d. Last in last out

**Answer:** First in first out

4. Which of the following is NOT a valid storage class in C

language? a. Extern

b. Dynamic

c. Register

d. Auto

**Answer:** Dynamic

5. Eesha is developing a word processing software in which she wants to provide undo feature. the software will maintain all the sequential changes and at any point of time pressing control z will undo the latest change, what data structure should Eesha use for this?

a. Stack

b. Queue

c. Linked list

d. Array

**Answer:** Stack

6. #include

Main(int argc,char\*\*argv)

{

printf(“%s\n”,argv[--argc]);

Return 1;

}

The above program was run with the following command line parameters

Asha usha nisha easha

What was the output?

- a. Nisha
- b. Unable to run due to compilation error
- c. No output,run time error
- d. Eesha


**Answer:** Eesha

7. Considering a hash table with 100 slots. Collisions are resolved using chaining. Assuming simple uniform hashing, what is the probability that the first 3 slots are unfilled after the first 3 insertions? (NOTE:  $100^3$  means 100 raised to the power 3)

- a.  $(97 * 96 * 95) / 100^3$
- b.  $(97 * 96 * 95) / (6 * 100^3)$
- c.  $(97 * 97 * 97) / 100^3$
- d.  $(99 * 98 * 97) / 100^3$

**Answer:**  $(97 * 97 * 97) / 100^3$

8. **Advanced** Consider the following graph starting at node A. In what order will the nodes be visited using a breadth first search?



NOTE 1 : Is there is ever a decision between multiple neighbour nodes in the algorithm, assume we always choose the letter closest to the beginning of the first alphabet

NOTE 2: Enter the answer as a sequence of nodes separated by a comma. Please do NOT enter any blanks anywhere in the response. For example, is the answer (order of nodes) is A followed by C, followed by X, followed by D. the answer should be A,C,X,D.

**Answer:** A,B,D,E,G,C,H,F

9. This function is called with A and 7 as parameters where the array A initially contains the elements 34,14,65 be the value of the elements in A after 3 iterations of the outer loop?

1	Function bubbleSort(A, n)
2	{
3	For i = 0 to n-2 step 1
4	for j = 0 to n-i-2 step 1
5	if (A (j) > A(j+1))
6	swap(A(j),A(j+1))
7	}

a. 14 12 22 5 34 65 71

b. 14 34 22 12 65 5 71

c. 14 22 12 34 5 65 71

**Answer:** 14 12 22 5 34 65 71

## Coding

Consider the below series :

0,0,2,1,4,2,6,3,8,4,10,5,12,6,14,7,16,8

This series is a mixture of 2 series all the odd terms in this series form even numbers in ascending order and every even terms is derived from the previous term using the formula  $(x/2)$

Write a program to find the nth term in this series.

The value n is a positive integer that should be read from STDIN the nth term that is calculated by the program should be written to STDOUT. Other than the value of the nth term no other characters /strings or message should be written to STDOUT.

For example if n=10, the 10th term in the series is to be derived from the 9th term in the series. The 9th term is 8 so the 10th term is  $(8/2)=4$ . Only the value 4 should be printed to STDOUT.

You can assume that the n will not exceed 20,000.

**Code:**

```
#include
#include

int main() {
//code
int n;
scanf("%d", &n);
if(n % 2 == 1)
{
int a = 1;
int r = 2;
int term_in_series = (n+1)/2;
int res = 2 * (term_in_series - 1);
printf("%d ", res);
}
else
{
int a = 1;
int r = 3;
int term_in_series = n/2;

int res = term_in_series - 1;
printf("%d ", res);
}

return 0;
}
```

**TCS Ninja questions: 2<sup>nd</sup> September 2018, Slot 3**

**English**

We were not able to obtain options, but answers are highlighted.

Chatbots are now part of **the** cultural narrative and are **becoming** even more sophisticated. It is hard to find **someone** who has not had an interaction with a chatbot or virtual assistant. As chatbots and virtual assistants **get** more sophisticated, they **will be able** to respond with increasing empathy and personalization, **seamlessly** tracking the customer **journey**. Whether voice or text activated, bots **will be** able to help users find **products** and answers 24 X 7, on any device or channel faster than ever **before**. In fact, more and more people are rating messaging as a top choice for customer service.

**Quantitative Aptitude**

1. Babla alone can do a piece of work in 10 days. Ashu alone can do it in 15 days. The total wages for the work is Rs.5000. How much should be Babla be paid if they work together for an entire duration of work?

- a. 5000
- b. 4000
- c. 3000
- d. 2000

**Answer: 3000**

2.

How many of the integers from 1 to 86 (inclusive) contain the digit 4 or have the digit sum divisible by 4?

- a. 40
- b. 41
- c. 24
- d. 35

**Answer: 35**

3. in this problem  $ABS(X)$  is the mathematical value of  $X$  without regard to its sign. for example  $ABS(3)$  is 3 and  $ABS(-3)$  is also 3. if the equation  $ABS(x+12)+ABS(x-5)=r$  is satisfied by infinitely many values of  $x$  the value of  $r$  is

- a. 12
- b. No such  $r$  exists
- c. 17
- d. 5

**Answer:** 17

4. Of height 36 m at the edge of a road broke ( While remaining attached to the tree ) at a certain height and it fell in such a way that touched the other edge of the road. If the breadth of the road is 12m. Then the height at which the tree broke was

- a. 16
- b. 18
- c. 24
- d. 12

**Answer:** 16

5. Two cars start at the same time from  $a$  and  $b$  and travel towards each other at speeds of 50kmph and 60 kmph respectively at the time of their meeting the second car has travelled 120 km more than the first the distance between  $a$  and  $b$  is

- a. 720 km
- b. 1320 km
- c. 600 km
- d. 1230 km

**Answer:** 1320 KM

6. The numbers from 5 to 26 are written side-by-side as follows 567..2526. What is the remainder of dividing the resultant number by 9?

- a. 1
- b. 3
- c. 8
- d. 5

**Answer:** 5

7. A certain number of teams took part in a competition each team in the competition must play one game with each of the other teams, how many teams took part in the competition if they played 55 games in all?

- a. 10
- b. 12
- c. 7
- d. 11

**Answer:** 11

8. Which of the following represents the largest 4 digit number which can be added to 7855 in order to make the derived number divisible by each of the following numbers 12,14,21,33 and 54?

- a. 461
- b. 8777
- c. 9953
- d. 9965

**Answer:** 461

9. You are driving along a highway at a constant speed of 55 miles per hour you observe a car one-half mile behind you the car is moving fast and zooms past you exactly one minute later. How fast is this car travelling (mph)if its speed is constant?

- a. 80
- b. 70
- c. 85
- d. 72

**Answer:** 85

10. A store is selling a jacket on sale at 30% off the marked price. A matching pair of pants is on sale at 40% off the marked price. If the marked price of the pants is Rs. 8500 less than the marked price of the jacket and the total sale price of both items is Rs. 23500, then what is the marked price of the jacket?

- a. 21700
- b. 21800
- c. 22000
- d. 22100

**Answer:** 22000

11. In a group of 5 families, every family has a certain number of children, such that the number of children forms an arithmetic progression with a common difference of one, starting with two children in the first family. Despite the objection of their parents every child in a family has three times as many pets to look after as the number of offspring in the family. What is the total number of pets in the entire group of five families.

- a. 270
- b. 99
- c. 165
- d. 27

**Answer:** 270

12. If we add x to both numerator and denominator of the fractions  $\frac{2}{3}$  and  $\frac{20}{23}$  the resulting fractions are equal x is

- a. 56
- b. 12
- c. 7
- d. 143



Answer: 7

13. How many words of 11 letters could be formed with all the vowels present only in the even places, and the consonants only in the odd places, using letters of the english alphabet? Each letter may appear only once . the vowels are A,E,I,O,U and the consonants are the remaining letters of the alphabet. In the answer ,n! Donotes n factorial (or  $1*2*...*n$ )

- a.  $21!$
- b.  $26! / 5!$
- c.  $21! * 5! / 15!$
- d.  $21! / (5!*5!)$

**Answer:**  $21! * 5! / 15!$

14. On a certain assembly line the rejection rate for hyundai i10's production was 4 percent for hyundai i20's production 8 percent and the two cars combined 7 percent .what was the ratio of hyundai i20's production to hyundai i10's production?

- a. 1:1
- b. 2:1
- c. 1:2
- d. 3:1

**Answer:** 3:1

15. the average temperature of may, July and august was 31 degrees. The average temperature of July, august and October was 30 degrees, if the temperature of May was 30 degrees , find the temperature October (in degrees)

- a. 27 b. 28
- c. 26 d. 25

**Answer:**

27

16. The arithmetic mean of three numbers is 147.if the mean of the first two numbers is 141.what is the third number?

- a. 18
- b. 159
- c. 6
- d. 723

**Answer:** 159

17. Raj divided 50 in to two parts such that the sum of their reciprocal is  $1/12$  we get the parts as

- a. 28,22
- b. 36,14
- c. 20,30

d. 24,36

**Answer:** 20, 30

18. A child was looking for his father. He went 90 metres in the East before turning to his right. He went 20 metres before turning to his right again to look for his father at his uncle's place 30 metres from this point. His father was not there. From here he went 100 metres to the North before meeting his father in a street. How far did the son meet his father from the starting point?

- a. 80
- b. 30
- c. 90
- d. 100

**Answer:**100

19. The greatest common divisor of two numbers A and B is 22. The least common multiple of A and B is 2002, if A has fewer divisors B, what is  $A + B$ ?

**Answer:** 20

20. Usha has three boxes with ten balls in each. she plays a game where the goal is to end up with as few balls as possible in the boxes. the boxes are each marked with a separate number 4, 7, and 10. it is allowed to remove  $n$  balls from the box marked with the number  $n$ , put three of them aside and put the rest in another box. what is the least possible number of balls the boxes together can contain in the end??

**Answer:** 1

21. For a positive integer  $N$ . Let  $P(N)$  be the product of the digits of  $N$ . example,  $P(123) = 6$ . The value of  $P(101) + P(102) + \dots + P(201) + P(202)$  is

**Answer:** 504

22. We have two cubes . the sum of the two cubes is 25. The sum of a side length of one cube and a side length of the other is 4. What is the sum of the total surface areas of the two cubes?

**Answer:** 57

## Programming MCQ

1. Eesha is developing an IP telephony software in which the audio is encoded and transmitted by the sender as network packets through a communication channel. At the other end these packets are assembled and processed further. eesha recognizes that there maybe a very large number of packets this number is unknown and which will be processed while more packets are being received .assume that the packets arrive in right order .what data structure should eesha use?

- a. Array
- b. List
- c. Queue
- d. Stack

Answer: List

2. A structure in C language is

- a. System defined data type that holds predefined collection of data types
- b. User defined data type holding similar or dissimilar data types
- c. Another name for union data type
- d. A collection of similar user defined data type

Ans : User defined data type holding similar or dissimilar data types