
UPDATES - MITACS PROJECT

1 Week 1

1.1 Deciding on the project

We talked about three project ideas

1. Explicit block couplings on "symmetric", "big" Ω 's.
Eg. The Ising model on \mathbb{Z}_n^2
2. Existence of MMC's Look at prof Aaron's notes on MMC.
3. Computing couplings for stats. (Eg. work done by Jacob Pierre)
Read: Pierre's notes on Couplings

I decided to try the third one first.

1.2 To proceed on the third project

There were three tasks to be done.

1. Set up dropbox to write notes
Update: Done.
2. Find Pierre's notes on Couplings and read a bit.
Update: I found the notes. I'm reading them up, and will be done with 3 chapters of it by our next meeting (I guess on Tuesday)
3. Try a simple example (Suggestion : MH algorithm on $N(0, 1)$ with mirror and maximal)

2 Week 2

- Created a github repo for the whole project.
- Coded up MH on $N(0, 1)$ using the maximal couplings. (**TODO:** Will add the algorithm later in the doc as well)
- Studied maximal coupling, optimal transport coupling, total variation norm, weisserstein distances.
- Meeting #2 with Aaron:
 - Discussed about when a coupling is faithful, coupling inequality and mixing time in our context (**TODO:** fill in the details)
 - Discussed the main idea of Broderick et al's paper. The setting of the problem is basically we have a lot of vertices with +1 and -1 labellings. We want to connect them using edges to make a graph such that the energy of the graph is as minimum as possible (energy is lower if we minimize the number of edges between opposite signed vertices)(**TODO:** add the actual energy formula) This is kind of like a clustering problem. The problem is to draw from configurations like these.
 - The paper doesn't contribute much theoretically but is very well written. The work done is on a computer and some new things and ideas are presented. The aim of our project is to take one of the below presented problems, try to make some progress in them and write a Broderick style paper on it.

- We then discussed the following three problems:
 1. NNMF : The problem is that we have a very large matrix and we need to decompose it into product of smaller dimension matrices such that the energy is minimized. (**TODO**: write the exact formula for energy) Then draw from the defined distribution. This is also similar to the classification problem, just not very obvious.
 2. Ranking : We have n teams, and N games between them. Based on the win/lose data, we try to rank them so that the energy is minimized (**TODO**: write the exact energy formula). (**TODO**: get a symmetric formula for energy (HINT: use the bradley-terry model)) Then draw from the probability distribution. This problem for $\beta = 0$ is called the random transposition walk (like glauher dynamics)
 3. Q: What happens when β is small. Problem is a similar phenomenon to Gibbs algo on simplexes.
- Studied convergence of Markov chains and application of coupling techniques to prove convergence.

3 Week 3

Tasks for the week

- Complete Jacob's notes and lecture videos
- Broderick's paper
- Study more about these problems, try to work out some details
- Try to read Lindvall :)