

CSE2315 — Assignment 2

Vlad Paun
6152937

February 15, 2026


Exercise 1

Consider the language $L = (a^*b)^*$. Construct an NFA N for which $L(N) = L$. To this end, answer the following:

(a) Construct an NFA N_1 for which $L(N_1) = \{x\}$.




(b) Construct N in a systematic way starting from N_1 .




Exercise 2

Consider the NFA $N = \{\{q_0, q_1, q_2\}, \{a, b, c\}, \delta, q_0, \{q_1, q_2\}\}$ depicted below:




Construct a DFA D such that $L(D) = L(N)$:



Exercise 3


Consider the following two DFAs D_1, D_2 :



(a) Describe the languages of D_1 and D_2

$$L(D_1) = (ab)^*, L(D_2) = (ba)^*$$

(b) Construct a DFA D such that $L(D) = L(D_1) \cap L(D_2)^c$.



Exercise 4

Suppose we have the following language L over the alphabet $\Sigma = \{a, b, c\}$:

$$L = \{w \in \Sigma^* \mid w \text{ has an } a \text{ and every } a \text{ after the first } a \text{ in } w \text{ is immediately followed by a } c\}$$

(a) Give a regular expression R such that $L(R) = L$.

$$R = (b \cup c)^* a (b \cup c \cup ac)^*$$

(b) Explain the answer

In order to enforce the one a in the word, we have to go $(b \cup c)^* a (b \cup c)^*$. And then to add ac blocks after the first a , we simply or those ac blocks with the $b \cup c$.

Exercise 5

Exercise 6

Bonus Exercise