




1.27mm 2x7P 双排 MIPI扩展口







VCC_5V<<u>VCC_5V</u> VCC_3V3D<u>VCC_3V3</u> VCC_3V3 C49 _ C50 + C50 J2 C15 0.1uF ____ C13 USB_C_Receptacle_USB2.0_16P 1uF \rightarrow **VBUS** \uparrow \uparrow GND GND GND GND VDD33 VDD18 R90 10k,1% CC1 U20 R76 R77 5.1k 5.1k CLKOUT 2 USB334x_CLK DUSB334x_CLK \uparrow R79 DATAO 4 USB334x_DO 17 VBUS 10k,1% -
USB334x_D0 DATA1 5 USB334x_D1 GND GND —♦USB334x_D1 14 DM DATA2 6 USB334x_D2 ->USB334x_D2 18 ID DATA3 7 USB334x_D3 -->USB334x_D3 DATA4 8 USB334x_D4 ->USB334x_D4 DATA5 10 USB334x_D5 SBU1= --♦USB334x_D5 DATA6 11 USB334x_D6 GND В8 SBU2⊏ R78 -
USB334x_D6 DATA7 12USB334x_D7 1M -\$USB334x_D7 Y1 26M 1 GND DIR 1 USB334x_DIR Α1 21 REFCLK/XI —DUSB334x_DIR RBIAS \uparrow R89 25 GND 8.06k USB3343 Î J3 GND T_VBUS 1 T_VBUS GND GND 3 USB20_D_P 2 USB20_D_N Sheld GND

