DEVCONF.cz

Using Packit and Testing Farm for CI/CD and automation in an upstream project

or "Packit appreciation talk"

Vojtech Trefny

Who are we

- We are a team working on various storage libraries and tools, mostly related to the Storaged Project¹.
- We are both upstream and downstream (Fedora and RHEL) maintainers.
- We are using CI/CD and automation where possible.
- We are not Packit developers, just very happy users.




How we use Packit

- We are using Packit for both manual and automated testing in our upstream projects and for downstream package maintenance automation.
- This includes daily builds in Copr, various CI jobs on GitHub and downstream automation in Fedora dist-git.
- Packit greatly simplifies cross project collaboration with our users like Cockpit and Anaconda.



Daily builds in Copr

- "Daily" Copr builds triggered by commits merged in the upstream Git.
- RPM spec file available in the upstream repository.
- Used for testing and development both by us and our friends for further testing.



- job: copr_build trigger: commit owner: "@storage"

project: blivet-daily

branch: main

preserve_project: true




Copr builds for Pull Requests

- RPM builds triggered by pull request.
- Temporary Copr repositories are created automatically.
- Used as a simple test case and for manual testing and for related projects.

Copr Build Results

storaged-project/blivet#1394 e231d01






- job: tests
 trigger: pull_request
 targets:
 - fedora-latest
 branch: main



Running tests

- Tests run on pull requests using Testing Farm¹.
- Test plans are part of the upstream GitHub repositories.
- Plans are standard Testing Farm test plans and can be also started manually with tmt.



```
- job: tests
  trigger: pull_request
  targets:
    - fedora-latest
  branch: main
```



Reverse-dependency tests

- Running test suites of users of our APIs on pull requests.
- Ensures we don't break projects depending on us.
- Our projects and Cockpit¹ are currently covered.

```
- job: tests
  identifier: revdeps
  trigger: pull_request
  branch: main
  notifications:
    failure comment:
      message: "Blivet-GUI tests failed for
commit {commit_sha}. Qvojtechtrefny please
check."
  targets:
    - fedora-latest
  tf_extra_params:
    environments:
      - artifacts:
        - type: repository-file
          id: https://copr...
        tmt:
          context:
            revdeps: "yes"
```



Downstream builds automation

- Triggered by upstream release (git tag).
- Packit opens Pagure PRs against all Fedora branches.
- Koji build is triggered after merging the PR.
- Bodhi updates are created automatically for branched Fedora versions.





Not only Fedora

- Other distributions supported by Copr and Testing Farm can be used as well.
- We have Copr builds and tests set up to help with backporting patches for RHEL/CentOS Stream.
- Support for more distributions is being worked on: openSUSE + OBS¹



- job: copr_build targets:

- centos-stream-10-x86_64

trigger: pull_request
branch: rhel10-branch

- job: tests

trigger: pull_request

targets:

- centos-stream-10-x86_64

branch: rhel10-branch



...and more

■ Packit CLI¹

- Need RPMs for manual testing?
 Simply run
 - \$ packit build locally
- OpenScan Hub² integration
 - Runs OSH check for every PR
 - Can be triggered manually with
 - \$ packit scan-in-osh

```
$ packit scan-in-osh
Directory with sources:
/home/vtrefny/Projekty/blivet
Full command passed to osh-cli -> ['osh-cli',
'mock-build',
'/home/vtrefny/Projekty/blivet/python-
blivet-3.12.1-
1.20250611131534246573.main.67.g53f74344.fc42.sr
c.rpm', '--config=fedora-rawhide-x86_64', '--
nowait', '--json', '--comment=Submitted through
Packit.'
Scan URL:
http://openscanhub.fedoraproject.org/task/59518/
```



Packit is great!

- Packit is great for both upstream and downstream and you should use it too.
- Copr builds, both daily and on PR, are very useful for developers working in Fedora and RHEL ecosystem.
- Integration with Testing Farm is great for CI, especially for test cases that cannot run in a container.
- Dist-git automation saves a lot of time.



Thank you for your attention

■ Packit resources

- https://packit.dev/
- https://dashboard.packit.dev/

■ Storaged Project

- https://storaged.org/
- https://github.com/storaged-project

■ Contact:

vtrefny@redhat.com

