

ECON 712 - PS 2

Alex von Hafften*

9/17/2020

Problem 1: Two-dimensional non-linear system

Consider the Ramsey model of consumption c_t and capital k_t :

$$k_{t+1} = f(k_t) + (1 - \delta)k_t - c_t \quad (1)$$

$$\beta u'(c_{t+1}) = \frac{u'(c_t)}{1 - \delta + f'(k_{t+1})} \quad (2)$$

parametrized by: $f(k) = zk^\alpha, z = 1, \alpha = 0.3, \delta = 0.1, \beta = 0.97, u(c) = \log(c)$.

1. Solve for steady state (\bar{k}, \bar{c}) .

The functional forms provided imply:

$$\begin{aligned} f(k) = zk^\alpha &\implies f'(k) = z\alpha k^{\alpha-1} \\ u(c) = \log(c) &\implies u(c) = c^{-1} \end{aligned}$$

Setting $\bar{c} := c_t = c_{t+1}, \bar{k} := k_t = k_{t+1}$:

$$\begin{aligned} (2) &\implies c_{t+1} = \beta c_t (1 - \delta + z\alpha k_{t+1}^{\alpha-1}) \\ &\implies 1 = \beta (1 - \delta + z\alpha \bar{k}^{\alpha-1}) \\ &\implies \bar{k} = \left(\frac{\beta^{-1} - 1 + \delta}{z\alpha} \right)^{\frac{1}{\alpha-1}} \\ &\implies \bar{k} \approx 3.2690 \end{aligned}$$

$$\begin{aligned} (1) &\implies \bar{c} = z\bar{k}^\alpha + (1 - \delta)\bar{k} - \bar{k} \\ &\implies \bar{c} = z \left(\frac{\beta^{-1} - 1 + \delta}{z\alpha} \right)^{\frac{\alpha}{\alpha-1}} + \delta \left(\frac{\beta^{-1} - 1 + \delta}{z\alpha} \right)^{\frac{1}{\alpha-1}} \\ &\implies \bar{c} \approx 1.0998 \end{aligned}$$

The steady state is $(\bar{k}, \bar{c}) = (3.2690, 1.0998)$.

*I worked on this problem set with a study group of Michael Nattinger, Andrew Smith, and Ryan Mather. I also discussed problems with Emily Case, Sarah Bass, and Danny Edgel.

2. Linearize the system around its steady state.

Rewrite equations (1) and (2) as $k_{t+1} = g(k_t, c_t)$ and $c_{t+1} = h(k_t, c_t)$:

$$\begin{aligned}(1) &\implies k_{t+1} = zk_t^\alpha + (1 - \delta)k_t - c_t \\(2) &\implies c_{t+1} = \beta c_t (1 - \delta + z\alpha k_{t+1}^{\alpha-1}) \\&= \beta c_t (1 - \delta + z\alpha (zk_t^\alpha + (1 - \delta)k_t - c_t)^{\alpha-1})\end{aligned}$$

The Jacobian is $J = \begin{pmatrix} dk_{t+1}/dk_t & dk_{t+1}/dc_t \\ dc_{t+1}/dk_t & dc_{t+1}/dc_t \end{pmatrix}$ where

$$\begin{aligned}dk_{t+1}/dk_t &= z\alpha k_t^{\alpha-1} + 1 - \delta \\dk_{t+1}/dc_t &= -1 \\dc_{t+1}/dk_t &= z\alpha\beta c_t(\alpha - 1)(zk_t^\alpha + (1 - \delta)k_t - c_t)^{\alpha-2}(z\alpha k_t^{\alpha-1} + 1 - \delta) \\dc_{t+1}/dc_t &= (1 - \delta)\beta + z\alpha\beta[(zk_t^\alpha + (1 - \delta)k_t - c_t)^{\alpha-1} - c_t(\alpha - 1)(zk_t^\alpha + (1 - \delta)k_t - c_t)^{\alpha-2}]\end{aligned}$$

Using first-order Taylor approximation, the system can be written in terms of deviations from steady state $\tilde{k}_t = k_t - \bar{k}$ and $\tilde{c}_t = c_t - \bar{c}$:

$$\begin{pmatrix} \tilde{k}_{t+1} \\ \tilde{c}_{t+1} \end{pmatrix} = J \begin{pmatrix} \tilde{k}_t \\ \tilde{c}_t \end{pmatrix}$$

3. Compute numerically eigenvalues and eigenvectors of the Jacobian at the steady state. Verify that the system has a saddle path. What is the slope of the saddle path at the steady state?

At $(\bar{k}, \bar{c}) = (3.269, 1.100)$ and the above parameters.

$$J = \begin{pmatrix} 1.0309 & -1 \\ -0.0308 & 1.0299 \end{pmatrix}$$

The eigenvectors and eigenvalues for J are:

$$\begin{aligned}\Lambda &= \begin{pmatrix} \lambda_1 & 0 \\ 0 & \lambda_2 \end{pmatrix} = \begin{pmatrix} 1.2060 & 0 \\ 0 & 0.8548 \end{pmatrix} \\E &= \begin{pmatrix} e_{11} & e_{12} \\ e_{21} & e_{22} \end{pmatrix} = \begin{pmatrix} 0.9850 & 0.9848 \\ -0.1725 & 0.1734 \end{pmatrix} \\ \begin{pmatrix} k_t \\ c_t \end{pmatrix} &= \begin{pmatrix} e_{11} & e_{12} \\ e_{21} & e_{22} \end{pmatrix} \begin{pmatrix} m_1 \lambda_1^t \\ m_2 \lambda_2^t \end{pmatrix}\end{aligned}$$

The system has a saddle path because the absolute value of one eigenvalue is greater than one and the absolute value of the other eigenvalue is less than one. The saddle path is (k_t, c_t) where $m_1 = 0$.

$$\begin{pmatrix} k_t \\ c_t \end{pmatrix} = \begin{pmatrix} e_{11} & e_{12} \\ e_{21} & e_{22} \end{pmatrix} \begin{pmatrix} 0 \\ m_2 \lambda_2^t \end{pmatrix} = \begin{pmatrix} e_{12} m_2 \lambda_2^t \\ e_{22} m_2 \lambda_2^t \end{pmatrix}$$


So, the slope of the saddle path at the steady state is $\frac{e_{22} m_2 \lambda_2^t}{e_{12} m_2 \lambda_2^t} = \frac{e_{22}}{e_{12}} = \frac{0.1734}{0.9848} = 0.1761$.

4. On a phase diagram in (k_t, c_t) show how the system evolves after an unexpected permanent positive productivity shock at $t_0, z' > z$. (You don't need to plot lines precisely - do this by hand, but pay attention to vector field (arrows), relative position of old and new steady states, directions of saddle paths and system trajectory after the shock.)


$$\begin{aligned}
 \Delta k_{t+1} &= 0 \\
 \implies k_{t+1} - k_t &= 0 \\
 \implies (f(k_t) + (1 - \delta)k_t - c_t) - k_t &= 0 \\
 \implies c_t &= f(k_t) - \delta k_t
 \end{aligned}$$

$$\begin{aligned}
 \Delta c_{t+1} &= 0 \\
 \implies c_{t+1} &= c_t \\
 \implies \beta u'(c_{t+1}) &= \beta u'(c_t) \\
 \implies \frac{u'(c_t)}{1 - \delta + f'(k_{t+1})} &= \beta u'(c_t) \\
 \implies f'(k_{t+1}) &= \beta^{-1} - 1 + \delta \\
 \implies k_{t+1} &= \bar{k} \\
 \implies c_t &= f(k_t) + (1 - \delta)k_t - \bar{k}
 \end{aligned}$$

Phase Diagram with Vector Field Arrows



Phase Diagram with Saddle Paths



5. (continuing from 4) Compute numerically and plot trajectories of k_t and c_t for $t = 1, 2, \dots, 20$ if the productivity shock occurs at $t_0 = 5$ and $z = z + 0.1$. For this question, we will be looking at the linearized version of the nonlinear system around the new steady state.

The new steady state (\bar{k}', \bar{c}') and Jacobian matrix at that point are

$$(\bar{k}', \bar{c}') \approx (3.7458, 1.2602)$$

$$J \approx \begin{pmatrix} 1.0309 & -1 \\ -0.0308 & 1.0299 \end{pmatrix}$$

Diagonalizing the system using eigenvectors:

$$\Lambda \approx \begin{pmatrix} 1.2060 & 0 \\ 0 & 0.8548 \end{pmatrix}$$

$$E \approx \begin{pmatrix} 0.9850 & 0.9848 \\ -0.1725 & 0.1734 \end{pmatrix}$$

Rewriting it in terms of \hat{k}_t and \hat{c}_t :

$$\begin{pmatrix} \hat{k}_t \\ \hat{c}_t \end{pmatrix} = E^{-1} \begin{pmatrix} k_t \\ c_t \end{pmatrix} \implies \begin{pmatrix} \hat{k}_{t+1} \\ \hat{c}_{t+1} \end{pmatrix} = \Lambda \begin{pmatrix} \hat{k}_t \\ \hat{c}_t \end{pmatrix}$$

Since $\hat{k}_{t+1} = \lambda_1 \hat{k}_t \iff \hat{k}_t = m_1 \lambda_1^t = m_1 (1.2060)^t$ and $\hat{c}_{t+1} = \lambda_2 \hat{c}_t \iff \hat{c}_t = m_2 \lambda_2^t = m_2 (0.8548)^t$. For the solution to be nonexplosive, $m_1 = 0$:

$$\begin{aligned} \hat{k}_t &= (0) \lambda_1^t = 0 \\ \hat{c}_t &= m_2 \lambda_2^t \end{aligned}$$

Rewriting the in terms of (k_t, c_t) :

$$\begin{pmatrix} \tilde{k}_t \\ \tilde{c}_t \end{pmatrix} = E \begin{pmatrix} \hat{k}_t \\ \hat{c}_t \end{pmatrix} = \begin{pmatrix} e_{11} & e_{12} \\ e_{21} & e_{22} \end{pmatrix} \begin{pmatrix} 0 \\ m_2 \lambda_2^t \end{pmatrix}$$

$$\begin{aligned} k_t^g &= e_{11}(0) + e_{12} m_2 \lambda_2^t + \bar{k} \\ &= e_{12} m_2 \lambda_2^t + \bar{k} \\ c_t^g &= e_{21}(0) + e_{22} m_2 \lambda_2^t + \bar{c} \\ &= e_{22} m_2 \lambda_2^t + \bar{c} \end{aligned}$$

Now, we pin down a particular saddle path trajectory using a boundary condition $k_{t_0} = \bar{k}$ to find m_2 :

$$\begin{aligned}
k_{t_0} &= \bar{k}_{old} \\
\Rightarrow e_{12}m_2\lambda_2^{t_0} + \bar{k}_{new} &= \bar{k}_{old} \\
\Rightarrow m_2 &= \frac{\bar{k}_{old} - \bar{k}_{new}}{e_{12}\lambda_2^{t_0}} \\
\Rightarrow m_2 &= \frac{3.2690 - 3.7458}{(0.9848)0.8548^5} \\
\Rightarrow m_2 &= -1.0607
\end{aligned}$$

Thus, c_{t_0} is:

$$\begin{aligned}
c_{t_0} &= e_{22}m_2\lambda_2^{t_0} + \bar{c} \\
&= (0.1734)(-1.0607)(0.8548)^5 + (1.2602) \\
&= 1.1762
\end{aligned}$$

Using the particular solution, we can compute and graph k_t and c_t after the shock. For $t = \{5, \dots, 20\}$:

$$\begin{aligned}
k_t^g &= e_{12}m_2\lambda_2^t + \bar{k} = (0.9848)(-1.0607)(0.8548)^t + (3.7458) \\
c_t^g &= e_{22}m_2\lambda_2^t + \bar{c} = (0.1734)(-1.0607)(0.8548)^t + (1.2602)
\end{aligned}$$




Figure 1: The trajectory of k_t and c_t using the first-order Taylor approximation both for the model and the initial conditions.

6. For this question, we explore the nonlinear nature of the system and numerically solve the actual transition path using the “shooting method”.

- (a) In the previous question, you solve c_{t_0} under the linear system. Put (k_{t_0}, c_{t_0}) into the nonlinear system (1) and (2). Compute and graph how the system evolves. Does it converge to a steady state?

No, the system does not converge to the steady state (see figure 2). The level of consumption at t_0 is above the saddle path associated with the new steady state, so consumption overshoots the new steady state. Thus, capital is lower than the saddle path and starts to drop before reaching the level associated with the new steady state.




Figure 2: The trajectory of k_t and c_t using only the initial conditions from the Taylor output approximation.

- (b) Use “shooting method” to find the actual c_{t_0} needed. The method is to try different values of c_{t_0} such that after long enough time, the system will converge to the new steady state.




Figure 3: The trajectory of k_t and c_t using the initial conditions from the model via the shooting method.

Problem 2: Setting up a model

- For the problems below, state the Social Planner Problem (SPP), the Consumer Problem (CP), and define the Competitive Equilibrium (CE). (Don't solve).
1. Consider an overlapping generations economy of 2-period-lived agents. There is a constant measure of N agents in each generation. New young agents enter the economy at each date $t \geq 1$. Half of the young agents are endowed with w_1 when young and 0 when old. The other half are endowed with 0 when young and w_2 when old. There is no savings technology. Agents order their consumption stream by $U(c_t^t, c_{t+1}^t) = \ln c_t^t + \ln c_{t+1}^t$. There is a measure N of initial old agents. Half of them are endowed with w_2 and the other half endowed with 0. Each old agent order their consumption by c_1^0 . Each old agent is endowed with M units of fiat currency. No other generation is endowed with fiat currency, and the stock of fiat currency is fixed over time.

Social Planner Problem

In any period t , the social planner weights agents alive equally and optimally allocates resources between them given preferences and technologies. The resource constraint in period t is

$$Nc_t^t + Nc_t^{t-1} \leq \frac{N}{2}w_1 + \frac{N}{2}w_2$$

Thus, the social planner's problem is

$$\begin{aligned} \max_{(c_t^t, c_t^{t-1}) \in \mathbb{R}_+^2} & \ln(c_t^t) + \ln(c_t^{t-1}) \\ \text{s.t. } & c_t^t + c_t^{t-1} \leq \frac{w_1 + w_2}{2} \end{aligned}$$

Consumer Problem

For the consumer problem, I break it up into the problem facing four different types of agents: an initial old agent that does not receive an endowment, an initial old agent that does receive an endowment, an agent born in generation $t > 0$ that receives an endowment when young, and an agent born in generation $t > 0$ that receives an endowment when old. Define $a_t^{t'}$ to be the consumption in period t of an agent born in t' that receives an endowment when young and $b_t^{t'}$ to be the consumption in period t of an agent born in t' that receives an endowment when old. Notice that $a_t^{t'} + b_t^{t'} = c_t^{t'}$. Let p_t be the number of dollar for 1 unit of the consumption good in period t .

First, the problem of an initial old person without an endowment is

$$\begin{aligned} \max_{c_1^0 \in \mathbb{R}_+} & \ln(a_1^0) \\ \text{s.t. } & p_1 a_1^0 \leq M \end{aligned}$$

Second, the problem of an initial old person that receives an endowment

$$\begin{aligned} \max_{c_1^0 \in \mathbb{R}_+} & \ln(b_1^0) \\ \text{s.t. } & p_1 b_1^0 \leq M + p_1 w_2 \end{aligned}$$

Turning to agents born in generations $t > 0$. Define $m_t^{t'} \in \mathbb{R}_+$ as the holding of fiat currency by an agent born in generation t' between periods $t - 1$ and t .¹ Let us create another asset, called “bonds”. When an agent sells a bonds, they get q_t of fiat currency in period t and then return 1 unit of the consumption good in period $t + 1$, and when an agent buys a bonds, they pay q_t of fiat currency in period t and then get 1 unit of the consumption good in period $t + 1$.² Define $k_t^{t'} \in \mathbb{R}_+$ as the outstanding bonds maturing in t bought by agents born in generation t' . Define $l_t^{t'} \in \mathbb{R}_+$ as the outstanding bonds maturing in t sold by agents born in generation t' . Agents that are endowed when old can sell bonds when young to buy consumption goods. Agents that are endowed when young can buy these bonds and receive consumption goods when old.

Thus, the problem facing agents born in generation $t > 0$ that are endowed when young is

$$\begin{aligned} \max_{(a_t^t, a_{t+1}^t, m_{t+1}^t, k_t^{t'}) \in \mathbb{R}_+^4} \quad & \ln(a_t^t) + \ln(a_{t+1}^t) \\ \text{s.t.} \quad & p_t a_t^t \leq p_t w_1 - m_{t+1}^t - q_t k_t^{t'} \\ & p_{t+1} a_{t+1}^t \leq m_{t+1}^t + p_{t+1} k_t^{t'} \end{aligned}$$

The problem facing agents born in generation $t > 0$ that are endowed when old is

$$\begin{aligned} \max_{(b_t^t, b_{t+1}^t, l_{t+1}^t) \in \mathbb{R}_+^3} \quad & \ln(b_t^t) + \ln(b_{t+1}^t) \\ \text{s.t.} \quad & p_t b_t^t \leq q_t l_{t+1}^t \\ & p_{t+1} b_{t+1}^t \leq p_{t+1} w_2 - p_{t+1} l_{t+1}^t \end{aligned}$$

Competitive Equilibrium:

A competitive equilibrium is the allocation $\{(a_t^t, a_t^{t-1}, b_t^t, b_t^{t-1})\}_{\forall t}$ and prices $\{p_t, q_t\}_{\forall t}$ such that agents optimize and markets clear:

$$\begin{aligned} a_t^t + a_t^{t-1} + b_t^t + b_t^{t-1} &= \frac{w_1 + w_2}{2} & (\text{Goods Market}) \\ m_{t+1}^t &= M & (\text{Money Market}) \\ k_{t+1}^t &= l_{t+1}^t & (\text{Bond Market}) \end{aligned}$$

¹I am interpreting “there is no savings technology” to mean that agents cannot save the consumption between periods, but that agents are able to save the fiat currency between periods.

²The use of bonds assumes that there is a commitment technology that forces agents to pay IOUs back to other agents in future periods.

2. Consider an overlapping generations economy with 3-period-lived agents. Denote these periods as young, mid, and old. At each date $t \geq 1$, N_t new young agents enter the economy, each endowed with w_1 units of the consumption good when young, w_2 units when mid, and w_3 units when old. The consumption good is non-storable. The population is described by $N_{t+1} = n * N_t$, where $n > 0$. Consumption preference is described by $\ln c_t^t + \ln c_{t+1}^t + \ln c_{t+2}^t$. At time $t = 1$, there is a measure N_{-1} of old agents, each endowed with w_3 units of the consumption good, and a measure of N_0 mid agents, each endowed with w_2 units of the consumption good at $t = 1$ and w_3 units at $t = 2$. Additionally, each initial old agent is endowed with 1 unit of a fiat currency.

Social Planner Problem:

In any period t , the social planner weights agents alive equally and optimally allocates resources between them given preferences and technologies. The resource constraint in period t is

$$\begin{aligned} N_t c_t^t + N_{t-1} c_t^{t-1} + N_{t-2} c_t^{t-2} &\leq N_t w_1 + N_{t-1} w_2 + N_{t-2} w_3 \\ n^2 N_{t-2} c_t^t + n N_{t-2} c_t^{t-1} + N_{t-2} c_t^{t-2} &\leq n^2 N_{t-2} w_1 + n N_{t-2} w_2 + N_{t-2} w_3 \\ n^2 c_t^t + n c_t^{t-1} + c_t^{t-2} &\leq n^2 w_1 + n w_2 + w_3 \end{aligned}$$

Thus, the social planner's problem is

$$\begin{aligned} \max_{(c_t^t, c_t^{t-1}, c_t^{t-2}) \in \mathbb{R}_+^3} \quad & n^2 \ln(c_t^t) + n \ln(c_t^{t-1}) + \ln(c_t^{t-2}) \\ \text{s.t.} \quad & n^2 c_t^t + n c_t^{t-1} + c_t^{t-2} \leq n^2 w_1 + n w_2 + w_3 \end{aligned}$$

Consumer Problem:

For the consumer problem, I break it into the three problems: the problem facing an initial old agent, the problem facing an initial mid agent, and the problem facing all agents born in generation $t > 0$. Let p_t be the number of dollar per unit of consumption good in period t . Define $m_{t+1}^t \in \mathbb{R}$ as the monetary holdings of the generation born in t between periods t and $t + 1$ and define $m_{t+2}^t \in \mathbb{R}$ as the monetary holdings of the generation born in t between periods $t + 1$ and $t + 2$.

The problem of the initial old agent is

$$\begin{aligned} \max_{c_1^{-1} \in \mathbb{R}_+} \quad & \ln(c_1^{-1}) \\ \text{s.t.} \quad & p_1 c_1^{-1} \leq p_1 w_3 + 1 \end{aligned}$$

The problem of the initial mid agent is

$$\begin{aligned} \max_{(c_1^0, c_2^0) \in \mathbb{R}_+^2; m_2^0 \in \mathbb{R}} \quad & \ln(c_1^0) + \ln(c_2^0) \\ \text{s.t.} \quad & p_1 c_1^0 \leq p_1 w_2 - m_2^0 \\ & p_2 c_2^0 \leq p_2 w_3 + m_2^0 \end{aligned}$$

The problem of agents born in period $t > 0$ is

$$\begin{aligned}
& \max_{(c_t^t, c_{t+1}^t, c_{t+2}^t) \in \mathbb{R}_+^3; (m_{t+1}^t, m_{t+2}^t) \in \mathbb{R}^2} \ln(c_t^t) + \ln(c_{t+1}^t) + \ln(c_{t+2}^t) \\
& \text{s.t. } p_t c_t^t \leq p_t w_1 - m_{t+1}^t \\
& \quad p_{t+1} c_{t+1}^t \leq p_{t+1} w_2 + m_{t+1}^t - m_{t+2}^t \\
& \quad p_{t+2} c_{t+2}^t \leq p_{t+2} w_3 + m_{t+2}^t
\end{aligned}$$

Competitive Equilibrium:

A competitive equilibrium is the allocation $\{(c_t^t, c_{t+1}^{t-1}, c_{t+2}^{t-2})\}_{\forall t}$ and prices $\{p_t\}_{\forall t}$ such that agents optimize and markets clear:

$$\begin{aligned}
n^2 c_t^t + n c_t^{t-1} + c_t^{t-2} &= n^2 w_1 + n w_2 + w_3 & (\text{Goods Market}) \\
n m_t^{t-1} + m_t^{t-2} &= \frac{N_{-1}}{N_{t-2}} & (\text{Money Market}).
\end{aligned}$$

- (Cake eating problem) Consider a single infinitely lived agent with preference over their consumption stream $\mathbf{c} = \{c_t\}$, given by $U(\mathbf{c}) = \sum_{t=1}^{\infty} \beta^t u(c_t)$, where $\beta < 1$ and $u(\cdot)$ is increasing and concave. Consumption cannot be negative in any period. The agent is endowed with k_1 units of the consumption good in period $t = 1$. There is a perfect storage technology, such that the consumption good is effectively infinity durable. State the agent's problem (don't solve).

The agent's problem is

$$\begin{aligned}
& \max_{\{c_t\}} \sum_{t=1}^{\infty} \beta^t u(c_t) \\
& \text{s.t. } \sum_{t=1}^{\infty} c_t = k_1 \\
& \quad c_t > 0 \forall t \in \mathbb{N}
\end{aligned}$$