

Cycling Towards Cleaner Cities? Evidence from New York City's Bike Share Program


Vincent Thorne · Trinity College Dublin

STATEC Research

2 February 2023

Why do we care about air pollution?

Air pollution is harmful to human health and the economy



Manhattan, ©Lerone Pieters

Why do we care about air pollution?

Air pollution is harmful to human health and the economy

- In US: 100K–200K excess deaths annually (Tessum et al., 2019; Lelieveld et al., 2019)



Manhattan, ©Lerone Pieters

Why do we care about air pollution?

Air pollution is harmful to human health and the economy

- In US: 100K–200K excess deaths annually (Tessum et al., 2019; Lelieveld et al., 2019)
- Other health impacts: chronic respiratory diseases (asthma, \$50 billion/year (Nurmagambetov et al., 2018)), cardiovascular diseases, diabetes, size of newborns, (Guarnieri and Balmes, 2014; Rajagopalan and Brook, 2012; Ibald-Mulli et al., 2001)




Manhattan, ©Lerone Pieters

Why do we care about air pollution?

Air pollution is harmful to human health and the economy

- In US: 100K–200K excess deaths annually (Tessum et al., 2019; Lelieveld et al., 2019)
- Other health impacts: chronic respiratory diseases (asthma, \$50 billion/year (Nurmagambetov et al., 2018)), cardiovascular diseases, diabetes, size of newborns, (Guarnieri and Balmes, 2014; Rajagopalan and Brook, 2012; Ibald-Mulli et al., 2001)
- Decreases cognitive performance, productivity, alteration to decision-making (Lavy, et al., 2014; Hanna and Oliva, 2015; Shehab and Pope, 2019, Aguilar-Gomez et al., 2022)



Manhattan, ©Lerone Pieters

Cities and air quality

Air quality is a major issue for cities since they concentrate

- economic activity

Cities and air quality

Air quality is a major issue for cities since they concentrate

- economic activity → air pollution emitter

Cities and air quality

Air quality is a major issue for cities since they concentrate

- economic activity → air pollution emitter
- large human populations

Cities and air quality

Air quality is a major issue for cities since they concentrate

- economic activity → air pollution emitter
- large human populations → harmed by exposure to air pollution

Cities and air quality

Air quality is a major issue for cities since they concentrate

- economic activity → air pollution emitter
 - large human populations → harmed by exposure to air pollution
- Small reductions in air pollution concentrations for large populations can have substantial positive impacts (Carozzi and Roth, 2023; Strosnider et al., 2017)

The potential of cycling to reduce air pollution

- Road transport is a major source of air pollution
 - Most road vehicles are powered by internal-combustion engines and emit air pollutants
 - Transportation emits 30% of local air pollutants in New York City (Matte et al., 2013)

The potential of cycling to reduce air pollution

- Road transport is a major source of air pollution
 - Most road vehicles are powered by internal-combustion engines and emit air pollutants
 - Transportation emits 30% of local air pollutants in New York City (Matte et al., 2013)
- Cycling has two features that can address pollution from road transport
 1. It does not emit air pollution
 2. It can replace some road transport trips

The potential of cycling to reduce air pollution

- Road transport is a major source of air pollution
 - Most road vehicles are powered by internal-combustion engines and emit air pollutants
 - Transportation emits 30% of local air pollutants in New York City (Matte et al., 2013)
- Cycling has two features that can address pollution from road transport
 1. It does not emit air pollution
 2. It can replace some road transport trips
- However, it remains unclear if investments in cycling infrastructure...
 - Induce substitution away from polluting vehicles and towards cycling
 - Ultimately decrease air pollution

Bike share: widespread, large-scale cycling infrastructure

Bike share has been popular cycling infrastructure intervention in the past 20 years

- Over 2,000 programs running around the world

Bike share: widespread, large-scale cycling infrastructure

Bike share has been popular cycling infrastructure intervention in the past 20 years

- Over 2,000 programs running around the world
- 204 bike share programs in North America

Bike share: widespread, large-scale cycling infrastructure

Bike share has been popular cycling infrastructure intervention in the past 20 years

- Over 2,000 programs running around the world
- 204 bike share programs in North America
- 66 million bike share trips in North America in 2021

Bike share: widespread, large-scale cycling infrastructure

Bike share has been popular cycling infrastructure intervention in the past 20 years

- Over 2,000 programs running around the world
- 204 bike share programs in North America
- 66 million bike share trips in North America in 2021

→ Causal evidence on their impacts on the environment of cities is scarce

This paper

Research question

Does bike share reduce local air pollution?

This paper

Research question

Does bike share reduce local air pollution?

- This paper estimates the causal impact of bike share on local air pollution concentrations
 - Exploiting the gradual roll-out of NYC's bike share program since 2013 by using a staggered difference-in-differences strategy
 - Combining it with ten years of high-resolution, ground-level measures of air pollution

Preview of results

Main results

- In bike share's area of influence:
 - 13% reduction in nitric oxide (vs pre-treatment mean concentrations)
 - 5% reduction in black carbon
 - Back-of-the-envelope social benefits valued to up to \$320 million

Preview of results

Main results

- In bike share's area of influence:
 - 13% reduction in nitric oxide (vs pre-treatment mean concentrations)
 - 5% reduction in black carbon
 - Back-of-the-envelope social benefits valued to up to \$320 million

Evidence on mechanisms

- Does bike share reduce car traffic? Using taxi trips:
 - Taxi service is popular and taxi trips are similar to bike share trips → potential substitute
 - Suggestive evidence of fewer short taxi trips in areas served by bike share

Contribution

Previous literature

- Air quality impacts of other urban transportation interventions: e.g. underground expansion, congestion tolls, electric vehicles (Gendron-Carrier et al., 2018; Green et al., 2020, Basagaña et al., 2018; Levy et al., 2018; De Borger et al., 2013; Kheirbek et al., 2016)
- Scarce causal evidence on the impacts of bike share on air quality (Shr et al., 2022; Wang and Zhou, 2017; Hamilton and Wichman, 2018)

Contribution

Previous literature

- Air quality impacts of other urban transportation interventions: e.g. underground expansion, congestion tolls, electric vehicles (Gendron-Carrier et al., 2018; Green et al., 2020, Basagaña et al., 2018; Levy et al., 2018; De Borger et al., 2013; Kheirbek et al., 2016)
- Scarce causal evidence on the impacts of bike share on air quality (Shr et al., 2022; Wang and Zhou, 2017; Hamilton and Wichman, 2018)
 - First paper to estimate the long-term causal impact of bike share on air quality using high-resolution, ground-level measures of air pollution over ten years.

Data

Air pollution I

- NYC Community Air Survey (NYCCAS), 2009–2019
 - For 300-by-300 meters cells (units of analysis)  Grid scale illustration
 - Yearly annual average concentrations of six air pollutants  NYCCAS details
 - Pollutant selection: associated with road traffic + measured close to emission source

Air pollution I

- NYC Community Air Survey (NYCCAS), 2009–2019
 - For 300-by-300 meters cells (units of analysis)  Grid scale illustration
 - Yearly annual average concentrations of six air pollutants  NYCCAS details
 - Pollutant selection: associated with road traffic + measured close to emission source
 - Nitric oxide
 - Nitrous dioxide
 - Particulate matter
 - Black carbon

Air pollution I

- NYC Community Air Survey (NYCCAS), 2009–2019
 - For 300-by-300 meters cells (units of analysis)  Grid scale illustration
 - Yearly annual average concentrations of six air pollutants  NYCCAS details
 - Pollutant selection: associated with road traffic + measured close to emission source
 - Nitric oxide
 - Nitrous dioxide
 - Particulate matter
 - Black carbon
- Nitric oxide (NO) and nitrous dioxide (NO_2)
 - Common marker of vehicular traffic
 - 30% of emissions attributed to on-road traffic
 - NO marker of fresh combustion emissions: steeper gradient near busy roadways

Air pollution II

- Particulate matter (PM 2.5) and black carbon (BC)
 - Significant proportions of PM 2.5 from outside the city, but local variation likely due to local emissions
 - 35% of PM emissions attributed to traffic in high-traffic locations
 - BC is a subset of PM 2.5 (4–11% in US cities), but up to 75% of PM 2.5 from diesel exhaust

► NO concentrations 2013

Bike share system in NYC

- Opened in May 2013, gradual expansion
- Fixed docking stations, 24/7
- Stations and bikes
 - **2013** 332 stations, 6K bikes
 - **2019** 780 stations, 13K bikes
- Average **daily bike share trips**
 - **2013** 22K trips
 - **2019** 56K trips (+154%)
 - Most trips by annual subscribers



Bike share system roll-out

Construction of treatment

- Bike share data: the universe of bike share trips made on the system since opening in May 2013
 - >100 million trips from 2013 to 2019
 - variables for each trip: start/end station, time and date, rider demographics

Construction of treatment

- Bike share data: the universe of bike share trips made on the system since opening in May 2013
 - >100 million trips from 2013 to 2019
 - variables for each trip: start/end station, time and date, rider demographics
- I construct a yearly spatial variable mapping the areas where motor vehicle trips most likely decreased due to bike share ► Conceptual framework

Construction of treatment

- Bike share data: the universe of bike share trips made on the system since opening in May 2013
 - >100 million trips from 2013 to 2019
 - variables for each trip: start/end station, time and date, rider demographics
- I construct a yearly spatial variable mapping the **areas where motor vehicle trips most likely decreased due to bike share** ► Conceptual framework
- For each year:
 1. Identify pairs of bike share stations (i.e., at least one trip between the two stations)
 2. Compute optimal **car** route for each pair stations and add a 300m buffer
 3. Intersect the routes+buffer with the grid map: cells intersected by routes+buffer are considered treated

→ Obtain the **spatial extent** of bike share's influence on car traffic, i.e., **areas where fewer cars are expected to be driven** after bike share

Bike share treatment construction

▶ Real routing

Bike share treatment

Estimation strategy and Results

Estimating equation

Staggered difference-in-differences: comparing cells treated by bicycle share with untreated ones, before and after the treatment (Two-Way Fixed Effects):

$$Y_{ct} = \beta Treat_{ct} + year_t + cell_c + \mathbf{C}_{ct} + \varepsilon_{ct}, \quad (1)$$

for cell c at year t


- Y_{ct} : concentration of pollutant y
- $Treat_{ct}$: treated by bike share
- $year_t + cell_c$: year and cell fixed effects
- \mathbf{C}_{ct} : vector of control variables

Standard errors clustered at the community district level (neighbourhood)

▶ Estimation parameters


Nitric Oxide

Dynamic effect of bike share on NO concentrations
"On-car-route" treatment



Nitric Oxide

Dynamic effect of bike share on NO concentrations
"On-car-route" treatment




	NO	
	(1)	(2)
On-car-route	-2.5360*** (0.8595)	-2.7281*** (0.8543)
Baseline controls		✓
Cell FE	✓	✓
Year FE	✓	✓
Mean concentration pre-treat.	20.322	20.353
% mean concentration pre-treat.	-12.479	-13.404
Observations	91,710	90,898
R ²	0.906	0.908
Within R ²	0.049	0.066

Clustered (Community district) standard-errors in parentheses
Signif. Codes: ***: 0.01, **: 0.05, *: 0.1


Nitrous Dioxide

Dynamic effect of bike share on NO₂ concentrations
"On-car-route" treatment



Nitrous Dioxide

Dynamic effect of bike share on NO₂ concentrations
"On-car-route" treatment




	NO ₂	
	(1)	(2)
On-car-route	-1.1489*** (0.2771)	-1.2554*** (0.2759)
Baseline controls		✓
Cell FE	✓	✓
Year FE	✓	✓
Mean concentration pre-treat.	19.950	20.007
% mean concentration pre-treat.	-5.759	-6.275
Observations	91,710	90,898
R ²	0.978	0.979
Within R ²	0.081	0.123

Clustered (Community district) standard-errors in parentheses
Signif. Codes: ***: 0.01, **: 0.05, *: 0.1


Black Carbon

Dynamic effect of bike share on BC concentrations
"On-car-route" treatment



Black Carbon

Dynamic effect of bike share on BC concentrations
 "On-car-route" treatment




	BC	
	(1)	(2)
On-car-route	-0.0253* (0.0128)	-0.0280** (0.0129)
Baseline controls		✓
Cell FE	✓	✓
Year FE	✓	✓
Mean concentration pre-treat.	1.015	1.017
% mean concentration pre-treat.	-2.494	-2.757
Observations	91,710	90,898
R ²	0.956	0.956
Within R ²	0.006	0.011

Clustered (Community district) standard-errors in parentheses
 Signif. Codes: ***: 0.01, **: 0.05, *: 0.1


PM 2.5

Dynamic effect of bike share on PM concentrations
"On-car-route" treatment



PM 2.5

Dynamic effect of bike share on PM concentrations
 "On-car-route" treatment



	PM	
	(1)	(2)
On-car-route	-0.0097 (0.0686)	-0.0320 (0.0688)
Baseline controls		✓
Cell FE	✓	✓
Year FE	✓	✓
Mean concentration pre-treat.	9.433	9.441
% mean concentration pre-treat.	-0.103	-0.339
Observations	91,710	90,898
R ²	0.978	0.979
Within R ²	0.000	0.018

Clustered (Community district) standard-errors in parentheses
 Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

Results discussion

- NO and BC concentrations reduce in areas where fewer cars are likely driven due to bike share
 - By 13.4% and 2.7% compared to pre-bike-share mean concentrations
 - Results contrast with Shr et al. (2022) who find no effect of bike share on NO concentrations one year after implementation in Taiwan
- Back-of-the-envelope valuation of social benefits from reduction in NO concentrations for the entire post-bike-share period
 - up to \$327 million
- Robustness checks
 - Alternative treatment definitions
 - ▶ Service area
 - ▶ Stations
 - Intensity of treatment
 - ▶ NO
 - ▶ NO₂
 - ▶ BC
 - ▶ PM
 - Borusyak, Jaravel and Spiess (2022) estimator robust to variation in treatment timing and heterogenous treatment effects
 - ▶ Plots

Mechanism

Did bike share reduce motor traffic?

- Is there evidence that bike share reduced road traffic, which could explain the decrease in air pollution?
- Taxis serve a similar purpose as bike share: short trips in the city centre ▶ Taxis vs Bike share
- Is there evidence that taxi trips decrease after the arrival of bike share?

Testing the substitution mechanism


- Previous research
 - Taxis ridership increases when bike share stations go out of service in NYC (Molnar and Ratsimbazafy, 2017)
 - Taxis are a good approximation of motor traffic in general (Castro et al., 2012; Peng et al., 2016)

Testing the substitution mechanism

- Previous research
 - Taxis ridership increases when bike share stations go out of service in NYC (Molnar and Ratsimbazafy, 2017)
 - Taxis are a good approximation of motor traffic in general (Castro et al., 2012; Peng et al., 2016)
- This paper
 - Use the **universe of NYC taxi trips**: geolocated, timestamped, measure of distance
 - Identify taxi trips most substitutable by bike share
 - 85% of bike share trips are less than 5km
 - distinguish **short** (<5km) taxi trips from **long** (>5km) ones
 - Same identification strategy: does the staggered roll-out of bike share reduce short taxi trips?


Mechanism · results

Dynamic effect of bike share on yellow taxi pickups *All taxi zones*



Mechanism · results


Dynamic effect of bike share on yellow taxi pickups *All taxi zones*



Short taxi trips decrease faster than long taxi trips in areas where bike share stations are implemented.

Mechanism • results

Dynamic effect of bike share on yellow taxi pickups *All taxi zones*



Short taxi trips decrease faster than long taxi trips in areas where bike share stations are implemented.

→ Suggestive evidence that bike share substituted some trips away from taxis

Conclusion

This paper

- Estimated the **causal impacts** of bike share on air quality in NYC from 2013 to 2019
- Found that bike share **decreased the concentrations** of NO by up to 13.4% and BC by up to 2.7% compared to average concentrations before bike share
 - Avoided social damages valued at up to **\$327 million dollars**
- Shed light on the substitution mechanism by showing that **short taxi trips decreased faster** in bike share areas after the arrival of bike share compared to long taxi trips

Thank you

thornev@tcd.ie

Research agenda

Low-skilled workers in urban labour markets of developing countries

- *Conscientiousness and Labor Market Returns: Evidence from a Field Experiment in Senegal* joint with Mathias Allemand, Martina Kirchberger, Sveta Milusheva, Carol Newman and Brent Roberts
 - Submitted
- *Constructing Africa's Cities: Measuring and Enhancing Construction Worker Welfare in Dakar* joint with Martina Kirchberger, Sveta Milusheva, and Carol Newman
 - Data collection


Impacts of urban transport infrastructure

- *Female Labour Force Participation and Urban Transit: Evidence from the Washington Metro* joint with Maximilian Günnewig-Mönert
 - Preliminary stages

Conceptual framework

- Bike share **reduces** the cost of (and **improves** the accessibility to) cycling in areas where implemented
 - This change in the **relative local attractiveness** of cycling vs other transport modes leads some individuals to **switch** to cycling
 - Bike share reduces pollution if bike share trips **replace** (i.e., **substitute away from**) motor vehicle trips
 - We expect pollution to reduce **where fewer motor vehicles are driven** due to bike share


Routing illustration



▶ Back

Bike share usage chart


Bike share in NYC




Cycling in NYC

- Daily bike trips estimates
(NYC DOT Mobility Survey)
 - **2010** 280K trips
 - **2019** 520K trips (+85%)
- Rides at least several times a month
(NYC Community Health Survey)
 - **2010** 504K cyclists
 - **2019** 793K cyclists (+57%)

Cycling in NYC



NYC cycling to work vs US peer cities




Cycling in the City Report, 2020, NYC DOT

▶ Back

Scale of raster grid · Columbus Circle


Grid scale · 300m×300m



▶ Back

Mapping air pollution · nitric oxide (NO) 2013

2013



▶ Back

NYCCAS details

Concentrations of PM 2.5, black carbon, nitrogen oxides (NO and NO₂), sulfur dioxide (SO₂) and ozone (O₃)

- 150 measurement stations: 120 randomly placed, 30 at purposeful sites
- Overlays a grid over the city made up of square cells 300m wide
- For each cell, estimates the annual average concentration of pollutant using a land-use regression (LUR) model

Land-use regression (LUR) model:

$$\begin{aligned} \text{Concentration}_{it} = & \beta_0 + \beta_1 \text{RefStation}_{it} + \beta_2 \text{Source1}_i \\ & + \beta_3 \text{Source2}_i + \beta_4 \text{Source1}_i \times \text{SiteCharac}_{it} + \varepsilon_{it} \end{aligned}$$

Estimation parameters

- Panel dataset
 - **units** grid cells (9,171)
 - **time** years (10, 2010–2019)
 - **treatment** cell treated by bike share: within “traffic footprint” of bike share
- Covariates
 - population (American Community Survey, ACS)
 - fraction of college graduates (ACS)
 - household income (ACS)
 - meters of bicycle lanes (NYC Department of Transportation)
 - built surface (NYC Department of City Planning)

Social benefits valuation


Are the results economically significant?

- Concentration-response function from the epidemiology literature for NO and
 - mortality
 - asthma related **emergency department (ED) visits** and **hospitalisations**
- Bike share saved up to 33 deaths, 1,122 ED visits and 412 hospitalisations
- Avoided social damages valued at up to \$327 million ($\$320M + \$1.2M + \$6.2M$)
- Does not take into account other outcome or other pollutants
 - likely a lower bound

Nitric Oxide · Service area

Dynamic effect of bike share on NO concentrations

"Service area" treatment



	NO		
	(1)	(2)	(3)
Convex polygon	-2.7534** (1.0736)	-0.1855 (0.6438)	-0.3325 (0.5012)
Baseline controls	✓	✓	✓
Cell FE	✓	✓	✓
Year FE	✓	✓	✓
Year-Community district FE		✓	
Year-Borough FE			✓
Mean concentration pre-treat.	20.353	20.353	20.353
% mean concentration pre-treat.	-13.528	-0.911	-1.633
Observations	90,898	90,898	90,898
R ²	0.907	0.959	0.936
Within R ²	0.058	0.008	0.008


Clustered (Community district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

▶ Back

Nitrogen Dioxide · Service area

Dynamic effect of bike share on NO₂ concentrations
"Service area" treatment



	NO ₂		
	(1)	(2)	(3)
Convex polygon	-1.1882*** (0.3380)	0.0989 (0.1864)	-0.2136 (0.2059)
Baseline controls	✓	✓	✓
Cell FE	✓	✓	✓
Year FE	✓	✓	✓
Year-Community district FE		✓	
Year-Borough FE			✓
Mean concentration pre-treat.	20.007	20.007	20.007
% mean concentration pre-treat.	-5.939	0.494	-1.067
Observations	90,898	90,898	90,898
R ²	0.979	0.994	0.985
Within R ²	0.100	0.010	0.016


Clustered (Community district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

▶ Back

Black carbon · Service area

Dynamic effect of bike share on BC concentrations
"Service area" treatment




	(1)	BC (2)	(3)
Convex polygon	-0.0379** (0.0143)	-0.0170*** (0.0051)	-0.0167* (0.0093)
Baseline controls	✓	✓	✓
Cell FE	✓	✓	✓
Year FE	✓	✓	✓
Year-Community district FE		✓	
Year-Borough FE			✓
Mean concentration pre-treat.	1.017	1.017	1.017
% mean concentration pre-treat.	-3.729	-1.669	-1.638
Observations	90,898	90,898	90,898
R ²	0.957	0.979	0.970
Within R ²	0.015	0.002	0.004

Clustered (Community district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

PM 2.5 · Service area

Dynamic effect of bike share on PM concentrations
 "Service area" treatment



	PM		
	(1)	(2)	(3)
Convex polygon	-0.0353 (0.0802)	0.0399 (0.0378)	0.0748 (0.0535)
Baseline controls	✓	✓	✓
Cell FE	✓	✓	✓
Year FE	✓	✓	✓
Year-Community district FE		✓	
Year-Borough FE			✓
Mean concentration pre-treat.	9.441	9.441	9.441
% mean concentration pre-treat.	-0.374	0.423	0.792
Observations	90,898	90,898	90,898
R ²	0.979	0.992	0.984
Within R ²	0.018	0.004	0.018


Clustered (Community district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

▶ Back

Nitric Oxide · Stations

Dynamic effect of bike share on NO concentrations
"Station < 300m" treatment




	(1)	(2)	(3)
Station	-3.8915*** (1.1872)	-2.1059*** (0.5868)	-1.5368*** (0.5721)
Baseline controls	✓	✓	✓
Cell FE	✓	✓	✓
Year FE	✓	✓	✓
Year-Community district FE		✓	
Year-Borough FE			✓
Mean concentration pre-treat.	20.353	20.353	20.353
% mean concentration pre-treat.	-19.120	-10.347	-7.551
Observations	90,898	90,898	90,898
R ²	0.910	0.960	0.937
Within R ²	0.089	0.028	0.021

Clustered (Community district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

Nitrogen Dioxide · Stations

Dynamic effect of bike share on NO₂ concentrations
"Station < 300m" treatment




	(1)	(2)	(3)
Station	-1.4994*** (0.3277)	-0.4007*** (0.1384)	-0.5309*** (0.1807)
Baseline controls	✓	✓	✓
Cell FE	✓	✓	✓
Year FE	✓	✓	✓
Year-Community district FE		✓	
Year-Borough FE			✓
Mean concentration pre-treat.	20.007	20.007	20.007
% mean concentration pre-treat.	-7.494	-2.003	-2.654
Observations	90,898	90,898	90,898
R ²	0.979	0.994	0.985
Within R ²	0.122	0.018	0.028

Clustered (Community district) standard-errors in parentheses
Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

Black carbon · Stations

Dynamic effect of bike share on BC concentrations
"Station < 300m" treatment



	BC		
	(1)	(2)	(3)
Station	-0.0404** (0.0162)	-0.0170* (0.0098)	-0.0153 (0.0093)
Baseline controls	✓	✓	✓
Cell FE	✓	✓	✓
Year FE	✓	✓	✓
Year-Community district FE		✓	
Year-Borough FE			✓
Mean concentration pre-treat.	1.017	1.017	1.017
% mean concentration pre-treat.	-3.978	-1.668	-1.506
Observations	90,898	90,898	90,898
R ²	0.957	0.979	0.970
Within R ²	0.015	0.002	0.003


Clustered (Community district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

▶ Back

PM 2.5 · Stations

Dynamic effect of bike share on PM concentrations
"Station < 300m" treatment



	PM		
	(1)	(2)	(3)
Station	-0.1002 (0.0788)	-0.0942** (0.0419)	0.0090 (0.0514)
Baseline controls	✓	✓	✓
Cell FE	✓	✓	✓
Year FE	✓	✓	✓
Year-Community district FE		✓	
Year-Borough FE			✓
Mean concentration pre-treat.	9.441	9.441	9.441
% mean concentration pre-treat.	-1.061	-0.997	0.095
Observations	90,898	90,898	90,898
R ²	0.979	0.992	0.983
Within R ²	0.022	0.007	0.014

Clustered (Community district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

▶ Back

ATT · Nitric Oxide

	NO			
	(1)	(2)	(3)	(4)
Trips (10K)	-0.0839*** (0.0115)		-0.0860*** (0.0114)	
Trips (IHS)		-0.2758*** (0.0850)		-0.2947*** (0.0845)
Baseline controls			✓	✓
Cell FE	✓	✓	✓	✓
Year FE	✓	✓	✓	✓
Mean concentration pre-treat.	20.322	20.322	20.353	20.353
% mean concentration pre-treat.	-0.413	-1.357	-0.423	-1.448
Observations	91,710	91,710	90,898	90,898
R ²	0.927	0.909	0.929	0.911
Within R ²	0.257	0.077	0.279	0.097

Clustered (Community district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

ATT · Nitric Dioxide

	NO ₂			
	(1)	(2)	(3)	(4)
Trips (10K)	-0.0253*** (0.0034)		-0.0263*** (0.0033)	
Trips (IHS)		-0.1119*** (0.0256)		-0.1218*** (0.0254)
Baseline controls			✓	✓
Cell FE	✓	✓	✓	✓
Year FE	✓	✓	✓	✓
Mean concentration pre-treat.	19.950	19.950	20.007	20.007
% mean concentration pre-treat.	-0.127	-0.561	-0.131	-0.609
Observations	91,710	91,710	90,898	90,898
R ²	0.981	0.979	0.982	0.980
Within R ²	0.188	0.103	0.231	0.147

Clustered (Community district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

▶ Back

ATT · Black Carbon

	BC			
	(1)	(2)	(3)	(4)
Trips (10K)	-0.0010*** (0.0002)		-0.0010*** (0.0002)	
Trips (IHS)		-0.0032*** (0.0012)		-0.0035*** (0.0012)
Baseline controls			✓	✓
Cell FE	✓	✓	✓	✓
Year FE	✓	✓	✓	✓
Mean concentration pre-treat.	1.015	1.015	1.017	1.017
% mean concentration pre-treat.	-0.097	-0.316	-0.100	-0.342
Observations	91,710	91,710	90,898	90,898
R ²	0.958	0.957	0.958	0.957
Within R ²	0.046	0.014	0.052	0.019

Clustered (Community district) standard-errors in parentheses


Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

	PM			
	(1)	(2)	(3)	(4)
Trips (10K)	-0.0031*** (0.0011)		-0.0033*** (0.0011)	
Trips (IHS)		-0.0036 (0.0067)		-0.0057 (0.0067)
Baseline controls			✓	✓
Cell FE	✓	✓	✓	✓
Year FE	✓	✓	✓	✓
Mean concentration pre-treat.	9.433	9.433	9.441	9.441
% mean concentration pre-treat.	-0.033	-0.038	-0.035	-0.060
Observations	91,710	91,710	90,898	90,898
R ²	0.979	0.978	0.979	0.979
Within R ²	0.033	0.001	0.055	0.020

Clustered (Community district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

NO · Borusyak, Jaravel & Spiess estimator




Note: "On-car-route" treatment definition

▶ Back

NO₂ · Borusyak, Jaravel & Spiess estimator

Dynamic effect of bike share on NO₂ concentrations


Borusyak et al. (2022) estimator



Note: "On-car-route" treatment definition

▶ Back


BC · Borusyak, Jaravel & Spiess estimator



Note: "On-car-route" treatment definition

▶ Back

PM · Borusyak, Jaravel & Spiess estimator



Note: "On-car-route" treatment definition


Taxis in NYC

Taxis are a popular transport mode in NYC. In 2014:

	Taxis	Bike share
Trips	485K trips/day 55% of trips <3km average price \$4/km	25K trips/day >70% of trips <3km
Passengers	70% ≤35 years old 55% male	Median age: 33 years old 70% male
Traffic	In Midtown, >50% of all vehicles	

Source: New York City Taxi and Limousine Commission (2014) and Citi Bike trip data.

NYC 2019 Mobility Report



▶ Back