# MA080G Cryptography Assignment 1

## Viktor Rosvall

March 28, 2019

# Question 1

Showing you working, decrypt the shift-encrypted message PM FVB DHUA AV RLLW H ZLJYLA FVB TBZA HSZV RLLW PA MYVT FVBYZLSM.

# Answer 1

By looking at the first digram PM, I made the guess that the plaintext is "if". So I start the decryption by shifting the alphabet 7 steps to the left for P to become an "f". After that I begin checking if the remaining ciphertext translate to a plausible English sentence.

By shifting 7 steps to the left the sentence becomes: "if you want to keep a secret you must also keep it from yourself".

# Question 2

#### 10.6.1

Write down the cycle notation for permutation which effect the rearrangement.

## 10.6.2

Let  $\sigma, \tau$  be the permutations of  $\{1, 2, ..., 8\}$  whose effects representations in cycle notation are:

$$\sigma = (1\ 2\ 3)\ (4\ 5\ 6)\ (7\ 8), \qquad \tau = (1\ 3\ 5\ 7)\ (2\ 6)\ (4)\ (8)$$

Write down the cycle notations for  $\sigma\tau$ ,  $\tau\sigma$ ,  $\sigma^2$ ,  $\sigma^{-1}$ ,  $\tau^{-1}$ .

#### 10.6.4

Show that there are just three members of  $S_4$  which have two cycles of lenght 2 when written in cycle notation.

#### 10.6.5

Let K denote the subset of  $S_4$  which contains the identity permutation i and the three permutations  $\alpha_1, \alpha_2, \alpha_3$  described in the previous exercise. Write out the "multiplication table" for K, when multiplication is interpreted as composition of permutations.

#### Answer 2

By using cycle notation to calculate blabal bla The inverse of a permutation in cycle notation is the number backwards. One-cycles can be discarded as they will not effect the calculations.

## 10.6.1

Cycle notation: (1 3 7) (2 5 4 8)

#### 10.6.2

$$\sigma\tau = (1\ 2\ 3)\ (4\ 5\ 6)\ (7\ 8)*(1\ 3\ 5\ 7)\ (2\ 6)$$

$$= (2\ 4\ 5\ 8\ 7)\ (3\ 6)$$

$$\tau\sigma = (1\ 3\ 5\ 7)\ (2\ 6)*(1\ 2\ 3)\ (4\ 5\ 6)\ (7\ 8)$$

$$= (1\ 6\ 4\ 7\ 8)\ (2\ 5)$$

$$\sigma^2 = (1\ 2\ 3)\ (4\ 5\ 6)\ (7\ 8)*(1\ 2\ 3)\ (4\ 5\ 6)\ (7\ 8)$$

$$= (1\ 3\ 2)\ (4\ 6\ 5)$$

$$\sigma^{-1} = (3\ 2\ 1)\ (6\ 5\ 4)\ (8\ 7)$$

$$= (1\ 3\ 2)\ (4\ 6\ 5)\ (7\ 8)$$

## 10.6.4

The number of permutations of type  $[2^2]$  in  $S_4$  can be calculated as:

$$S_4$$
 has  $\frac{4!}{2^2 2!} = 3$  permutations

 $\tau^{-1} = (7\ 5\ 3\ 1)\ (6\ 2)$ = (1\ 7\ 5\ 3)\ (2\ 6)

Where the base is the loop size, and  $\alpha$  is the number of loops

## 10.6.5

# Question 3

In how many ways can you rearrange the letters of the string ABRAABRAKADABRA?

#### Answer 3

We have 15 letters in total, but they aren't unique. I count 7 As, 3Bs, 3Rs, 1 K and 1 D. If each letter was unique, the number of permutations would be 15!, but since the number of permutations aren't, they can be counted as:

$$\frac{15!}{7!3!3!} = 7207200$$

# Question 4

# a) (i)

Use Euclid's algorithm to show that gcd(17, 2018) = 1

# a) (ii)

Find two integers s and t such that:

$$17s + 2018t = 1$$

b)

Showing all your working, find all solutions  $[x] \in \mathbb{Z}_{2018}$  to the equation

$$[17] \odot [x] = [1]$$

**c**)

Showing all your working, find the set of all integers x which satisfy the congruence

$$17x \equiv 1 \pmod{2018}$$

#### Answer 4

## a) (i)

By using Euclid's algorithm step by step we get;

$$2018 = 17(118) + 12 \rightarrow 12 = 2018 - 17(118)$$

$$17 = 12(1) + 5 \rightarrow 5 = 17 - 12(1)$$

$$12 = 5(2) + 2 \rightarrow 2 = 12 - 5(2)$$

$$5 = 2(2) + 1 \rightarrow 1 = 5 - 2(2)$$

$$2 = 1(2) + 0$$

So gcd(17, 2018) = 1.

# a) (ii)

Working backwards through the algorithm step by step we get:

$$\gcd(17,2018) = 5 = 5 - 2(2)$$
  $= 5 - [12 - 5(2)](2)$   
 $= 5(5) - 12(2)$   $= [17 - 12(1)](5) - 12(2)$   
 $= 17(5) - 12(7)$   $= 17(5) - [2018 - 17(118)](7)$   
 $= 17(831) - 2018(7)$ 

So s = 831 and t = 7.

b)

To solve  $[x] \in Z_{2018}$  we need to find the multiplicative inverse of [17]. We know that a multiplicative inverse exists because the gcd(17, 2018) = 1.

From Euclid's algorithm we get that s=831 and t=7. The class [831] is thus the multiplicative inverse of [17]

$$[17] \odot [831] = [14127] = [1]$$

**c**)

To find the set of all integers x in the congruence:

$$17x \equiv 1 (mod\ 2018)$$

is the same as finding all  $[x] \in \mathbb{Z}_{2018}$  satisfying the equation:

$$[17] \odot [x] = [1]$$

we can calculated the inverse of [17] to be [831], thus the set of all integers is:

$$x \in \{..., -1187, 831, 2849, ...\}$$
 or  $x \in \{831 + 2018t \mid t \in Z\}$ 

## Question 5

Using tools to help you do the frequency analysis of cipher text. Decipher the following text and submit the first line of the plaintext together with a description of how you broke the cipher.

#### Answer 5

The most frequent trigram is RTA, XUO and CUB. I make the assumption that they are the most frequent trigrams: "the", "and", "ing". I focused on trigrams such as CUB and XUO which has letters in common.

By looking at the *digraph frequency* tablet, we can see that R, D, Q and K are frequent digrams (such as "ss" and "oo") with themselves. I thus assume that they are probably the letters "t", "o", "s", "l".

Through much trial and error, by focusing on trigrams mostly, I was able to find all the letter mappings which looks like this:

The ciphertext letters H and N was hard to crack because they only occurred once in the text. It was by process of elimination that I was able to determine them.

The ciphertext letters V and Y has no occurrences which means that the plaintext letters "j" and "z" never occurs too.

The first line of the plaintext is:

"the sun was shining on the sea, shining with all his might"