

W3USR Activity 2: Digital Modes & Data Communication

EE 451: Communications Systems

Name: _____ Date: _____

Objectives

1. Observe and decode digital communication modes on HF
2. Understand the modulation techniques used in amateur digital modes
3. Compare bandwidth, speed, and performance of different modes
4. Relate digital modes to course concepts (FSK, PSK, OFDM)
5. Decode real signals using software

Equipment & Software

- W3USR station equipment
- Computer with audio interface to radio
- Software: Fldigi, WSJT-X, or JS8Call
- Headphones for monitoring

Part 1: Digital Mode Overview (15 points)

Task 1.1: Digital Mode Comparison

Research and complete this comparison table:

Mode	Modulation Type	Bandwidth	Data Rate	Typical Use
RTTY	FSK	~300 Hz	45 baud	Contest, DX
PSK31				
FT8				
FT4				
JS8Call				
Winlink				
SSTV				

Question 1.1 (10 points)

- a) Why do weak-signal modes like FT8 use such narrow bandwidths?
- b) What is the relationship between bandwidth and data rate (Shannon's theorem)?
- c) FT8 achieves successful decodes at -20 dB SNR. How is this possible when voice requires positive SNR?

Your Answer:

[Write your answer here]

Part 2: Receiving and Decoding FT8/FT4 (30 points)

Task 2.1: Configure WSJT-X

1. Launch WSJT-X software
2. Configure audio input from radio
3. Set correct time synchronization (critical for FT8!)
4. Select mode: FT8
5. Choose frequency (e.g., 14.074 MHz for 20m)

Screenshot 2.1: WSJT-X main window showing decoded signals.

[Insert screenshot]

Task 2.2: Log Decoded Stations

Monitor FT8 for 10-15 minutes and log decoded stations:

Time (UTC)	Callsign	Grid Square	Distance (km)	SNR (dB)	Message Type
------------	----------	-------------	---------------	----------	--------------

Task 2.3: Analyze FT8 Waterfall

Observe the waterfall display:

Screenshot 2.3: Waterfall showing multiple FT8 signals.

[Insert screenshot]

Observations: 1. How many simultaneous signals can you see in one time slot? _____ 2. What is the bandwidth of a single FT8 signal? _____ Hz 3. How long is each transmission? _____ seconds 4. What is the time between transmission periods? _____ seconds

Question 2.1 (15 points)

- a) FT8 uses GFSK with 8 tones (8-FSK). How many bits does each tone represent?
- b) Why is accurate time synchronization (within ± 1 second) critical for FT8?
- c) FT8 messages are exactly 77 bits. Why is there such a strict limit on message content?

- d) What error correction coding does FT8 use, and why is strong FEC essential for weak-signal work?

Your Answer:

[Write your answer here]

Part 3: PSK31 - Keyboard-to-Keyboard Communication (25 points)

Task 3.1: Configure Fldigi for PSK31

1. Launch Fldigi
2. Configure audio interface
3. Set mode to PSK31
4. Tune to PSK frequencies:
 - 20m: 14.070 MHz
 - 40m: 7.070 MHz

Screenshot 3.1: Fldigi waterfall showing PSK31 signals.

[Insert screenshot]

Task 3.2: Decode PSK31 Transmissions

Click on a PSK31 signal in the waterfall and read the decoded text:

Decoded Text Sample:

[Copy decoded text here - several lines of a QSO]

Task 3.3: Analyze PSK31 Characteristics

1. **Bandwidth of PSK31 signal:** _____ Hz
2. **Characters per minute (approximate):** _____
3. **Compare to RTTY bandwidth:** _____

Screenshot 3.3: Close-up of a single PSK31 signal in the waterfall.

[Insert screenshot]

Question 3.1 (10 points)

- a) PSK31 uses BPSK at 31.25 baud. Why was this specific baud rate chosen?
- b) Compare the bandwidth efficiency of PSK31 vs. SSB voice. Which is more efficient?

- c) PSK31 uses Varicode - a variable-length character encoding. Why is this more efficient than fixed-length codes?

Your Answer:

[Write your answer here]

Part 4: Comparing Mode Performance (20 points)

Task 4.1: Signal Quality Comparison

If possible, observe the same station on different modes or compare similar signals:

Mode	Observed SNR	Decode Success	Bandwidth	Info Rate
FT8		Yes/No		
PSK31		Yes/No		
SSB Voice		Readable?		

Task 4.2: Spectral Efficiency Calculation

Calculate bits per second per Hz for each mode:

Mode	Data Rate (bps)	Bandwidth (Hz)	Spectral Efficiency (bps/Hz)
FT8			
PSK31			
RTTY			

Question 4.1 (10 points)

- a) FT8 has very low data rate but works at extremely low SNR. PSK31 has higher data rate but needs stronger signals. Explain this trade-off using Shannon's capacity formula: $C = B \cdot \log(1 + \text{SNR})$
- b) Why might an operator choose PSK31 over FT8 for an actual conversation?
- c) For emergency communication, which mode would you recommend and why?

Your Answer:

[Write your answer here]

Part 5: Digital Mode Technology (10 points)

Task 5.1: Modulation Analysis

For each mode, identify the modulation technique used:

Mode	Base Modulation	Symbol Rate	Coding/Encoding
FT8			
PSK31			
RTTY			
Winlink (ARDOP)			

Question 5.1 (10 points)

- Modern modes like FT8 use forward error correction (FEC). Explain how FEC improves performance at low SNR.
- OFDM is used in many digital modes (Winlink, some HF data systems). Why is OFDM advantageous for HF channels with multipath?
- What is the role of interleaving in digital mode error correction?

Your Answer:

[Write your answer here]

Lab Summary

Mode Comparison Summary

Mode	Best For	SNR Required	Bandwidth	Interactive?
FT8				
PSK31				
RTTY				
JS8Call				

Connections to Course Material

Course Topic	Digital Mode Application
FSK Modulation	RTTY, FT8 tones
PSK Modulation	
Shannon Capacity	
Forward Error Correction	
Bandwidth Efficiency	

Personal Observations

What did you find most interesting about digital modes? How do they compare to your expectations?

[Write your reflection here]

Submission Checklist

- ☐ All tables completed
- ☐ Screenshots inserted
- ☐ Decoded text samples included
- ☐ Station logs completed
- ☐ All questions answered
- ☐ Reflections completed

Submit to Brightspace by due date.